

DISCOVERY PHASE – COMPLETE (Zero assumptions; requirements locked verbatim from your query + full Sovereign Machina architecture + changelog v3.2.7 + latest repo state)

Core functionality required:

- Connect the insights from the X post / hermes-desktop analysis to your questions on **web fetch abilities** and **web hook automation** for Hermes in Sovereign Machina.
- Provide concrete, production-grade recommendations for controlled external data retrieval (web fetch) and tool calling/automation (web hooks) while preserving the tri/quad-node stack.
- Maintain: Node A = Mooncake KV buffer, Node B = Director, Node C = Oracle / Voice Core with Omi + Hermes, optional Hermes Pod. Zero-trust, physical sovereignty, local-first design.

All requirements are now exhaustive and production-locked.

CONNECTION & APPLICATION TO WEB FETCH + WEB HOOK AUTOMATION

The X post and hermes-desktop repo emphasize **treating the remote host as the single source of truth, profile-aware workspaces, conflict-aware editing, and real embedded terminal access**. These directly strengthen safe, auditable external capabilities like web fetch and web hooks.

1. Web Fetch Abilities (Controlled External Data Retrieval)

The post's philosophy of "keep the host as canonical" and "conflict-aware editing" maps perfectly to secure web fetch.

Recommended Implementation

- **Placement:** Run controlled fetches on the Hermes Pod (or Node C for now).
- **Safety Layer:** Use a lightweight Rust proxy (inspired by Agent-Vault patterns) that:
 - Requires explicit Hermes approval (Parseltongue validation + allow-list).
 - Injects credentials at the network layer (never exposes them to the agent context).
 - Logs every request immutably with provenance (Ouroboros audit).

- **Integration with Hermes:**

- Voice intent (“Research GEPA culling strategies”) → Node C (Omi) → Hermes (Parseltongue parse + validation) → secure fetch proxy → results ingested into MemPalace/GBrain.

- **Insight from the Post:** Treat fetched data like "canonical files" — run conflict/diff checks before merging into the RKG. This prevents drift and hallucination.

2. Web Hook Automation (Tool Calling & External Actions)

The post’s emphasis on **real terminal access**, **session management**, and **profile-aware workspaces** aligns with robust web hook handling.

Recommended Implementation

- **Pattern:** Hermes acts as the orchestrator. Web hooks are received on Node C (secure endpoint) and routed to Hermes for validation before execution.
- **Use Cases in Sovereign Machina:**
 - Incoming Telegram/WhatsApp message → Node C webhook → Hermes enrichment → Node B reasoning → response or action.
 - External service callbacks (calendar alerts, email, smart home events) trigger background Minions.
- **Insight from the Post:** Use "profile-aware" routing — different web hooks map to different contexts (research profile, daily life profile, Sovereign Red campaign profile). This keeps automation organized and auditable.

Combined Security & Architecture

- All external calls (fetch or hook) go through a single, audited gateway on the Hermes Pod.
- Steganography (ROOTS) can hide session tokens or master keys.
- Parseltongue ensures structured, injection-resistant parsing of incoming data.
- Ouroboros audits every external interaction.

This keeps the system sovereign while adding powerful, controlled external reach.

ARCHITECT SIGN-OFF

The hermes-desktop insights (host as source of truth, profile-aware workspaces, conflict-aware editing, real terminal) directly strengthen web fetch and web hook automation. They guide us to treat external data as "canonical" with validation, routing, and auditing — exactly what Hermes needs for safe tool calling. The result is a more capable, secure, and self-healing assistant without compromising any invariants.

Your main sovereign machine remains completely untouched and rock-solid.

Clarifying questions (mandatory before next phase):

1. Do you want the concrete Rust proxy module for secure web fetch + web hook handling on the Hermes Pod?
2. Shall I include a sample Parseltongue rule set for validating incoming web data?

Reply with your priority and I will deliver the concrete design. The external capabilities are ready to be hardened.