

Сайт для коммерческой организации “*CLEARING Ltd.*”

Информация об организации

Фирма *Clearing* является официальным эксклюзивным распространителем водоочистительных аппаратов для питьевой воды WL3000, WL2000 и WL350. Производителями данных аппаратов является компания "*Waterlogic International*", продукция которой разработана на основе уникальной технологии и успешно продается более чем в 25 странах мира.

CLEARING Ltd. специализируется в области поставки, торговли, установки и обслуживания уникальных водоочистительных разливочных аппаратов питьевой воды.

CLEARING обеспечивает следующие виды услуг: розничная и оптовая торговля водоочистительными разливочными аппаратами, гарантийное и сервисное обслуживание клиентов запчастями, срочная поставка и доставка запчастей, консультирование клиентов относительно качества предлагаемых нами товаров, сдача аппаратов в аренду.

Консультирование клиентов позволяет оказывать дополнительные услуги. К ним относятся: комплексное изучение потребностей клиента, разработка для него специальных предложений и рекомендаций по стоимости и качеству интересующих услуг, формирование льготных заявок на оптовую поставку товаров и т. д.

Цели web-сайта:

- ✓ Предоставить жителям информацию о высококачественных, надёжных, экономичных водоочистительных аппаратах для питьевой воды WL2000 и WL3000 производства компании "*Waterlogic International*".
- ✓ Обеспечить фирме *Clearing* постоянный приток клиентов и непрерывную информационную поддержку в средствах массовой информации, в частности в сети *Internet*, что предполагает увеличение объемов продаж в 1.15 раз в год и расширение среднего объема запаса склада в 1.46 раза в год.
- ✓ Обеспечить непрерывный маркетинг, с целью заинтересовать и привлечь инвесторов к участию в развитии компании.
- ✓ Обеспечить поддержку репутации (имиджа) фирмы и предлагаемых ею товаров на рынке.

Задачи web-сайта:

- ✓ Предоставить информацию о фирме *Clearing* и предоставляемых ею услугах.
- ✓ Предоставить информацию о водоочистительных аппаратах для питьевой воды WL2000 и WL3000 производства компании "*Waterlogic International*".
- ✓ Предоставить контактную информацию фирмы *Clearing*.
- ✓ Предоставить информацию о получении возможных льгот, скидок и информацию о специальных предложениях.
- ✓ Предоставить рекламную информацию о клиентах (по желанию клиента).
- ✓ Обеспечить круглосуточный доступ к информации.


Целевая аудитория:

- ✓ Профессии: бизнесмены, менеджеры или коммерческие директора, коммерческая или сервисная организация, руководители офиса или фирмы, любой, кто интересуется вопросами очистки воды.
- ✓ Местоположение: Россия.
- ✓ Возраст: с 18
- ✓ Пол: любой

- ✓ Язык: русский, английский.
- ✓ ОС: Windows, Linux
- ✓ Браузеры: Internet Explorer 4.0 и выше, Netscape Navigator.
- ✓ Время посещения: круглосуточно
- ✓ Уровень пользователей: beginner, medium, expert


Логическая структура сайта:

Сайт имеет иерархическую логическую структуру.




Навигационная схема сайта:

Данный веб-сайт использует иерархическую логическую модель организации сайта.




Макеты страниц

Home page (*index.html*) имеет вид:



Страницы “Service”, “Questions”, “About Us” имеют схожую структуру:




Макет страницы “Products” имеет вид:

Logo				Page Header (<i>image</i>)				Main Navigation Bar (<i>images</i>)
Decoration element (<i>image</i>)	Page Title (<i>text</i>)				Decoration element (<i>image</i>)			
	Image		Text		Image	Text		
	Text				Image	Text		
Page Footer (<i>image</i>)					Contact Information (<i>image</i>)			
Secondary Navigation Bar (<i>text</i>)								
				Last Updated Information (<i>text</i>)				
				Copyright Information (<i>text</i>)				


Макет страницы “Clients” имеет вид:

Logo		Page Header (<i>image</i>)		Main Navigation Bar (<i>images</i>)
Decoration element (<i>image</i>)	Page Title (<i>text</i>)		Decoration element (<i>image</i>)	
	Image	Text		
	Image	Text		
	Image	Text		
	Image	Text		
	Image	Text		
Page Footer (<i>image</i>)			Contact Information (<i>image</i>)	
Secondary Navigation Bar (<i>text</i>)				
			Last Updated Information (<i>text</i>)	
			Copyright Information (<i>text</i>)	

Макет страниц “WL2000”, “WL3000” имеет вид:



Макет страницы “WL350” имеет вид:



Средства реализации Web-сайта:

Web-сайт реализован в среде Macromedia Dreamweaver MX. Images были подготовлены в среде Adobe Photoshop 7.0 и Corel Draw.

Ключевые слова:

Ключевые слова, используемые браузером для поиска: drinking water system, Waterlogic, Clearing, water-purifying dispenser, WL3000, WL2000, WL350, water dispenser, clear water, water purifying system.

Цветовая палитра Web-сайта:

Для дизайна Web сайта была использована холодная цветовая гамма, в которой в максимальной степени были выдержаны все элементы страниц.

Фон

В качестве цвета фона Web-страницы выбран темно синий цвет с 16-ричным кодом **#222D4A** в системе RGB. К сожалению, выбранный цвет не является Web Save Color, но выбран по причине соответствия цвету логотипа и другой символики фирмы *Clearing*.

Область текста

Область Web-страницы, содержащая основную информацию размещена по центру и имеет фиксированную ширину 290 pt. Фон области, содержащей текст, имеет Web Save Color - White (**#FFFFFF**). С левой стороны данной области расположен декоративный background image с изображением капель воды (использован формат .jpg, with compression level (quality) 60%, так как image содержит плавные переходы цвета, градиенты).

Текст

Для данного сайта был выбран font **Verdana** (font-family: Verdana, Arial, Helvetica, sans-serif). Данный шрифт является шрифтом без засечек и имеет четкое начертание. Так как объем текста на странице не очень большой, то данные шрифты позволяют обеспечить удобство чтения. Также данный шрифт сочетается со шрифтами, используемыми в логотипе и другой символике фирмы *Clearing*.

В качестве цвета текста выбран Web Save Color - Navy (**#000080**). Текст, написанный данным цветом на белом фоне имеет достаточный контраст, что обеспечивает удобство чтения информации.

На данном сайте используются не фиксированные, а относительные размеры шрифта, что дает возможность при необходимости изменять размер отображаемого текста средствами браузера.

Основной текст написан шрифтом с относительным размером 2 единицы. Не был использован размер по умолчанию (3 единицы), так как буквы при выбранном font-face и выбранных цветах шрифта и фона даже при использовании размера 2 единицы сохраняют удобство восприятия информации. Для выделения отдельных фрагментов текста и подзаголовков использовано начертание Bold.

Текст имеет выравнивание по левому краю, что обеспечивает фиксированное расстояние между символами (буквами) и обеспечивает удобство чтения.

Ссылки

Все ссылки отображаются Web Save Color – medium gray (**#999999**). Этот цвет не является очень хорошим выбором для отображения ссылок, но для данного сайта был выбран как оптимальный, так как на Web-страницах есть ссылки расположенные в тексте (на белом фоне), так и ссылки расположенные вне основной области текста (Secondary navigation bar – in the bottom of page)(на темно синем фоне), поэтому в качестве цвета текста был выбран medium gray (**#999999**), так как он достаточно хорошо виден как на белом, так и на темно синем фоне.

Дополнительные элементы: горизонтальная линейка и маркированные списки.

Для улучшения восприятия информации использован декоративный дополнительный элемент - разделительная горизонтальная линия (Web Safe Color - Navy (#000080)). При отображении текста в виде списка использован Bullet (использован формат .gif, with color count – 8, Adaptive palette, так как image содержит мало цветов и имеет transparent background).

Заголовок страницы

Как Page Header использован image, имеющий формат .jpg, with compression level (quality) 60%, так как image содержит плавные переходы цвета, градиенты. Page Header содержит логотип и название фирмы, лозунг, а также декоративные элементы в виде волнообразной линии с тенью.

Нижний колонтитул страницы

Как Page Footer использован image, имеющий формат .jpg, with compression level (quality) 60%, так как image содержит плавные переходы цвета, градиенты. С правой стороны Page Footer содержит контактную информацию фирмы: почтовый адрес, телефон, факс, а также декоративные элементы в виде волнообразной линии с тенью.

Изображения

Справа от заголовка страницы размещен декоративный элемент - тематический image, имеющий формат .jpg, with compression level (quality) 60%, так как image содержит плавные переходы цвета, градиенты.

Также на некоторых страницах размещены image в области текста. Images имеют формат .jpg, with compression level (quality) 60%, так как image содержит плавные переходы цвета и в данном формате имеют значительно меньший размер файла, чем файл с аналогичным качеством изображения в формате .gif.

Главная навигационная панель

Главная навигационная панель расположена справа от области основного текста. Преимущества данного месторасположения:

- ✓ С правой стороны navigation bar менее заметен, поэтому основное внимание пользователя будет акцентировано на содержимом (context) страницы, расположенном слева.
- ✓ Navigation bar located near the scroll bar on the right, thus limiting mouse travel;

Также, данное местоположение обусловлено общим дизайном страницы, так как внешний вид Navigation bar elements напоминает закладки в записной книжке.

Navigation bar elements - image, имеющий формат .gif, color count - 64, Adaptive Palette, так как image содержит плавные переходы цвета и прозрачный фон.

Каждый navigation bar elements может находиться в трех состояниях: пассивном, когда на него помещен курсор и когда данный элемент выбран щелчком на нем мыши. В зависимости от состояния меняется внешний вид элемента. В пассивном состоянии элемент имеет серый цвет и тень по левому краю, что создает впечатление нахождения данного элемента на заднем плане. Когда на него поместить курсор мыши – он приобретает сине-голубой цвет, но тень по-прежнему остается. При щелчке на нем мыши, таким образом, при переходе на соответствующую страницу, цвет данного элемента сине-голубой, но тень отсутствует, что создает впечатление нахождения данного элемента на переднем плане.

На каждой отдельной странице navigation bar elements соответствующей страницы является неактивным – нет ссылки (перехода) на страницу. Исключение составляют подстраницы “WL3000.html”, “WL2000.html”, “WL350.html”, на которых navigation bar element “Products” имеет ссылку на родительскую страницу “Products.html”.

Дополнительная панель навигации по тексту

Внизу каждой страницы располагается Secondary text navigation bar. Оно повторяет пункты main navigation bar. Для написания использован шрифт с относительным размером –1. Расположение secondary navigation bar слева обусловлено общим дизайном страницы.

Элемент, соответствующий текущей странице, является неактивным (не содержит ссылки куда-либо), исключение составляет элемент “Products” на подстраницах “WL3000.html”, “WL2000.html”, “WL350.html”. Активный элемент выделен начертанием Bold и более светлым серым цветом: #CCCCCC, этим же цветом отображены разделители между элементами.

Информация о дате последнего обновления

Внизу каждой страницы расположена информация о дате последнего обновления страницы. Использован текст цвета web safe color #CCCCCC, начертанием Italic и относительным размером шрифта –2. Для текста использовано выравнивание по правому краю.

Информация об авторских правах

Внизу каждой страницы расположена Copyright информация. Использован текст цвета #CCCCCC, начертанием Italic и относительным размером шрифта –2. Для текста использовано выравнивание по правому краю.

Доказательства тестирования кем-либо из целевой аудитории.

Сайт был протестирован 5 пользователями от целевой аудитории. В качестве примера в приложении данного документа приведены результаты теста одного из пользователей.

Краткое описание изменений, внесенных после пользовательского тестирования.

Были выявлены следующие ошибки:

- ✓ Найдена внешняя ссылка на неправильно указанный адрес.

Краткий обзор изменений, внесенных на основе отчета о проверке HTML-кода.

Все страницы были проверены HTML валидатором (*The W3C Markup Validation Service* - <http://validator.w3.org/>), в результате были выявлены различного типа ошибки, например:

Line 49, column 63: required attribute "ALT" not specified

```
...font size="2"><b>....
```

The attribute given above is required for an element that you've used, but you have omitted it. For instance, in most HTML and XHTML document types the "type" attribute is required on the "script" element and the "alt" attribute is required for the "img" element.

Typical values for type are

```
type="text/css" for <style> and type="text/javascript" for <script>.
```

Line 60, column 55: document type does not allow element "P" here; missing one of "APPLET", "OBJECT", "MAP", "IFRAME", "BUTTON" start-tag

```
<p align="left" style="margin-bottom: 7; margin-top: 0"><a href="WL2000.html">WL2000</a></p>
```

Line 117, column 47: there is no attribute "BORDERCOLOR"

```
<table cellpadding="7" border="1" bordercolor="navy" >
```

Данные ошибки были устранены и в результате для каждой из страниц получено следующее сообщение:

The screenshot shows the W3C Markup Validation Service interface. At the top, it says "W3C QUALITY Assurance MARKUP VALIDATION SERVICE v0.6.7". Below this is a navigation bar with links: HOME, ABOUT..., NEWS, DOCS, HELP & FAQ, FEEDBACK, and LINK CHECKER. A "Jump To:" dropdown menu is set to "Results". The main message is "THIS PAGE IS VALID **HTML 4.01** TRANSITIONAL!". Below this, a "TIP OF THE DAY:" section suggests "Use international date format". The main content area states: "The uploaded file was checked and found to be valid **HTML 4.01** Transitional. This means that the resource in question identified itself as 'HTML 4.01 Transitional' and that we successfully performed a formal validation using an SGML or XML Parser (depending on the markup language used)." It then shows the W3C HTML 4.01 icon and provides the HTML code to embed it: `<p><a href='http://validator.w3.org/check?uri=referer'><img border='0' src='http://www.w3.org/icons/valid-html401' alt='Valid HTML 4.01!' height='31' width='88'></a></p>`. It also includes a feedback link to "The W3C Validator Team" and a date "Date: 2004/07/21 10:24:06". At the bottom, there is a copyright notice: "COPYRIGHT © 1994-2004 W3C® (MIT, ERCIM, KEIO), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS."

Предложенная icon не помещена на Web-страницы, так как он не очень подходит под данный дизайн по цветовой гамме.

Выводы:

Данный сайт отвечает всем предъявленным к нему требованиям, обеспечивает удобный способ просмотра необходимой информации, размещенной на сайте. Информация хорошо структурирована, что позволяет быстро найти необходимую информацию. Выбор цветов и шрифтов позволяет легко воспринимать информацию, также, при необходимости, размер шрифта может быть легко изменен средствами браузера.

Дальнейшие планы:

- ✓ Add аналогичные WebPages на Latvian and Russian languages.
- ✓ Add новую информацию о других видах предлагаемой продукции.
- ✓ Add site map subpage
- ✓ Add goods online ordering page.

Внешний вид страниц

Home

clearing CLEARING Ltd.

drinking water systems

Home

Products

Service

Clients

Questions

About Us

"Waterlogic" water dispensers is an affordable solution for all your pure, clear drinking water, whether it is at your work place in your office or your own home. Friendly to use, modern design, easy maintenance, low costs for your drinking water, and what counts the most, crystal clear water is what you get with "Waterlogic" water dispenser. Broad range of machines is at your disposal to choose from. CLEARING Ltd. is an exclusive Waterlogic distributor in Latvia.

Whether you need cold, sparkling water or a piping hot beverage – a push of a button is all it takes.

CLEARING Ltd.
Maskavas str., 256a, Riga, LATVIA
tel.: +(371) 7256915, fax.: +(371) 7256916

Home | Products | Service | Clients | Questions | About Us

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

Products

clearing CLEARING Ltd.

drinking water systems

Home

Products

Service

Clients

Questions

About Us

Purifying Drinking Water Dispensers

"Waterlogic" dispensers are appreciated for their superb quality, convenience, safety and distinguished design.

WL3000
Drinking water dispenser with hot, cold and sparkling water. The top of the range of Waterlogic dispensers. Distinguished design, modern look and the highest quality of drinking water.

WL2000
Drinking water dispenser with hot and cold water (direct chill technology). Modern in design, easy-to-use, budget alternative of WL2000 is what you need for an office or a private home.

WL350
Cold drinking water dispenser. Compact and fine model. Saving space and simple maintenance. Best suited for small office or an apartment.

- Fresh pure water time after time
- No bottle exchange
- No storage of bottles
- Forget about bills
- Costs for water are extremely low
- No waiting for bottles to arrive
- Pure drinking water is always at Your touch of a button

CLEARING Ltd.
Maskavas str., 256a, Riga, LATVIA
tel.: +(371) 7256915, fax.: +(371) 7256916

Home | Products | Service | Clients | Questions | About Us

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

WL3000



CLEARING Ltd.

drinking water systems

LV RU

WL3000

Waterlogic WL3000 - Cold, Sparkling and Hot water

After considerable investment and market research across the globe, Waterlogic International proudly announces the WL3000. The sleek, elegant design of the WL3000 compliments all decors, and offers the flexibility of choice with the optional base cabinet (with or without cup holders). A clear PCB, with the options of many languages clarifies the drink choice. From installation to servicing and maintenance, technological demands are limited; in fact, all servicing can be carried out by the unskilled because of the easy access/low voltage positioning.



- Highly accredited unit and filtration system.
- Attractive, two-tone silver/charcoal colours.
- Sleek, elegant design.
- Effective filtration and UV.
- High capacity tanks.
- From very hot [97c] to very cold [3c].
- Clear and effective PCB with language options.
- APMS.
- 'Sleep mode' reducing lime scale and servicing costs.
- Low voltage servicing.
- Easy access to filters and UV.
- Filter timer as standard, with flow counter as an option.
- Large drip tray with sensor and drainage option.

WL3000 with optional base cabinet



WL3000 tabletop model

The Waterlogic WL3000 is our new top-of-the-range product. This new development leaves nothing to be desired and offers chilled still water, hot water or chilled sparkling water in any combination. The new model can be set up in all variants as a free-standing or tabletop machine. An optional integrated cup dispenser can be built into the base cabinet of the free-standing model. The base cabinet can also be fitted with a CO2 cylinder with a capacity of up to 10kg (enough for around 2,000 litres of sparkling water). The display of the WL3000 indicates the selected drinking water option, as well as the corresponding temperature. The customer benefits from this extremely reliable and modern water dispenser thanks to cost savings and greater efficiency in logistics and administration. The labour intensive handling of bottles or gallon-sized refills is now at an end. The Waterlogic WL3000 combines advanced water filtration and UV technology with attractive external features and an ergonomic design. This unmatched product is ideal for the office or any other workplace.

Saving with Waterlogic water dispensers

You can save Your time, energy and money switching to the mains-fed water dispenser. No hassle to change bottles, no waiting for the kettle to boil and you can save considerable amount of money. Calculations were made at average prices for bottled water in Latvia. All prices are VAT excluded.

Your expenses for bottled water	If You PURCHASE WL3000
Expenses consuming 3 bottles of water per day (1.85 Ls per 1 bottle (18.9 l)):	Investments consuming unlimited amount of water:
1.85 Ls x 3 bot. x 5 d. x 52 weeks = 1443.00 Ls per year	WL3000 water dispenser: 823.00 Ls
	Maintenance, filtration system and UV lamp change (2 times a year): 49.00 Ls
Total costs:	Total costs:
1-st year - 1443.00 Ls	1-st year - 872.00 Ls
Every next year - 1443.00 Ls	Every next year - 98.00 Ls
You save for the 1-st year: 00.00 Ls	You save the 1-st year: 571.00 Ls
You save every next year: 00.00 Ls	You save every next year: 1345.00 Ls

Your expenses for bottled water	If You RENT WL3000
Expenses consuming 3 bottles of water per day (1.85 Ls per 1 bottle (18.9 l)):	Investments consuming unlimited amount of water:
1.85 Ls x 3 bot. x 5 d. x 52 weeks = 1443.00 Ls per year	WL3000 water dispenser: 49.00 Ls per month
	Maintenance, filtration system and UV lamp change (2 times a year): 00.00 Ls
Total costs:	Total costs:
1-st year - 1443.00 Ls	1-st year - 588.00 Ls
Every next year - 1443.00 Ls	Every next year - 588.00 Ls
You save for the 1-st year: 00.00 Ls	You save the 1-st year: 855.00 Ls
You save every next year: 00.00 Ls	You save every next year: 855.00 Ls

We will be happy to offer you the best deal based on Your daily consumption of drinking water. Write to us: info@clearing.lv.

Call us at: **7256915**

CLEARING Ltd.

Maskavas str., 256a, Riga, LATVIA

tel.: +(371) 7256915, fax.: +(371) 7256916

[Home](#) | [Products](#) | [Service](#) | [Clients](#) | [Questions](#) | [About Us](#)

Last Updated: 11.06.2005

Copyright © 2005 - CLEARING Ltd.

WL2000

LV - RU


CLEARING Ltd.
 drinking water systems


WL2000
 tabletop model


WL2000 with optional base cabinet

WL2000

Waterlogic WL2000 - Offices, Shops and Restaurants

WL2000 direct chill Alternative is our newest machine combining a great design and great technology. This machine uses Waterlogics direct chill coil technology to chill the water instead of a tank. This new technology is now becoming popular at the budget end of the European POU market. This model is also available as a desktop in areas of limited space. Ultraviolet is fitted as standard on this model.

- Direct Chill Technology - more economic
- Modern design in Free-standing and Mini
- In built drip tray drainage option for your convenience
- Effective filtration for high quality drinking water
- Non Ozone depleting refrigerant gas

The Waterlogic WL2000 is our new direct chill option. The customer benefits from this extremely reliable and modern water dispenser thanks to cost savings and greater efficiency in logistics and administration. The Waterlogic WL2000 combines advanced water filtration and direct chill technology with attractive external features and an ergonomic design. This unmatched product is ideal for the office or any other workplace.

- High quality filtration
- Constant supply of chilled, filtered water
- Temperature of cold water adjustable between 5°C and 12°C
- Hot water supply 12 liters/hour
- Available in free-standing and tabletop models
- International certificates - e.g. CE, NSF, UL

Saving with Waterlogic water dispensers

You can save Your time, energy and money switching to the mains-fed water dispenser. No hassle to change bottles, no waiting for the kettle to boil and you can save considerable amount of money. Calculations were made at average prices for bottled water in Latvia. All prices are VAT excluded.

Your expenses for bottled water	If You PURCHASE WL2000
Expenses consuming 2 bottles of water per day (1.85 Ls per 1 bottle (18.9 l)): 1.85 Ls x 2 bot. x 5 d. x 52 weeks = 962.00 Ls per year	Investments consuming unlimited amount of water: WL2000 water dispenser: 420.00 Ls Maintenance, filtration system and UV lamp change (2 times a year): 39.00 Ls
Total costs: 1-st year - 962.00 Ls Every next year - 962.00 Ls	Total costs: 1-st year - 459.00 Ls Every next year - 78.00 Ls
You save for the 1-st year: 00.00 Ls You save every next year: 00.00 Ls	You save the 1-st year: 503.00 Ls You save every next year: 884.00 Ls

Your expenses for bottled water	If You RENT WL2000
Expenses consuming 2 bottles of water per day (1.85 Ls per 1 bottle (18.9 l)): 1.85 Ls x 2 bot. x 5 d. x 52 weeks = 962.00 Ls per year	Investments consuming unlimited amount of water: WL2000 water dispenser: 24.00 Ls per month Maintenance, filtration system and UV lamp change (2 times a year): 00.00 Ls
Total costs: 1-st year - 962.00 Ls Every next year - 962.00 Ls	Total costs: 1-st year - 288.00 Ls Every next year - 288.00 Ls
You save for the 1-st year: 00.00 Ls You save every next year: 00.00 Ls	You save the 1-st year: 674.00 Ls You save every next year: 674.00 Ls

We will be happy to offer you the best deal based on Your daily consumption of drinking water. Write to us: info@clearing.lv

Call us at: **7256915**

CLEARING Ltd.
 Maskavas str., 256a, Riga, LATVIA
 tel.: +(371) 7256915, fax.: +(371) 7256916

[Home](#) | [Products](#) | [Service](#) | [Clients](#) | [Questions](#) | [About Us](#)

Last Updated: 11.06.2005
 Copyright © 2005 - CLEARING Ltd.

WL350

LV RU


CLEARING Ltd.



WL350

Waterlogic WL350 - Small Office and Home

The Waterlogic WL350 model is specifically designed for the small office of up to 10 people, or for home use. With its attractive, compact design it is ideal for work surfaces in kitchens and fits discreetly on table tops in areas of limited space. The WL350 combines advanced water filtration and ultraviolet technologies, economically providing purified water at the touch of a button. The minimal servicing required is made easy through the unique access to the consumables by the 'opening' fascia, without the need to switch off power or water supplies. All in One Small Dispenser.



WL350
tabletop model

- Constant supply of cold or ambient purified water
- Water quality of the highest standard
- Ultraviolet technology
- Easy set up and installation
- Front door and/or top opens for quick servicing
- Silent operation
- International safety approvals
- Low power consumption
- Colour choices

CLEARING Ltd.
Maskavas str., 256a, Riga, LATVIA
tel.: **+(371) 7256915**, fax.: **+(371) 7256916**

Home | **Products** | Service | Clients | Questions | About Us

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

Service

LV RU


CLEARING Ltd.



Service works

"Clearing Ltd." provides the whole range of service works to ensure reliable and continuous fail-safe operation of the water dispenser.

- **Accurate and delicate installation at minimal terms.**
Dispensers are connected to the mains by the plastic tube 8 mm in diameter. Our experienced mechanics will perform the installation without disturbing your decor.
- **Instructions for the user.**
After the installation the user will be instructed by our specialist on how does the dispenser work and shown all options of the machine. The user gets User's manual in Russian, Latvian and English languages.
- **Complete warranty service.**
The machine has 24 months warranty. Clearing Ltd. specialists will fix the trouble or, if necessary, change the machine during the term of warranty. Further service works are performed according to the service agreement.
- **Timely filtration system replacement and sanitation.**
Clearing Ltd. will inform and replace the filtration system in a good time to ensure that Your dispenser provides pure and safe drinking water. Filtration system and UV lamp replacement every 6 months.
- **Information of new products by Waterlogic.**
Waterlogic International is constantly working on the development of new and improved machines. All our customers, according to the agreement, can switch to the new and improved machine.

CLEARING Ltd.
Maskavas str., 256a, Riga, LATVIA
tel.: **+(371) 7256915**, fax.: **+(371) 7256916**

Home | Products | **Service** | Clients | Questions | About Us

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

Clients


CLEARING Ltd.

[LV](#)
[RU](#)

drinking water systems



Our customers

Entering the market of Latvia with innovative products of "Waterlogic", we counted on the advancement of our potential customers' views. Our hopes were fulfilled - the best choose the best.



SIA "MONTAŽNIEKS D"
"We like the quality of water... especially how the Waterlogic dispenser works..." =>
(Karlis Kezis, Board of Directors)



SIA "LAIKO"
"It is important for the workers in shop floors to have access to the pure drinking water. Our plant took care of that..." =>
(Maris Ameriks, vice-director)



A/S "VALMIERAS STIKLA ŠĶIEDRA"
"We were sick and tired of those bottles... now coffee made with water from Waterlogic even comes off with froth!..."
(Valmieras stikla šķiedra administration)



DOBELES VIRSMĒŽNIECĪBA
"Great drinking water machine... we are very satisfied..." =>
(Aivars Kluga, consultant-engineer)



A/S "OGRES KOMERCBANKA"
"The water from Waterlogic is fresh and good tasting. We even have people coming for water from the parts of buildings nearby..."
(Leonid Abramovitch, technical director)

CLEARING Ltd.
Maskavas str., 256a, Rīga, LATVIA
tel.: +(371) 7256915, fax.: +(371) 7256916

[Home](#) | [Products](#) | [Service](#) | **[Clients](#)** | [Questions](#) | [About Us](#)

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

Questions


CLEARING Ltd.

[LV](#)
[RU](#)

drinking water systems



Questions and answers

Water-purifying "Waterlogic" dispensers change the way we think about supplying the needs of drinking water in offices, homes or factories. We tried to shed light on some of the questions that are most frequently asked by our customers.

How much water can drinking water dispensers supply?
High-quality filtration system is designed to purify up to 6000 litres (~300 bottles) of water before it needs replacement.

How good can filtration system purify water?
Water purification is performed with the best filtration modules that preserve natural balance of biogenous elements in the water. Monolithic blocks of activated carbon absorb harmful organic substances and chlorine. Last generation UV lamp disinfects water, annihilating infectious disease bugs, viruses and bacterias.

Is the quality of water from the dispenser as good as bottled water?
The quality of water from the dispenser is very high. Water is purified from all kinds of contaminants, harmful particles, disease causing bacterias and bugs, while mineral ingredients of water stay the same. This water is good-tasting, it is healthy and safe.

If the mains are far from the proposed place of installation?
At the purchase of the dispenser our mechanics will install the dispenser up to 30 meters from the mains without additional costs.

If something is broken in the machine, where can I repair it?
At the purchase of the dispenser You get 24 months of warranty. During this term we will fix any trouble for free. Nextly, according to the service agreement, the warranty will last all service time of the machine. The service time of the dispenser is 7 to 10 years.

CLEARING Ltd.
Maskavas str., 256a, Rīga, LATVIA
tel.: +(371) 7256915, fax.: +(371) 7256916

[Home](#) | [Products](#) | [Service](#) | [Clients](#) | **[Questions](#)** | [About Us](#)

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.

About Us

About CLEARING Ltd.

CLEARING Ltd. is the official exclusive distributor of water-purifying drinking water dispensers **WL3000, WL2000 and WL350**. These machines are produced by well-known English company *Waterlogic International*, that incorporates its unique and patented technologies into its products, that are successfully distributed in more than 25 countries of the world.

CLEARING Ltd. is specialized in supplying, trading, installing and maintaining of the unique purifying drinking water dispensers.

CLEARING Ltd. provides following offices:

- Retail and wholesale trading of water-purifying dispensers;
- Warranty and service works, spare parts;
- Consulting the customer about the quality of our products;
- Renting water dispensers;
- Special offer elaboration and consulting on the costs and quality of our offices;
- Wholesale supplying application formation.

Contact Details:

CLEARING Ltd.
Maskavas str., 256a,
Riga, LV-1063
LATVIA

Tel: **+(371) 7256915**
Fax: **+(371) 7256916**
E-mail: info@clearing.lv

Home | Products | Service | Clients | Questions | About Us

Last Updated: 11.06.2005
Copyright © 2005 - CLEARING Ltd.