

Property Analysis Dashboard Competition Sprint - Part 2

Complete Screen-by-Screen Guide

SSRS Report Development & Power BI Dashboard Development

Prepared for	Srikanth
Program	BI Developer / Data Analyst Internship
Covers	SSRS Report + Power BI Dashboard (incl. both optional enhancements)
Tools	Visual Studio 2022, SSRS, Power BI Desktop, SQL Server, SSRS 2019 (sirilenovo:8080)

How to Use This Guide

This guide walks you through every task in the official instruction document *"BI Developer/Data Analyst Competition Sprint Part 2 - Property Analysis Dashboard"*, in the exact order listed, one screen at a time. Each step tells you what to click, what appears next, and what to enter. Blue boxes confirm what you should see; orange boxes flag common mistakes; green boxes give professional tips.

Guide contents

Section 1	Prerequisites and setup check	Before you start
Section 2	SSRS report - Tasks 1 to 7	Data source, dataset, table, parameters, formatting, publish, export, optional column
Section 3	Power BI dashboard - Tasks 1 to 7	Connection, model, visuals, map, slicers, SSRS link, optional drill-through
Section 4	Best-practice layout and formatting	Slicer placement, 3-5 visuals per page, theme, titles, alignment
Section 5	Final submission checklist	Tick every item before sending to your mentor

IMPORTANT

The instructions do not prescribe table or database names. This guide uses **PropertyAnalysisDW** as the warehouse and **dbo.DimLocation**, **dbo.DimSchool**, **dbo.FactPropertyValue** as the model tables. Wherever these appear, substitute the names you created in Part 1. Everything else stays identical.

Section 1 | Prerequisites and Setup Check

Complete these four checks once. If all four pass, skip to Section 2.

Check 1 - SQL Server and your Part 1 Data Warehouse

Step 1.1

Open **SQL Server Management Studio (SSMS)** from the Start menu. In the **Connect to Server** dialog set Server type = Database Engine, Server name = **localhost** (or **.\SQLEXPRESS** for Express installs), Authentication = Windows Authentication, then click **Connect**.

WHAT YOU SHOULD SEE ON SCREEN

Object Explorer opens on the left. Expand **Databases** - your Part 1 warehouse (e.g. PropertyAnalysisDW) is listed. Expand it > Tables and confirm your Dim and Fact tables exist with data (right-click a table > Select Top 1000 Rows).

Check 2 - SSRS (Report Server) is installed and running

Step 1.2

Open a browser and go to **http://sirilenovo:8080/Reports**.

WHAT YOU SHOULD SEE ON SCREEN

The **SSRS Web Portal** loads (dark blue header reading "SQL Server Reporting Services"). If the page does not load: open **Report Server Configuration Manager** from the Start menu, click **Connect**, then check **Web Service URL** and **Web Portal URL** pages - each shows a clickable URL once configured. Note your Web Portal URL; you will use it in Steps 2.24 and 3.20.

TIP

If SSRS is not installed: download "SQL Server Reporting Services" from Microsoft (it is a separate installer from SQL Server), run it, choose "Install Reporting Services", then use Report Server Configuration Manager to create the database and both URLs.

Check 3 - Visual Studio 2022 with the SSRS extension

Step 1.3

Open **Visual Studio 2022**. On the start window click **Continue without code**. Go to menu **Extensions > Manage Extensions**. In the search box (top right) type **Reporting Services**.

Step 1.4

Find "**Microsoft Reporting Services Projects 2022**". If it shows a green tick it is already installed - close the dialog. If not, click **Download**, then **close all Visual Studio windows**; the VSIX Installer launches automatically - click **Modify**, wait for "Modifications complete", then click **Close**.

WHAT YOU SHOULD SEE ON SCREEN

After reopening Visual Studio, File > New > Project and typing "report" in the search box now shows **Report Server Project** as a project template.

Check 4 - Power BI Desktop

Step 1.5

Open **Power BI Desktop**. If not installed, get it free from the Microsoft Store (search "Power BI Desktop") - the Store version updates automatically. Sign in with your work account if prompted (you can skip sign-in for local development).

Section 2 | SSRS Report (Instruction Tasks 1-7)

Task 1 - Create the project and the Data Warehouse connection

Step 2.1

Open Visual Studio 2022. On the start window click **Create a new project**. In the search box type **Report Server Project**, select it (icon with a green chart), click **Next**.

Step 2.2

Project name: **PropertyAnalysis_SSRS**. Location: your working folder. Click **Create**.

WHAT YOU SHOULD SEE ON SCREEN

Visual Studio opens with **Solution Explorer** on the right showing three folders: **Shared Data Sources**, **Shared Datasets**, **Reports**.

Step 2.3

In Solution Explorer, right-click **Shared Data Sources** > **Add New Data Source**. The **Shared Data Source Properties** dialog opens.

Step 2.4

Set Name = **DS_PropertyAnalysisDW** (no spaces). Type = **Microsoft SQL Server**. Click **Edit...** next to the connection string. In the Connection Properties dialog: Server name = **localhost**; Authentication = Windows Authentication; under "Select or enter a database name" pick **PropertyAnalysisDW** from the dropdown. Click **Test Connection**.

WHAT YOU SHOULD SEE ON SCREEN

A popup says "**Test connection succeeded.**" Click OK, OK, OK to close all dialogs. DS_PropertyAnalysisDW.rds now appears under Shared Data Sources.

Task 2 - Write the school query and create the dataset

Step 2.5

Right-click the **Reports** folder > **Add** > **New Item...** (do NOT pick "Add New Report" - that starts a wizard). Select **Report**, name it **SchoolDetailsReport.rdl**, click **Add**.

WHAT YOU SHOULD SEE ON SCREEN

A blank white report canvas opens in the middle. The **Report Data** pane appears on the left. If it is missing, press **Ctrl+Alt+D** or menu View > Report Data.

Step 2.6

In the Report Data pane, right-click **Data Sources** > **Add Data Source**. Name = **DS_PropertyAnalysisDW**, choose **Use shared data source reference**, pick DS_PropertyAnalysisDW from the dropdown, click **OK**.

Step 2.7

Right-click **Datasets** > **Add Dataset...** Name = **dsSchoolData**. Choose **Use a dataset embedded in my report**. Data source = DS_PropertyAnalysisDW. Query type = Text. Paste the query below, then click **OK**.

```
SELECT
```

```
    L.CityTown      AS [City/Town],  
    S.Suburb,  
    S.Postcode,  
    S.SchoolName    AS [School Name],  
    S.SchoolType    AS [School Type],  
    S.SchoolSubType AS [School SubType],  
    S.ICSEA_Value   AS [ICSEA Value],  
    S.StudentNumber AS [Students],  
    S.SchoolGender  AS [Gender],  
    S.LevelOfSchooling AS [Level]
```

```
FROM dbo.DimSchool S
```

```
LEFT JOIN dbo.DimLocation L
```

```
    ON S.Suburb = L.Suburb AND S.Postcode = L.Postcode
```

```
WHERE S.Suburb IN (@Suburb)
```

```
    AND S.Postcode IN (@Postcode)
```

```
ORDER BY [City/Town], S.Suburb, S.SchoolName;
```

IMPORTANT

Column names above follow the standard model; open your own DimSchool in SSMS first and adjust names to match exactly. The two **@Suburb** and **@Postcode** references automatically create the report parameters required by Task 4 - do not remove them.

Step 2.8

Create two small datasets to feed the parameter dropdowns. Right-click **Datasets > Add Dataset...** again: Name = **dsSuburbList**, same data source, query:

```
SELECT DISTINCT Suburb FROM dbo.DimSchool ORDER BY Suburb;
```

Repeat once more: Name = **dsPostcodeList**, query:

```
SELECT DISTINCT Postcode FROM dbo.DimSchool ORDER BY Postcode;
```

Task 3 - Build the table report

Step 2.9

Open the **Toolbox** (menu View > Toolbox, or Ctrl+Alt+X). Drag **Table** onto the middle of the report canvas.

WHAT YOU SHOULD SEE ON SCREEN

A 3-column, 2-row grid appears: top row = Header, bottom row = Data (marked by three horizontal lines icon).

Step 2.10

You need about 8 columns. Right-click the header of the last column > **Insert Column > Right**. Repeat until you have 8 columns.

Step 2.11

Hover over each **data row** cell (bottom row) - a small table icon appears in the cell's corner. Click it and pick the field for that column, in this order: **City/Town, Suburb, Postcode, School Name, School Type, School SubType, ICSEA Value, Students**. The header row fills in automatically.

Step 2.12

Click the **Preview** tab (top-left of the canvas, next to Design) for a first look. Because parameters exist you must pick a Suburb and Postcode, then click **View Report**.

Task 4 - Configure the two parameters

Step 2.13

Back on the **Design** tab: in Report Data expand **Parameters** - @Suburb and @Postcode are already there (created by the WHERE clause). Double-click **Suburb**.

Step 2.14

In **Report Parameter Properties**: General page - Prompt = **Select Suburb**, tick **Allow multiple values**. Available Values page - choose **Get values from a query**: Dataset = dsSuburbList, Value field = Suburb, Label field = Suburb. Click **OK**.

Step 2.15

Double-click **Postcode** and repeat: Prompt = **Select Postcode**, Allow multiple values, Available Values from dsPostcodeList (Value + Label = Postcode). Click **OK**.

TIP

Optional polish: on the Default Values page choose "Get values from a query" with the same dataset so the report opens pre-filtered to all values instead of waiting for input.

WHAT YOU SHOULD SEE ON SCREEN

Preview now shows two dropdowns at the top: **Select Suburb** and **Select Postcode**, each with checkboxes and a "(Select All)" option. Choosing values and clicking View Report filters the table.

Task 5 - Professional formatting (title, logo, page numbers)

Step 2.16

On the Design tab: menu **Report > Add Page Header**. A grey band appears above the body.

Step 2.17

From the Toolbox drag a **Text Box** into the header. Type **NSW Public Schools - Property Analysis Report**. Select the text box and in the Properties pane (F4) set FontSize = 18pt, FontWeight = Bold, Color = a dark blue (e.g. #1F3864).

Step 2.18

Add the logo: menu **Report Data pane > right-click Images > Add Image** and pick your company/organisation logo file, OR drag an **Image** item from the Toolbox into the header's right side - in the Image Properties dialog choose Select image source = **Embedded**, click **Import...**, browse to the logo

(PNG/JPG), click OK.

Step 2.19

Menu **Report > Add Page Footer**. Drag a **Text Box** into the footer's right side, right-click it > **Expression...** and paste:

```
= "Page " & Globals!PageNumber & " of " & Globals!TotalPages
```

Step 2.20

Style the table: click the table so its grey row/column handles show. Click the header-row handle to select the whole header row; in Properties set **BackgroundColor** = #1F3864, **Color** = White, **FontWeight** = Bold. Then select the data row, right-click > **Row Properties** is not needed - instead set the row's **BackgroundColor** property to this expression for banded rows:

```
=IIf(LineNumber(Nothing) Mod 2 = 0, "#F2F2F2", "White")
```

TIP

Also widen the School Name column (drag the column edge), centre-align Postcode and ICSEA Value, and set the ICSEA cell's Format property to **N0** so numbers show without decimals.

Task 6 - Publish to the web portal, export to Excel and PDF

Step 2.21

In Solution Explorer right-click the **project** (PropertyAnalysis_SSRS) > **Properties**. Set **TargetServerURL** = **http://sirilenovo:8080/ReportServer** (note: ReportServer, not Reports) and **TargetReportFolder** = **Property Analysis**. Click OK.

Step 2.22

Right-click the project again > **Deploy**. Watch the Output window at the bottom.

WHAT YOU SHOULD SEE ON SCREEN

Output window ends with "**Deploy complete -- 0 errors, 0 warnings**". If you get a permissions error, close Visual Studio and reopen it by right-clicking > **Run as administrator**, then Deploy again.

Step 2.23

Open **http://sirilenovo:8080/Reports** in your browser. Click the **Property Analysis** folder, then click **SchoolDetailsReport**. Select parameter values and click **View Report**.

Step 2.24

On the report toolbar click the **Save (floppy-disk) / Export** icon > choose **Excel**. Open the downloaded .xlsx and check: headers repeat, columns are not merged oddly, banding survives. Export again choosing **PDF** and check the title, logo, and page numbers appear on every page.

IMPORTANT

If columns spill onto extra pages in the PDF, go back to Design, click outside the body, open Properties for the **Report**, and reduce Body width or set PageSize to A4 landscape (Width 29.7cm, Height 21cm) with 1cm margins. Body width + left/right margins must not exceed the page width.

Task 7 (Optional but included) - Average property median value per school

Step 2.25

Double-click **dsSchoolData** in Report Data and replace the query with the version below, which joins the fact table and adds one column. Then add one more table column (Insert Column > Right) and select the **Avg Property Value** field; set its Format property to '\$#,0.

```
SELECT
    L.CityTown      AS [City/Town],
    S.Suburb, S.Postcode,
    S.SchoolName    AS [School Name],
    S.SchoolType    AS [School Type],
    S.SchoolSubType AS [School SubType],
    S.ICSEA_Value   AS [ICSEA Value],
    PV.AvgValue     AS [Avg Property Value]
FROM dbo.DimSchool S
LEFT JOIN dbo.DimLocation L
    ON S.Suburb = L.Suburb AND S.Postcode = L.Postcode
LEFT JOIN (SELECT LocationKey,
    AVG(PropertyMedianValue) AS AvgValue
    FROM dbo.FactPropertyValue
    GROUP BY LocationKey) PV
    ON PV.LocationKey = L.LocationKey
WHERE S.Suburb IN (@Suburb)
    AND S.Postcode IN (@Postcode)
ORDER BY [City/Town], S.Suburb, S.SchoolName;
```

Re-run Preview, then **Deploy** again (Step 2.22) so the portal has the final version.

Section 3 | Power BI Dashboard (Instruction Tasks 1-7)

Task 1 - Connect to the Data Warehouse and import the schema

Step 3.1

Open **Power BI Desktop**. Close the start dialog if shown. On the **Home** ribbon click **Get data** (or its dropdown > more) and choose **SQL Server**.

Step 3.2

Server = **localhost**. Database = **PropertyAnalysisDW**. Data Connectivity mode = **Import**. Click **OK**. If asked for credentials choose **Windows > Use my current credentials > Connect**. If an encryption warning appears click **OK**.

WHAT YOU SHOULD SEE ON SCREEN

The **Navigator** window opens listing your warehouse tables with checkboxes and a preview pane on the right.

Step 3.3

Tick every table in your star/snowflake model: **DimLocation**, **DimSchool**, **DimDate (if built)**, **FactPropertyValue**. Do NOT tick staging or raw tables. Click **Load**.

Step 3.4

Click the **Model view** icon (third icon on the far-left strip, looks like linked tables). Verify relationship lines connect each Dim to the Fact (1-to-many, single arrow toward the Dim). If a relationship is missing, drag the key column (e.g. LocationKey) from the Fact onto the same column in the Dim - the **Create relationship** dialog opens; confirm Cardinality = Many to one, click **OK**.

TIP

Professional touch: in Model view right-click every surrogate key column (LocationKey etc.) and choose **Hide in report view** so report users only see business columns.

Step 3.5

Create two measures you will reuse everywhere. Switch to **Report view** (first left-strip icon). In the Data pane right-click **FactPropertyValue > New measure**, type the first line below, press Enter; repeat for the second.

```
Avg Property Median Value = AVERAGE ( FactPropertyValue[PropertyMedianValue] )  
  
Number of Properties = COUNTROWS ( FactPropertyValue )
```

With the first measure selected, open the **Measure tools** ribbon and set Format = Currency, 0 decimal places.

Task 2 - Average Property Median Value by City/Town, Suburb, Postcode

Step 3.6

Rename the page: double-click the **Page 1** tab at the bottom, type **Overview**.

Step 3.7

Visual 1: click blank canvas, then in the **Visualizations** pane click **Clustered column chart**. Drag **DimLocation[CityTown]** to **X-axis** and the measure **Avg Property Median Value** to **Y-axis**. Title it "Avg

Property Median Value by City/Town" (Format visual > General > Title).

Step 3.8

Visual 2: click blank canvas, choose **Clustered bar chart**. Y-axis = **DimLocation[Suburb]**, X-axis = **Avg Property Median Value**. Suburbs are many, so add a Top N filter: with the visual selected open the **Filters** pane > Suburb > Filter type = **Top N**, Show items = Top 15, By value = drag in Avg Property Median Value, click **Apply filter**. Title: "Top 15 Suburbs by Avg Property Median Value".

Step 3.9

Visual 3: choose **Clustered column chart**. X-axis = **DimLocation[Postcode]**, Y-axis = **Avg Property Median Value**. In Format visual > X-axis set Type = **Categorical** (otherwise Power BI treats postcode as a number scale). Title: "Avg Property Median Value by Postcode".

Task 3 - Number of properties in each Median Value Group

Step 3.10

If your warehouse already has a MedianValueGroup column, skip to Step 3.11. Otherwise create bins: in the Data pane right-click **FactPropertyValue[PropertyMedianValue]** > **New group**. In the Groups dialog set Group type = **Bin**, Bin size = **250000**, click OK. A new field "PropertyMedianValue (bins)" appears.

Step 3.11

Visual 4: choose **Clustered column chart**. X-axis = the group/bin field, Y-axis = **Number of Properties**. Title: "Number of Properties by Median Value Group".

WHAT YOU SHOULD SEE ON SCREEN

The Overview page now holds 4 visuals. Resize them into a 2 x 2 grid leaving a ~4cm strip empty on the left for slicers (added in Task 5).

Task 4 - Properties on a geographic map (Lat/Lon + median value)

Step 3.12

Create a second page: click the + next to the page tabs, rename it **Property Map**.

Step 3.13

If map visuals are greyed out: **File > Options and settings > Options > Global > Security** > tick **Use Map and Filled Map visuals**, click OK, restart Power BI Desktop.

Step 3.14

Select the **Map** visual (globe icon). Drag **DimLocation[Latitude]** to the **Latitude** well and **DimLocation[Longitude]** to **Longitude**. Power BI may auto-summarize them - click each field's dropdown in the well and choose **Don't summarize** (if "Don't summarize" is unavailable, choose Average; with one point per location the result is identical). Drag **Avg Property Median Value** to **Bubble size**. Leave the **Location** well empty (Lat/Lon already position the bubbles); instead drag **DimLocation[Suburb]** into **Tooltips** so hovering shows the suburb name with the value.

WHAT YOU SHOULD SEE ON SCREEN

A map of NSW appears with bubbles; hovering a bubble shows Suburb and Avg Property Median Value. Bigger bubbles = higher median value. Resize the map to fill most of the page.

TIP

In Model view, select Latitude and set Data category = Latitude (Column tools ribbon), and likewise Longitude - this removes ambiguity and improves plotting accuracy.

Task 5 - Slicers: City/Town, Suburb, Postcode, value range

Step 3.15

Go back to the **Overview** page. Click blank canvas > choose the **Slicer** visual. Drag **DimLocation[CityTown]** into its Field well. In Format visual > Slicer settings > Options set Style = **Dropdown**. Position it top-left.

Step 3.16

Repeat for **Suburb** (Dropdown; also turn ON Slicer settings > Search so users can type) and **Postcode** (Dropdown). Stack the three slicers vertically in the left strip.

Step 3.17

Range slicer: add a fourth Slicer, drag **FactPropertyValue[PropertyMedianValue]** (the raw column, not the measure) into it - it automatically becomes a **numeric range slider** (style "Between") with min/max boxes.

Step 3.18

Make all four slicers control the map page too: select a slicer, menu **View > Sync slicers**. In the Sync slicers pane tick **Sync** and **Visible** for both Overview and Property Map. Repeat for each slicer.

Task 6 - Link that opens the SSRS report in a browser

Step 3.19

First copy the exact SSRS URL: open <http://sirilenovo:8080/Reports>, navigate to Property Analysis > SchoolDetailsReport, and copy the full address-bar URL. It looks like:

```
http://sirilenovo:8080/Reports/report/Property%20Analysis/SchoolDetailsReport
```

Step 3.20

In Power BI on the Overview page: **Insert ribbon > Buttons > Blank**. With the button selected, in Format button turn **Style > Text** ON and set it to **"Open School Details Report (SSRS)"**. Turn **Action** ON > Type = **Web URL** > paste the URL. Alternatively insert a Text box, type the label, select the text, and click the link (chain) icon to attach the same URL.

WHAT YOU SHOULD SEE ON SCREEN

In Power BI Desktop, **Ctrl+Click** the button - the browser opens the SSRS report. (After publishing to the Power BI Service a normal click works.)

IMPORTANT

This URL uses your machine name (sirilenovo), so it works on your PC and on any device on the same network. That is acceptable for this internship demo, but mention it during submission; on a shared server you would use the server's hostname.

Task 7 (Optional but included) - Table page with drill-through

Step 3.21

Add a third page named **School Details**. Choose the **Table** visual and drag in: CityTown, Suburb, Postcode, SchoolName, SchoolType, SchoolSubType, ICSEA_Value (from DimSchool/DimLocation). No header/footer/pagination needed - the instructions say so explicitly.

Step 3.22

With NOTHING selected on the canvas, look at the **Visualizations pane > Drill through** section (scroll down; in new versions it is under the "Build" pane bottom area or Format page > Page information). Drag **Suburb** into **Add drill-through fields here**, then drag **Postcode** in as well. Keep "Used as category". Power BI automatically adds a **back arrow button** in the top-left corner of the page.

Step 3.23

Test it: go to Overview, **right-click any bar** (e.g. a suburb bar in Visual 2) > **Drill through > School Details**.

WHAT YOU SHOULD SEE ON SCREEN

The School Details page opens showing only schools for the suburb/postcode you right-clicked. Ctrl+Click the back arrow to return to Overview.

Section 4 | Best-Practice Layout, Theme and Final Polish

The instruction sheet grades presentation explicitly. Apply every item below.

Step 4.1 - Layout

Overview page = 4 visuals + 4 slicers in a left strip (within the required 3-5 visuals per page). Property Map = map + synced slicers. Never leave a page with a single lonely visual except the dedicated map/detail pages, which is standard practice.

Step 4.2 - Theme and colour

View ribbon > Themes dropdown > pick one professional theme (e.g. "Executive" or "Accessible City park") and keep it on every page. Do not mix random colours per visual.

Step 4.3 - Titles

Every visual gets a meaningful title (set in Format visual > General > Title): say what the user sees, e.g. "Avg Property Median Value by Postcode" - never leave auto-generated titles like "Sum of value by column". Add a page title with **Insert > Text box**, 20pt bold, same dark blue as your SSRS header for cross-report consistency.

Step 4.4 - Alignment, font, size

Select multiple visuals with Ctrl+Click, then **Format ribbon > Align > Align top / Distribute horizontally**. Use one font family (default Segoe UI), 9-10pt data labels, 12pt visual titles. Same margins on every page.

Step 4.5 - Save

File > Save As > **PropertyAnalysis_Part2.pbix** in your project folder.

Section 5 | Final Submission Checklist

Tick every line before submitting. The instruction sheet says to follow the same submission process as the onboarding task - package the items below and send them to your mentor for review.

Item	Requirement	Done
SSRS 1	Report Server Project created in Visual Studio 2022; shared data source connects to the DW (test succeeded)	
SSRS 2	dsSchoolData dataset returns all school data	
SSRS 3	Table report shows City/Town, Suburb, Postcode, School Name, School Type/SubType, ICSEA value + extra details	
SSRS 4	@Suburb and @Postcode parameters work as multi-select dropdowns fed by queries	
SSRS 5	Header has report title + logo; footer shows "Page X of Y"; header row styled; banded rows	
SSRS 6	Report deployed to web portal, opens at http://sirilenovo:8080/Reports ; Excel export checked; PDF export checked	
SSRS 7	(Optional - done) Avg Property Value column joined from fact table, currency formatted	
PBI 1	Power BI connected to DW in Import mode; star/snowflake tables loaded; relationships verified; keys hidden	
PBI 2	Avg Property Median Value visuals by City/Town, by Suburb (Top 15), by Postcode (categorical axis)	
PBI 3	Number of Properties by Median Value Group column chart (bins of 250k or DW group column)	

PBI 4	Map uses Latitude/Longitude, bubble size = median value, tooltip shows suburb + value	
PBI 5	Slicers for City/Town, Suburb (searchable), Postcode + numeric range slicer; synced across pages	
PBI 6	Button/link opens the published SSRS report in the browser (Ctrl+Click tested in Desktop)	
PBI 7	(Optional - done) School Details table page; drill-through on Suburb + Postcode; back button works	
Style	3-5 visuals per page, slicers left/top, one theme, meaningful titles, aligned visuals, consistent fonts	
Submit	PropertyAnalysis_SSRS project + PropertyAnalysis_Part2.pbix + screenshots of portal/exports sent to mentor	

TIP

Take screenshots as you finish each task (portal view, Excel export, PDF export, each Power BI page, the drill-through in action). Mentors review faster - and grade better - when evidence is attached.