PhysioStim Bone Healing Therapy

The PhysioStim™ device provides a safe, non-invasive option for treating fractures that are difficult to heal. With an overall clinical success rate of 80 percent (up to 88 percent for fracture gaps less than 3mm), PhysioStim devices have high success rates for treating nonunion fractures. The device assists in fracture healing by delivering a pulsed electromagnetic field (PEMF) signal to the targeted fracture site.[1,2]

The PhysioStim device has been approved by the FDA for the treatment of nonunion fractures.[1,2] A nonunion is a fracture that has shown no visible signs of healing. For complete prescribing information, please refer to the Instruction Manual.

This single-piece device is lightweight, flexible and portable, allowing freedom of movement during treatment. Typical prescribed treatment time is three hours per day. An LCD and audible alarm provide important feedback during treatment such as the operational status, treatment time remaining, battery capacity, etc.

Designed for patient ease of use

- Works effectively when worn over clothing, casting or bracing
- Single-piece, cordless design allows for ease of placement and patient mobility
- The STIM onTrack™ app is patient-friendly and provides patients with a treatment calendar, therapy reminders, and additional educational resources.*

Why do physicians prescribe a PhysioStim device?

- Ease of Displacement enables consistent treatment of the fracture site
- Penetrates evenly across tissue, bone, and fixation[4]
- The STIM onTrack app enables physicians to remotely view patient adherence to prescribed treatments when paired with the STIM MD Platform

**The STIM onTrack app is available as an accessory for US model devices only*

Real-world patient experiences can help others better understand what to expect during bone growth therapy.

If you or someone you care for has used the **PhysioStim Bone Growth Therapy device**, we invite you to share your experience to support patient education and awareness.

Submissions are reviewed, and a signed release is required before any story is

Share Your Success Story

Support Material

PhysioStim device Guarantee Program

PhysioStim Quick Instructions

PhysioStim device Patient Q&A

How PEMF Works

Footnotes

1. PhysioStim PMA P850007, February 1986
2. Garland DE, Moses B, Salver W. Fracture healing: Long-term follow-up of fracture nonunions treated with PEMFs. Contemp Orthop. 1991;22(3):295-302
3. Orthofix patient registry. PMA P850007/S20. Data on file.

5. Navarro, M., Michiardi, A., Castano, O., & Planell, J.. (2008). Biomaterials in orthopaedics. Journal of the Royal Society Interface, 5(27), 1137-1158.

*Money back guarantee does not apply to wholesale orders.

Instructions For Use

- PhysioStim Device Manual – US – Rev AG – April 2025 – AW-20123118
- PhysioStim device Patient Manual Canada/Mexico Edition
- PhysioStim device Patient Manual International Edition

Previous Versions

Blog

Contact Us

Careers

Select Country

LinkedIn

Corporate

@OrthofixMedical

@OrthofixLimbReconstruction

@OrthofixBGT

@OrthofixMedical

Orthofix Limb Reconstruction

Bone Growth Therapies

Orthofix Academy

Trademarks Contact Careers Investors Privacy Policy Terms of Use

Accessibility Statement Cookies Policy Corporate Responsibility Sitemap

© 2026 Orthofix Medical Inc. All Rights Reserved.

Notice at collection | Your Privacy Choices