supplier

PK	**supplier_id**	INT
UK	supplier_name	VARCHAR(150)
	contact_person	VARCHAR(100) NULL
	email	VARCHAR(100) NULL
	phone	VARCHAR(30) NULL
	address	VARCHAR(255) NULL
	is_active	BOOLEAN
	created_at	DATETIME

category

PK	**category_id**	INT
UK	category_name	VARCHAR(100)
	description	TEXT NULL
	created_at	DATETIME

product

PK	**product_id**	INT
FK	category_id	INT
FK	supplier_id	INT
UK	sku	VARCHAR(50)
UK	barcode	VARCHAR(64) NULL
	product_name	VARCHAR(150)
	description	TEXT NULL
	brand	VARCHAR(100) NULL
	compatible_models	VARCHAR(255) NULL
	unit	VARCHAR(20)
	tracking_type	ENUM
	cost_price	DECIMAL(10,2)
	retail_price	DECIMAL(10,2)
	wholesale_price	DECIMAL(10,2)
	warranty_months	INT
	is_active	BOOLEAN
	created_at	DATETIME
	updated_at	DATETIME

purchase_order

PK	**po_id**	INT
FK	supplier_id	INT
FK	branch_id	INT
FK	created_by	INT NULL
FK	approved_by	INT NULL
	status	ENUM
	is_auto_suggested	BOOLEAN
	expected_date	DATE NULL
	notes	TEXT NULL
	created_at	DATETIME
	approved_at	DATETIME NULL

purchase_order_item

PK	**po_item_id**	INT
FK	po_id	INT
FK	product_id	INT
	quantity	INT

inventory

PK	**inventory_id**	INT

role_id


PK	**role_id**	
UK	role_nam	
	descriptic	

user_id

PK	**user_id**	
FK	role_id	
FK	branch_id	
UK	username	
UK	email	
	password	
	full_name	
	is_active	
	last_login	
	created_a	

log_id

PK	**log_id**	


role
INT
ıe
VARCHAR(50)
ɔn
VARCHAR(255) NULL
users
INT
INT
d
INT NULL
e
VARCHAR(50)
VARCHAR(100)
d_hash
VARCHAR(255)
e
VARCHAR(100)
BOOLEAN
ı
DATETIME NULL
at
DATETIME
audit_log
stock_transfer
PK
transfer_id
INT
FK
from_branch_id
INT
FK
to_branch_id
INT
FK
requested_by
INT
FK
received_by
INT NULL
status
ENUM
created_at
DATETIME
completed_at
DATETIME NULL
notes
TEXT NULL
stock_transfer_item
PK
transfer_item_id
INT
FK
transfer_id
INT
FK
product_id
INT
FK
unit_id
INT NULL
quantity
INT
customer
PK
customer_id
INT
FK,UK
user_id
INT NULL
customer_type
ENUM
customer_name
VARCHAR(150)
contact_person
VARCHAR(100) NULL
email
VARCHAR(100) NULL
phone
VARCHAR(30) NULL
address
VARCHAR(255) NULL
credit_limit
DECIMAL(12,2)
payment_terms_days
INT
current_balance
DECIMAL(12,2)
is_active
BOOLEAN
created_at
DATETIME
sale
PK
sale_id
INT
UK
invoice_no
VARCHAR(30)
FK
branch_id
INT
FK
cashier_id
INT
FK
customer_id
INT NULL
sale_type
ENUM
status
ENUM
subtotal
DECIMAL(12,2)
discount_amount
DECIMAL(12,2)
total_amount
DECIMAL(12,2)
payment_status
ENUM
due_date
DATE NULL
sale_date
DATETIME
notes
TEXT NULL

	unit_cost	DECIMAL(10,2)

FK	product_id	INT
FK	branch_id	INT
	quantity_on_hand	INT
	reorder_level	INT
	reorder_qty	INT
	shelf_location	VARCHAR(50) NULL
	updated_at	DATETIME

PK	log_id	
FK	user_id	
	module	
	action	
	entity_id	
	details	
	ip_addres	
	created_a	

goods_receipt

PK	**receipt_id**	INT
FK	po_id	INT NULL
FK	supplier_id	INT
FK	branch_id	INT
FK	received_by	INT
	delivery_ref	VARCHAR(100) NULL
	received_at	DATETIME
	notes	TEXT NULL

stock_unit

PK	**unit_id**	INT
FK	product_id	INT
FK	branch_id	INT
FK	receipt_item_id	INT NULL
UK	barcode	VARCHAR(64)
	serial_no	VARCHAR(100) NULL
	lot_no	VARCHAR(50) NULL
	quantity	INT
	unit_cost	DECIMAL(10,2)
	status	ENUM
	warranty_expiry	DATE NULL
	created_at	DATETIME

goods_receipt_item

PK	**receipt_item_id**	INT
FK	receipt_id	INT
FK	product_id	INT
	quantity_received	INT
	unit_cost	DECIMAL(10,2)

PK	**branch_i**	
UK	branch_n	
	branch_ty	
	address	
	phone	
	is_active	
	created_a	

	INT	
	VARCHAR(50)	
	VARCHAR(100)	
	INT NULL	
	TEXT NULL	
ss	VARCHAR(45) NULL	
at	DATETIME	

sale_item

PK	**sale_item_id**	INT
FK	sale_id	INT
FK	product_id	INT
FK	unit_id	INT NULL
	quantity	INT
	unit_price	DECIMAL(10,2)
	discount_amount	DECIMAL(10,2)

stock_movement

PK	**movement_id**	INT
FK	product_id	INT
FK	branch_id	INT
FK	unit_id	INT NULL
FK	user_id	INT NULL
FK	receipt_id	INT NULL
FK	sale_id	INT NULL
FK	transfer_id	INT NULL
	movement_type	ENUM
	quantity_change	INT
	notes	VARCHAR(255) NULL
	created_at	DATETIME

payment

PK	**payment_id**	INT
FK	sale_id	INT NULL
FK	customer_id	INT NULL
FK	received_by	INT
	method	ENUM
	amount	DECIMAL(12,2)
	reference_no	VARCHAR(100) NULL
	paid_at	DATETIME
	notes	VARCHAR(255) NULL

branch

id	INT
ıame	VARCHAR(100)
ype	ENUM
	VARCHAR(255) NULL
	VARCHAR(30) NULL
	BOOLEAN
at	DATETIME