

DHCP

13. Indítsa el az imént létrehozott virtuális gépet, és állítsa be az alábbiak szerint:

a. a külső hálózati interfészen DHCP-vel kapjon IP-címet

Internet Protocol Version 4 (TCP/IPv4) Properties

General Alternate Configuration

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☒ Obtain an IP address automatically

☐ Use the following IP address:

IP address: . . .

Subnet mask: . . .

Default gateway: . . .

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server: 127 . 0 . 0 . 1

Alternate DNS server: . . .

☐ Validate settings upon exit

Advanced...

OK Cancel

b. a belső hálózati interfészen a 192.168.8.1/24 címet használja

Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address: 192 . 168 . 8 . 1

Subnet mask: 255 . 255 . 255 . 0

Default gateway: 192 . 168 . 8 . 1

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server: 127 . 0 . 0 . 1


Alternate DNS server: . . .

☒ Validate settings upon exit


Advanced...

OK Cancel


c. a DNS szolgáltatást állítsa be úgy, hogy a <<vezetéknév>>.local erdőt valósítsa Meg



NEW HOST



d. a DHCP szolgáltatást állítsa be úgy, hogy



I. a Scope neve Terem legyen

New Scope Wizard

Scope Name

You have to provide an identifying scope name. You also have the option of providing a description.



Type a name and description for this scope. This information helps you quickly identify how the scope is to be used on your network.

Name:

Description:

II. a kiosztani kívánt címtartomány a 192.168.8.100 – 200 legyen

New Scope Wizard

IP Address Range

You define the scope address range by identifying a set of consecutive IP addresses.



Configuration settings for DHCP Server

Enter the range of addresses that the scope distributes.

Start IP address:

End IP address:

Configuration settings that propagate to DHCP Client

Length:

Subnet mask:

< Back Next > Cancel

III. a címbérlet hossza 1 nap legyen

New Scope Wizard

Lease Duration

The lease duration specifies how long a client can use an IP address from this scope.



Lease durations should typically be equal to the average time the computer is connected to the same physical network. For mobile networks that consist mainly of portable computers or dial-up clients, shorter lease durations can be useful. Likewise, for a stable network that consists mainly of desktop computers at fixed locations, longer lease durations are more appropriate.

Set the duration for scope leases when distributed by this server.

Limited to:

Days: Hours: Minutes:

IV. a címmel együtt kiosztott alapértelmezett átjáró 192.168.8.1 legyen

New Scope Wizard

Router (Default Gateway)

You can specify the routers, or default gateways, to be distributed by this scope.



To add an IP address for a router used by clients, enter the address below.

IP address:

Add

192.168.8.1

Remove

Up

Down

V. a címmel együtt kiosztott DNS-kiszolgáló a 192.168.8.1 legyen

New Scope Wizard

Domain Name and DNS Servers

The Domain Name System (DNS) maps and translates domain names used by clients on your network.



You can specify the parent domain you want the client computers on your network to use for DNS name resolution.

Parent domain: gyaki.hu

To configure scope clients to use DNS servers on your network, enter the IP addresses for those servers.

Server name:

Resolve

IP address:

Add

192.168.50.136
192.168.8.1


Remove

Up

Down

NAT

14. Állítsa be a NAT funkciót úgy, hogy az a belső kártyára kapcsolt hálózat címet fordítsa a külső kártya felé



Routing and Remote Access Server Setup Wizard

Configuration

You can enable any of the following combinations of services, or you can customize this server.

- ☐ Remote access (dial-up or VPN)
Allow remote clients to connect to this server through either a dial-up connection or a secure virtual private network (VPN) Internet connection.
- ☒ Network address translation (NAT)
Allow internal clients to connect to the Internet using one public IP address.
- ☐ Virtual private network (VPN) access and NAT
Allow remote clients to connect to this server through the Internet and local clients to connect to the Internet using a single public IP address.
- ☐ Secure connection between two private networks
Connect this network to a remote network, such as a branch office.
- ☐ Custom configuration
Select any combination of the features available in Routing and Remote Access.

< Back

Next >

Cancel

Routing and Remote Access Server Setup Wizard

NAT Internet Connection

You can select an existing interface or create a new demand-dial interface for client computers to connect to the Internet.

- ☒ Use this public interface to connect to the Internet:

Network Interfaces:


Name	Description	IP Address
Ethernet0	Intel(R) 82574L Gigabit...	192.168.50.136 (DHCP)
Ethernet1	Intel(R) 82574L Gigabit...	192.168.8.1

- ☐ Create a new demand-dial interface to the Internet
A demand-dial interface is activated when a client uses the Internet. Select this option if this server connects with a modem or by using the Point-to-Point Protocol over Ethernet. The Demand-Dial Interface Wizard will start at the end of this wizard.

< Back


Next >


Cancel




IIS

15. Állítsa be az IIS szolgáltatást úgy, hogy
 a. a szerver kezdőlapja egy lightblue háttérű a vizsgázó neve jelenjen meg
 Feketével






b. az alapértelmezett weboldalt a `www.<vezetéknév>.local` címen is el lehessen érni




AD

16. Állítsa be az Active Directory címtárszolgáltatást az alábbiak szerint:


a. alakítsa ki a képen látható OU szerkezetet az elnevezéseket, végükön „MR” helyett a saját monogramjával




b. minden szervezeti egység tartalmazzon egy azonos nevű csoportot is



c. a „Felhasznalok” csoportnak legyen tagja a másik 3 csoport





d. hozzon létre a szerveren felhasználókat a következő feltételeknek
Megfelelően:

I. a cégnél 1 vezető, 5 mérnök és 2 gyakornok dolgozik, készítse
számukra a megfelelő helyre felhasználókat és vegye fel őket a
megfelelő csoportba (felhasználó nevekhez használja osztálytársai
nevét)

Active Directory Users and Computers

File Action View Help

Active Directory Users and Com

Saved Queries

gyaki.hu

Builtin

Computers

Domain Controllers

ForeignSecurityPrincipal:

Managed Service Accour

Users

Felhasznalok

Vezetok_VH

Gyakornokok_VH

Name	Type
Vezetok	Security Group - Global
Vezeto Ábel	User

Active Directory Users and Computers

File Action View Help

Active Directory Users and Com

Saved Queries

gyaki.hu

Builtin

Computers

Domain Controllers

ForeignSecurityPrincipal:

Managed Service Accour

Users


Felhasznalok

Vezetok_VH

Gyakornokok_VH



Mernokok_VH

Name	Type	Descrip
Mernokok	Security Group - Global	
Mér Nök	User	
Mér Nökk	User	
Mér Nökkk	User	
Mér Nökkkk	User	
Mér Nökkkkk	User	
Mér Nökkkkkk	User	



Meghatjtós dolog Usernek

II. a gyakornokokon kívül mindenki rendelkezik saját (S: [Saját]) meghajtóval



Select User, Computer, Service Account, or Group

Select this object type:

User, Group, or Built-in security principal

Object Types...

From this location:

gyaki.hu

Locations...

Enter the object name to select (examples):

CREATOR OWNER

Check Names

Advanced...

OK

Cancel

Active Directory Users and Computers

File Action View Help

Active Directory Users and Computers

Saved Queries

gyaki.hu

Builtin

Computers

Domain Controllers

ForeignSecurityPrincipals

Managed Service Accounts

Users

Felhasznalok

Vezetok_VH

Gyakornokok_VH

Mernokok_VH

Name	Type	Description
Gyakornokok	Security Group - Global	
Gyak Ornok	User	

Gyak Ornok Properties

Member Of	Dial-in	Environment	Sessions
Remote control	Remote Desktop	Services Profile	COM+

General Address Account Profile Telephones Organization

User profile

Profile path:


Logon script:

Home folder

☐ Local path:

☒ Connect: S: To: \\R0FQ87TC6\Sajat\%username%

Ez a s ma mindegyikn l, kiv ve a gyakornokokn l



III. minden felhasználó látja és olvasni tudja az M: [Munka] meghajtót, de a vezető írni is tudja

(C:)

View

s PC > Local Disk (C:)

Name

- inetpub
- PerfLogs
- Program Files
- Program Files (x86)
- Saját
- Users
- Windows
- Munka

Munka Properties

Advanced Sharing

Permissions for Munka

Share Permissions

Group or user names:

Everyone

Add...

Remove

Permissions for Everyone

Allow

Deny

Full Control



Change



Read



OK

Cancel

Apply

Permission Entry for Munka

Select User, Computer, Service Account, or Group

Select this object type:
User, Group, or Built-in security principal

From this location:
gyaki.hu

Enter the object name to select (examples):
Everyone

Advanced... OK Cancel

☒ Read

Permission Entry for Munka

Principal: Everyone [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions:

- ☐ Full control
- ☐ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☐ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container

[Show advanced permissions](#)

[Add a condition](#)

OK Cancel

Permission Entry for Munka

Principal: Vezetok (GYAKI\Vezetok) [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions: [Show advanced permissions](#)

- ☐ Full control
- ☒ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☒ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container [Clear all](#)

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel

BEJELENTKEZES IDO

IV. a gyakornok csak csütörtökön és pénteken jelentkezhetnek be 8 és 16

óra között

Gyak Ornok User

Gyak Ornok Properties

Member Of	Dial-in	Environment	Sessions
Remote control	Remote Desktop Services Profile	COM+	
General	Address	Account	Profile
		Telephones	Organization

User logon name:
gyaki1 @gyaki.hu

User logon name (pre-Windows 2000):
GYAKI\ gyaki1

Logon Hours... Log On To...

☐ Unlock account

Account options:

- ☒ User must change password at next logon
- ☐ User cannot change password
- ☐ Password never expires
- ☐ Store password using reversible encryption

Account expires

☒ Never

☐ End of: 2026. június 24., szerda

OK Cancel Apply Help

Logon Hours for Gyak Ornok

0 2 4 6 8 10 12 14 16 18 20 22 0

OK Cancel


☒ Logon Permitted

☐ Logon Denied

csütörtök from 15:00 to 16:00

JELSZO LEJAR

V. a gyakoronokok jelszava 10 naponta lejár és nem kapcsolhatják ki szoftveresen a számítógépet





Group Policy Management Editor

File Action View Help

lejar_jelszo [WIN-T4R0FQ87TC6.GYAKI.HU] Policy

- Computer Configuration
 - Policies
 - Software Settings
 - Windows Settings
 - Name Resolution Policy
 - Scripts (Startup/Shutdown)
 - Security Settings
 - Account Policies
 - Local Policies
 - Event Log
 - Restricted Groups
 - System Services
 - Registry
 - File System
 - Wired Network (IEEE 802.3) Policies
 - Windows Defender Firewall with Advanced Security
 - Network List Manager Policies
 - Wireless Network (IEEE 802.11) Policies
 - Public Key Policies
 - Software Restriction Policies
 - Application Control Policies
 - IP Security Policies on Active Directory (Group Policy)
 - Advanced Audit Policy Configuration


Name	Description
Password Policy	Password Policy
Account Lockout Policy	Account Lockout Policy
Kerberos Policy	Kerberos Policy



APPLY

FREESTYLE GPO

9. Telepítse fel a Mozilla Firefox és Google Chrome böngészőket automatikusan minden a tartományhoz csatlakozott kliens számítógépre.



Download Chrome browser for Windows

Choose between our stable or beta bundle and MSI options.

Channel

Stable ▼

File type

MSI ▼

[Learn More](#) ⓘ

Architecture

64 bit (x86) ▼

By downloading Chrome, you agree to the [Google Terms of Service](#) and [Chrome ChromeOS Additional Terms of Service](#)

☐

Help make Google Chrome better by automatically sending usage statistics and crash reports to Google.

[Learn more](#)

Accept and download



Chrome version 148.0.7778.179 - Estimated size 145.9 MB

Permission Entry for TELEPITES

Principal: Everyone [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions:

☐ Full control

☒ Modify

☒ Read & execute

☒ List folder contents

☒ Read

☒ Write

☐ Special permissions

[Show advanced permissions](#)

☐ Only apply these permissions to objects and/or containers within this container


Clear all



Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.



[Add a condition](#)

OK



Cancel










10. A Mérnökök tagjainak tegye elérhetetlenné a Vezérlőpult / Gépház és a parancssor futtatását!





12. Állítsa be, hogy minden bejelentkezés két sikertelen próbálkozás után 30 percre tiltsa le a Felhasználót.





Account lockout duration Properties

Security Policy Setting Explain

 Account lockout duration

☒ Define this policy setting

Account is locked out for:

30 minutes

Account lockout threshold Properties


Security Policy Setting Explain

 Account lockout threshold


☒ Define this policy setting


Account will lock out after:

2 invalid logon attempts



Mappa csatolása link-ként a tálcára:





LinkesMappa Properties



General Common

 Action: Update ▾

Name: LinkesMappa ...

Target type: File System Object ▾

Location: Desktop ▾

Target path: \\Win-t4r0fq87tc6\telepites ...

Arguments:

Start in: ...

Shortcut key: None

Run: Normal Window ▾


Comment:


Icon file path: ...

Icon index: 0

OK Cancel Apply Help

Mappa meghajtóként felcsatolása:





New Drive Properties



General

Common



Action:

Update

Location:

\\WIN-T4R0FQ87TC6\Saját

Reconnect: ☐

Label as:

GYAKORLAS

Drive Letter



Use first available, starting at:



Use:



G



Connect as (optional)

User name:

Password:

Confirm password:

Hide/Show this drive



No change



Hide this drive



Show this drive

Hide/Show all drives



No change



Hide all drives



Show all drives


OK

Cancel


Apply

Help

FTP:





HÁTTÉR HA KÉNE:




KIEGÉSZÍTÉS:


RAID:







Disk 2 a Disk 1hez



New Mirrored Volume

Format Volume
To store data on this volume, you must format it first.

Choose whether you want to format this volume, and if so, what settings you want to use.

☐ Do not format this volume

☒ Format this volume with the following settings:

File system: NTFS

Allocation unit size: Default

Volume label: RAID

☐ Perform a quick format


☐ Enable file and folder compression

< Back Next > Cancel

YES




Devices and drives



E Feladatból:

5. A 2 Gb-os lemezt kvótázza, amelynek mérete 250 Mb legyen!

Ezen a partíción hozzon létre egy HOME könyvtárat és ebben hozzon létre minden dolgozónak egy automatikus felcsatolt „S” meghajtót, mint saját könyvtár.



Disk Management

File Action View Help

Volume	Layout	Type	File System	Status	Capacity	Free Spa...	% Free	
(C:)	Simple	Basic	NTFS	Healthy (B...	59,23 GB	49,69 GB	84 %	
(Disk 0 partition 1)	Simple	Basic		Healthy (E...	100 MB	100 MB	100 %	
(Disk 0 partition 4)	Simple	Basic		Healthy (R...	674 MB	674 MB	100 %	

Disk 0

Basic

59,98 GB

Online

100 MB

Healthy (EFI System P

(C:)

59,23 GB NTFS

Healthy (Boot, Page File, Crash Dump, Basic Data Partiti

674 MB

Healthy (Recovery Partition)

Disk 1

Basic

1,98 GB

Online

1,98 GB

Unallocated

New Simple Volume...

New Spanned Volume...

New Striped Volume...

New Mirrored Volume...

New RAID-5 Volume...

Properties

Unallocated

Primary partition

New Simple Volume Wizard



Assign Drive Letter or Path

For easier access, you can assign a drive letter or drive path to your partition.

☒ Assign the following drive letter: S ▾

☐ Mount in the following empty NTFS folder:

Browse...


☐ Do not assign a drive letter or drive path

< Back

Next >

Cancel

KVÓTA:



Properties

New Volume (S:) Properties

General Tools Hardware Sharing Security
Shadow Copies Previous Versions Quota Customize

 Status: Disk quotas are disabled

☒ Enable quota management

☒ Deny disk space to users exceeding quota limit

Select the default quota limit for new users on this volume:

☐ Do not limit disk usage

☒ Limit disk space to

Set warning level to

Select the quota logging options for this volume:


☐ Log event when a user exceeds their quota limit

☐ Log event when a user exceeds their warning level


Quota Entries...


OK Cancel Apply

HOME:



Properties





Properties a felhasználóknál (most csak 1nel)

Kolompár Adrianó Properties ? X

Member Of	Dial-in	Environment	Sessions
Remote control	Remote Desktop Services Profile	COM+	
General	Address	Account	Profile
Telephones	Organization		

User profile

Profile path:

Logon script:

Home folder

☐ Local path:

☒ Connect: S: To:

OK Cancel Apply Help

VARJ UJ

Kolompár Adrián Properties ? X

Member Of	Dial-in	Environment	Sessions
Remote control	Remote Desktop Services Profile	COM+	
General	Address	Account	Profile
Telephones	Organization		

User profile

Profile path:


Logon script:

Home folder


☐ Local path:

☒ Connect: S: To:

OK Cancel Apply Help



Ami ki van jelölve az a path a User Propertiesnel amit beirunk home foldernek




MAPPA CSATOLÁS MEG ILYENEK E FELADATBÓL

6. A 2 Gb-os lemezen hozzon létre egy CEMKUT nevű könyvtárat és ebben

- Vezetés → Csak a Vezetés csoport tagjai írhatják/olvashatják
- Titkárság → A titkárság csoport tagjai írhatják és olvashatják, a többiek csak olvashatják
- Ötletdoboz → Beadó mappa elvén működik (mindenki csak bele másolni tud fájlokat, de

megnézni csak a vezetés tagjai tudják)

d) Jegyzetek mappákat CSAK a CEMKUT összes dolgozója tudja írni és olvasni.



MINDEN MAPPÁNÁL:


XY mappa - Properties - Security Fül



Advanced gomb alul

Disable inheritance

Convert inherited permissions


Miután ez megvan, a listából jelöld ki az **Users** vagy **Everyone** csoportot (ha ott van), és kattints a **Remove** (Eltávolítás) gombra, hogy a sima usereknek ne legyen alapból joguk. A **SYSTEM** és az **Administrators** csoportokat hagyd békén!






REMOVE, másik Users-t is, Creator owner

Az **Administrators** és a **SYSTEM** sorokat hagyd meg érintetlenül (ők kellenek, hogy a rendszer és te mint rendszergazda hozzárendelhesetek jogokat).



ADD



Permission Entry for Vezetés

Principal: vezetes_GRP (VIZSGA0\vezetes_GRP) [Select a principal](#)

Type:

Applies to:

Basic permissions: [Show advanced permissions](#)

- ☐ Full control
- ☒ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☒ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container Clear all

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel

Advanced Security Settings for Vezetés

Name: P:\GYAK\Vezetés

Owner: Administrators (VIZSGA0\Administrators) [Change](#)

Permissions **Auditing** Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Principal	Type	Access	Inherited from	Applies to
Administrators (VIZSGA0\Admi...	Allow	Full control	None	This folder, subfolders and files
SYSTEM	Allow	Full control	None	This folder, subfolders and files
vezetes_GRP (VIZSGA0\vezetes_...	Allow	Modify	None	This folder, subfolders and files

Add Remove Edit



Enable inheritance

☐ Replace all child object permission entries with inheritable permission entries from this object

OK Cancel Apply

VEZETES ennyi volt

TITKÁRSÁG MAPPA:



Permission Entry for Titkárság

Principal: titkarsag_GRP (VIZSGA0\titkarsag_GRP) [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions: [Show advanced permissions](#)

- ☐ Full control
- ☒ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☒ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container Clear all

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel

Permission Entry for Titkárság

Principal: gyak_GRP (VIZSGA0\gyak_GRP) [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions: [Show advanced permissions](#)


- ☐ Full control
- ☐ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☐ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container Clear all

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel



ÖTLETDOBOZ MAPPA:

Permission Entry for Ötletdoboz

Principal: vezetes_GRP (VIZSGA0\vezetes_GRP) [Select a principal](#)

Type: Allow

Applies to: This folder, subfolders and files

Basic permissions: [Show advanced permissions](#)

- ☐ Full control
- ☒ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☒ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container Clear all

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel

A Vezetés csoport beállítása: * *Add* $\rightarrow$ **Vezetés** csoport. Adj nekik **Modify** jogot (így ők láthatják és módosíthatják a beadott fájlokat).

A többiek (író jog) beállítása:

Permission Entry for Ötletdoboz

Principal: gyak_GRP (VIZSGA0\gyak_GRP) [Select a principal](#)

Type: Allow

Applies to: This folder only

Advanced permissions: [Show basic permissions](#)


☐ Full control	☐ Write attributes
☒ Traverse folder / execute file	☐ Write extended attributes
☐ List folder / read data	☐ Delete subfolders and files
☐ Read attributes	☐ Delete
☒ Read extended attributes	☒ Read permissions
☒ Create files / write data	☐ Change permissions
☒ Create folders / append data	☐ Take ownership

☐ Only apply these permissions to objects and/or containers within this container Clear all

Add a condition to limit access. The principal will be granted the specified permissions only if conditions are met.

[Add a condition](#)

OK Cancel



JEGYZETEK MAPPA:

Permission Entry for jegyzetek

Principal: **gyak_GRP (VIZSGA0\gyak_GRP)** [Select a principal](#)

Type: **Allow**

Applies to: **This folder, subfolders and files**

Basic permissions:

- ☐ Full control
- ☒ Modify
- ☒ Read & execute
- ☒ List folder contents
- ☒ Read
- ☒ Write
- ☐ Special permissions

☐ Only apply these permissions to objects and/or containers within this container

[Show advanced permissions](#)

[Add a condition](#)

[Clear all](#)

[OK](#) [Cancel](#)

Advanced Security Settings for jegyzetek

Name: **P:\GYAK\jegyzetek**

Owner: **Administrators (VIZSGA0\Administrators)** [Change](#)

Permissions Auditing Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Principal	Type	Access	Inherited from	Applies to
Administrators (VIZSGA0\Admi...	Allow	Full control	None	This folder, subfolders and files
SYSTEM	Allow	Full control	None	This folder, subfolders and files
gyak_GRP (VIZSGA0\gyak_GRP)	Allow	Modify	None	This folder, subfolders and files

[Add](#) [Remove](#) [Edit](#)

[Enable inheritance](#)

☐ Replace all child object permission entries with inheritable permission entries from this object

[OK](#) [Cancel](#) [Apply](#)


7. Mappa csatolások

- a) A titkárság tagjainak az összes megosztott mappa MEGHAJTÓKÉNT legyen csatolva.
- b) A titkárságon kívüli dolgozóknak (kivéve a vezetés tagjai) CSAK A SAJÁT ÉS A JEGYZETEK MAPPA LEGYEN MEGHAJTÓKÉNT csatolva, a többi megosztott mappa az Asztalon legyen megosztott mappa linkként elérhető.
- c) A vezetés tagjainak csak a saját meghajtó legyen felcsatolva, a Titkárság és Jegyzetek mappa pedig asztali parancsikon legyen.

Viszont az Ötletláda mappa ne legyen itt csatolva, hanem legyen egy futtatható script az asztalon ami felcsatolja az Ötletláda mappát X meghatóként, de olvasni továbbra se lehessen csak írni!

MEGOSZTANI A MAPPAKAT, ADVANCED SHARE FULL CONTROL STB EZ AZ ELSO LEPES

A FELADAT:



New GPO

Name:
Mappa_Csatolas

Source Starter GPO:
(none)

OK Cancel

Group Policy Management Editor

File Action View Help

Mappa_Csatolas [VIZSGA.VIZSGA]

- Computer Configuration
 - Policies
 - Preferences
- User Configuration
 - Policies
 - Preferences
 - Windows Settings
 - Applications
 - Drive Maps
 - Environment
 - Files
 - Folders
 - Ini Files
 - Registry
 - Shortcuts
 - Control Panel Settings

Drive Maps

Name	Order	Action	Path
There are no items to show in this view.			

New > Mapped Drive

All Tasks >

Refresh

View >

Arrange Icons >

Line up Icons

Help

Description

No policies selected

Preferences Extended Standard

Creates a new item in this container.

New Drive Properties

×

General

Common



Action:

Update

▼

Location:

\\Wizsga\p\GYAK\Vezetés

...

Reconnect:

☐

Label as:

Drive Letter

☐ Use first available, starting at:

☒ Use:

 V

▼

Connect as (optional)

User name:

Password:

Confirm password:

Hide/Show this drive

☒ No change

☐ Hide this drive

☐ Show this drive

Hide/Show all drives

☒ No change

☐ Hide all drives


☐ Show all drives

OK

Cancel

Apply


Help



Targeting Editor

New Item ▾ | Add Collection | Item Options ▾ |   |    ▾ |  Delete |  Help

 the user is a member of the security group VIZSGA0\titkarsag_GRP

Group: VIZSGA0\titkarsag_GRP 

SID: S-1-5-21-367131207-2006460639-4045023273-1605

☐ Primary group

☒ User in group

☐ Computer in group

A Security Group targeting item allows a preference item to be applied to computers or users only if

OK Cancel

(Ezt csináld meg mind a 4 mappára, így a Titkárságnak felugrik az összes meghajtó).

New Drive Properties

General Common

 Action: Update

Location: \\Wizsga\p\GYAK\Titkárásg ...

Reconnect: ☐ Label as:

Drive Letter

☐ Use first available, starting at: ☒ Use: T

Connect as (optional)

User name:

Password: Confirm password:

Hide/Show this drive

☒ No change
☐ Hide this drive
☐ Show this drive

Hide/Show all drives

☒ No change
☐ Hide all drives
☐ Show all drives

OK Cancel Apply Help

Targeting Editor

Select Group

Select this object type:

Group Object Types...

From this location:

vizsga.local Locations...

Enter the object name to select (examples):

titkarsag_GRP Check Names

Advanced... OK Cancel

user in group

Ezt kell mindegyiknél

New Drive Properties

×

General

Common



Action: Update

Location:

\\Wizsga\p\GYAK\Ötletdoboz

...

Reconnect:

☐

Label as:

Drive Letter

☐ Use first available, starting at:

☒ Use:

 O

▼

Connect as (optional)

User name:

Password:

Confirm password:

Hide/Show this drive

☒ No change

☐ Hide this drive

☐ Show this drive

Hide/Show all drives

☒ No change

☐ Hide all drives

☐ Show all drives

OK

Cancel

Apply

Help

Targeting Editor

New Item ▾ | Add Collection | Item Options ▾ |   |    ▾ |  Delete |  Help

 the user is a member of the security group VIZSGA0\titkarsag_GRP

Group

SID

☐ Primary group

☒ User in group

☐ Computer in group

A Security Group targeting item allows a preference item to be applied to computers or users only if

J: Properties

General Common

 Action: Update

Location: \\Wizsga\p\GYAK\jegyzetek ...

Reconnect: ☐ Label as:

Drive Letter

☐ Use first available, starting at: ☒ Use: J

Connect as (optional)

User name:

Password: Confirm password:

Hide/Show this drive

☒ No change
☐ Hide this drive
☐ Show this drive

Hide/Show all drives

☒ No change
☐ Hide all drives
☐ Show all drives

OK Cancel Apply Help

Targeting Editor

Select Group

Select this object type:

Group Object Types...

From this location:


vizsga.local Locations...

Enter the object name to select (examples):

titkarsag GRP Check Names

Advanced... OK Cancel

☒ User in group



Vagy a PATH meg így lehet

Group Policy Management Editor

FileActionViewHelp

Mappa_Csatolas [VIZSGA.VIZSGA]

Computer Configuration

Policies

Preferences

User Configuration

Policies

Preferences

Windows Settings

Applications

Drive Maps

Environment

Files

Folders

Ini Files

Registry

Shortcuts

Control Panel Settings

Drive Maps

Processing

Stop processing items in extension on error:No

Run in user's context:No

Remove if not applied:No

Apply once:No

Filtered directly:Yes

Filtered by ancestor:No

Disabled directly:No

Disabled by ancestor:No

Description

No description provided.

Name	Order	Action	Path
J:	4	Update	\\Vizsga\jegyzetek
O:	3	Update	\\Vizsga\Ötletdoboz
T:	2	Update	\\Vizsga\Titkárság
V:	1	Update	\\Vizsga\Vezetés

Preferences

Extended

Standard

Last changed: 2026. 05. 18. 3:08:17