

AWS virtuális gép kezdés

Eljutás óda:

The screenshot shows the AWS Academy interface. On the left is a dark sidebar with the AWS Academy logo and icons for Account, Dashboard, Courses, and a calendar. The main navigation menu includes Home, Announcements, Modules (which is highlighted with a vertical line), Discussions, Grades, and Lucid (Whiteboard). The main content area on the right has two sections: 'Course Assessment' showing a score of 100 pts and 'Sandbox' with a link to 'Sandbox Environment'.

≡ ACFv2EN-LTI13-162003 > Modules > Sandbox > Sandbox Environment

This tool needs to be loaded in a new browser window

Home

Announcements

Modules

Discussions

Load Sandbox Environment in a new window

◀ Previous

Start Lab

Region: us-east-1

Lab ID: arn:aws:cloudformation:us-east-1:320710793429:stack/c20401

Creation Time: 2026-04-14T02:14:37-0700

Start session at: 2026-04-14 02:14:38

Remaining session time: 03:00:00 (180 minutes)

⚙️ Lab status: in creation

várás

Start Lab

Region: us-east-1

Lab ID: arn:aws:cloudformation:us-east-1:320710

Creation Time: 2026-04-14T02:14:37-0700

Start session at: 2026-04-14 02:14:38

Remaining session time: 03:00:00 (180 minutes)

Lab status: ready

Majd ki X-elni

rányomni az AWS Gombra

Gép telepítés

EC2 Instance

EC2 > Instances > Launch an instance

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

Gyak_Szerver

Add additional tags

▼ Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Q Search our full catalog including 1000s of application and OS images

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Debian

debian

>

Q Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Debian 13 (HVM), SSD Volume Type
ami-0b75f821572bfff895 (64-bit x86_64) / ami-010d75c7b8e554hd4f (64-bit ARMv8)

Free tier eligible

Create key pair

×

Key pair name

Key pairs allow you to connect to your instance securely.

GyakSzerver-SSH

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA
RSA encrypted private and public key pair

☐ ED25519
ED25519 encrypted private and public key pair

Private key file format

☐ .pem
For use with OpenSSH

☒ .ppk
For use with PuTTY

⚠ When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** [Learn more](#)

Cancel

Create key pair

Instances (2) [Info](#)

Saved filter sets

Choose filter set ▼

 Find Instance by attribute or tag (case-sensitive)

☐	Name 	Instance ID	Instance state
☐	Bastion Host	i-0356b1ba2ea766481	 Stopped  
☐	Gyak_Szerver	i-06c2318f8dada0cbe	 Running  

A gép fut, publikus IP-címe:

Instance summary for i-06c2318f8dada0cbe (Gyak_Szerver) [Info](#)

Updated less than a minute ago

Instance ID

 i-06c2318f8dada0cbe

IPv6 address

–

Hostname type

IP name: ip-172-31-26-150.ec2.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

 3.80.56.104 [Public IP]

IAM role

–

IMDSv2

Required

Operator

–

Public IPv4 address

 3.80.56.104 | [open address](#) 

Instance state

 Running

Private IP DNS name (IPv4 only)

 ip-172-31-26-150.ec2.internal

Instance type

t3.micro

VPC ID

 vpc-08a7c2c25cf08ac5e 

Subnet ID

 subnet-08bcc817b342f2fd6 

Instance ARN

 arn:aws:ec2:us-east-1:320710793429:instance/i-06c2318f8dada0cbe



Connect

Instance state ▼

Actions ▼

Private IPv4 addresses

 172.31.26.150

Public DNS

 ec2-3-80-56-104.compute-1.amazonaws.com | [open address](#) 

Elastic IP addresses

–

AWS Compute Optimizer finding

 Opt-in to AWS Compute Optimizer for recommendations. | [Learn more](#) 

Auto Scaling Group name


–

Managed


false

SSH


IP-cím:



Felhasználó név:



SSH kulcs brillesztése:



Első belépés

```
admin@ip-172-31-26-150: ~  
Using username "admin".  
Authenticating with public key "GyakSzerver-SSH"  
Linux ip-172-31-26-150 6.12.74+deb13+1-cloud-amd64 #1 SMP PREEMPT_DYNAMIC Debian  
6.12.74-2 (2026-03-08) x86_64  
  
The programs included with the Debian GNU/Linux system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
  
Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent  
permitted by applicable law.  
admin@ip-172-31-26-150:~$
```

Root jelszó megadása:

```
admin@ip-172-31-26-150:~$ sudo su -  
root@ip-172-31-26-150:~# passwd  
New password:  
Retype new password:  
passwd: password updated successfully  
root@ip-172-31-26-150:~# exit  
logout  
admin@ip-172-31-26-150:~$ su -  
Password:  
root@ip-172-31-26-150:~#
```

Wordpress

```
admin@ip-172-31-26-150: ~
GNU nano 8.4 docker-compose.yml *
services:
  db:
    image: mariadb:10.11
    restart: always
    environment:
      MYSQL_ROOT_PASSWORD: Passw0rd
      MYSQL_DATABASE: wordpress
      MYSQL_USER: wp_user
      MYSQL_PASSWORD: Passw0rd
    volumes:
      - db_data:/var/lib/mysql

  wordpress:
    image: wordpress:latest
    restart: always
    ports:
      - "80:80"
    environment:
      WORDPRESS_DB_HOST: db
      WORDPRESS_DB_USER: wp_user
      WORDPRESS_DB_PASSWORD: Passw0rd
      WORDPRESS_DB_NAME: wordpress
    volumes:
      - wp_data:/var/www/html

volumes:
  db_data:
  wp_data:
```



```
root@ip-172-31-26-150:~# mkdir wordpress-site && cd wordpress-site
root@ip-172-31-26-150:~/wordpress-site# nano docker-compose.yml
root@ip-172-31-26-150:~/wordpress-site# docker compose up -d
[+] Running 34/34
  ✓ db Pulled
    ✓ de47083ed7d7 Pull complete
    ✓ d5fcabeb12f1 Pull complete
    ✓ 166b28df01a7 Pull complete
    ✓ 0f8a8d2be7f5 Pull complete
    ✓ 57cb8509f465 Pull complete
    ✓ d05271b237e3 Pull complete
    ✓ df6ad8f358d4 Pull complete
    ✓ 7eb6fa51d5ac Pull complete
  ✓ wordpress Pulled
    ✓ 5435b2dcdf5c Pull complete
    ✓ 0dbbd63ae63a Pull complete
    ✓ d5af5dfa43d4 Pull complete
    ✓ e24121de25e6 Pull complete
    ✓ de502dcf081a Pull complete
    ✓ 79e11af4b256 Pull complete
    ✓ 90be0470639d Pull complete
    ✓ 1fa182c1d458 Pull complete
    ✓ 4443d9c71a47 Pull complete
    ✓ 9bde0c34d1f4 Pull complete
    ✓ 871c6a1a47cc Pull complete
    ✓ 9cb746f747ab Pull complete
    ✓ 6562f7228ec3 Pull complete
    ✓ 568912d7e28d Pull complete
    ✓ 4f4fb700ef54 Pull complete
    ✓ 3f3cb8cd0960 Pull complete
    ✓ 73ce216c5445 Pull complete
    ✓ 7d9f8a57d57a Pull complete
    ✓ 5020203f7d33 Pull complete
    ✓ b4b1305df06a Pull complete
    ✓ 271a7052ce75 Pull complete
    ✓ e052461f1b41 Pull complete
    ✓ ef17106e0cde Pull complete
    ✓ 78a70974d738 Pull complete
[+] Running 5/5
  ✓ Network wordpress-site_default Created
  ✓ Volume "wordpress-site_wp_data" Created
  ✓ Volume "wordpress-site_db_data" Created
  ✓ Container wordpress-site-db-1 Started
  ✓ Container wordpress-site-wordpress-1 Started
root@ip-172-31-26-150:~/wordpress-site#
```

Tűzfalon engedélyezni

Instances (1/2) [Info](#)

Saved filter sets
Choose filter set ▼

Find Instance by attribute or tag (case-sensitive)

☐	Name ✎	Instance ID	Instance state ▼
☐	Bastion Host	i-0356b1ba2ea766481	⊖ Stopped + -
☑	Gyak_Szerver	i-06c2318f8dada0cbe	✔ Running + -

i-06c2318f8dada0cbe (Gyak_Szerver)

- Details
- Status and alarms
- Monitoring
- Security
- Network

▼ Security details

IAM role

—

Owner ID

 3207

Security groups

 [sg-0c877b14ee626e027 \(launch-wizard-1\)](#)

EC2 > Security Groups > sg-0c877b14ee626e027 - launch-wizard-1 > Edit inbound rules

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules [Info](#)

Security group rule ID


Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info			
sg-0d29c42cb4b8b962e	SSH	TCP	22	My IP	SSH	Delete	
—	HTTP	TCP	80	Anywh...	88.132.177.228/32	HTTP	Delete
—	HTTPS	TCP	443	Anywh...	0.0.0.0/0	HTTPS	Delete

[Add rule](#)


Cancel

Preview changes

Save rules

A screenshot of the WordPress installation "Welcome" screen. At the top, a black status bar shows a warning icon, the text "Nem biztonságos", the URL "3.80.56.104/wp-admin/install.php?step=1", and icons for search and refresh. The main content area has a "Welcome" heading followed by a paragraph: "Welcome to the famous five-minute WordPress installation process! Just fill in the information below and you'll be on your way to using the most extendable and powerful personal publishing platform in the world." Below this is a section titled "Information needed" with a subtext: "Please provide the following information. Do not worry, you can always change these settings later." The form contains several fields: "Site Title" with the value "GyakSzervert", "Username" with the value "martin", and "Password" with the value "Jelszo12Jelszo". The password field has a "Hide" button and a green strength indicator labeled "Strong". Below the password field is an "Important" note: "You will need this password to log in. Please store it in a secure location." There is an empty "Your Email" field with a note to "Double-check your email address before continuing." A "Search engine visibility" section has an unchecked checkbox for "Discourage search engines from indexing this site" and a note: "It is up to search engines to honor this request." At the bottom is a blue "Install WordPress" button.

Weboldal amit minden honnan ellehet érne



NextCloud

```
GNU nano 8.4                                docker-compose.yml
services:
  db:
    image: mariadb:10.11
    restart: always
    command: --transaction-isolation=READ-COMMITTED --binlog-format=ROW
    volumes:
      - nextcloud_db:/var/lib/mysql
    environment:
      - MYSQL_ROOT_PASSWORD=Passw0rd
      - MYSQL_PASSWORD=Passw0rd
      - MYSQL_DATABASE=nextcloud
      - MYSQL_USER=nextcloud

  app:
    image: nextcloud:latest
    restart: always
    ports:
      - "8080:80"
    links:
      - db
    volumes:
      - nextcloud_data:/var/www/html
    environment:
      - MYSQL_PASSWORD=Passw0rd
      - MYSQL_DATABASE=nextcloud
      - MYSQL_USER=nextcloud
      - MYSQL_HOST=db

volumes:
  nextcloud_db:
  nextcloud_data:
```

```
admin@ip-172-31-26-150: ~
root@ip-172-31-26-150:~# mkdir nextcloud-stack && cd nextcloud-stack
root@ip-172-31-26-150:~/nextcloud-stack# nano docker-compose.yml
root@ip-172-31-26-150:~/nextcloud-stack# docker compose up -d
[+] Running 24/24
  app Pulled                                29.9s
  5435b2dcdf5c Already exists              0.0s
  7ffb7e1d7f94 Pull complete               0.1s
  fd73acf43b8d Pull complete              1.3s
  9e27b2414675 Pull complete              0.1s
  14bc31bb8e9d Pull complete              0.2s
  7c95eebb2f65 Pull complete              0.2s
  ecf8294cbce8 Pull complete              0.3s
  9c151ee09453 Pull complete              0.4s
  88f6373c27c3 Pull complete              0.4s
  9737d96107ee Pull complete              0.6s
  d48126b155e1 Pull complete              0.5s
  d2952872e255 Pull complete              0.7s
  5e305ee441fb Pull complete              0.7s
  888e170750ef Pull complete              0.8s
  4f4fb700ef54 Pull complete              0.7s
  49e4b4bfca9e Pull complete              1.2s
  df230d5abfc0 Pull complete              1.3s
  da6b3bb4000f Pull complete              1.3s
  4a01a39ba39b Pull complete              1.4s
  310409a16eca Pull complete              1.4s
  6af971d42cb3 Pull complete              5.2s
  32c181a97aa6 Pull complete              1.5s
  1deafa5f7cc7 Pull complete              1.5s
[+] Running 5/5
  Network nextcloud-stack_default          Create... 0.1s
  Volume "nextcloud-stack_nextcloud_db"    Created   0.0s
  Volume "nextcloud-stack_nextcloud_data"  Created   0.0s
  Container nextcloud-stack-db-1           Started   0.1s
  Container nextcloud-stack-app-1          Starte... 0.1s
root@ip-172-31-26-150:~/nextcloud-stack#
```

Tűzfal: (8080 port, mivel a 80-asat használja a wordpress)

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info
sgr-0b43d5fc28328f992	HTTPS	TCP	443	Custom 0.0.0.0/0	HTTPS Delete
sgr-0893be564945250ac	HTTP	TCP	80	Custom 0.0.0.0/0	HTTP Delete
sgr-0d29c42cb4b8b962e	SSH	TCP	22	Custom 0.0.0.0/0	SSH Delete
-	Custom TCP	TCP	8080	Anywh... 88.132.177.228/32	NextCloud Delete
					0.0.0.0/0

[Add rule](#)

[Cancel](#) [Preview changes](#) [Save rules](#)

Regisztráció

Nem biztonságos 3.80.56.104:8080



✓ Autoconfig fájl felismerve
A lenti beállítási űrlap a konfigurációs fájlban lévő értékekkel van előre kitöltve.

Rendszergazdai fiók létrehozása

Rendszergazdai fiók neve martin

Rendszergazdai fiók jelszava Jelszo12Jelszo12!

✓ A jelszó erős

► Tárhely és adatbázis

Telepítés →

Dashboard:

