

Robert Payne
Development Manager
October 21, 2014

Product Implementation Training (PIT)

Content Platform Engine 5.2.1 GA

ACCE Improvements Part 3



Course Roadmap

- Process Configuration Console Functions added to ACCE
- Email Notification, Searches, Process Administrator Functions added to ACCE, ICN Process Applets Plug-in and ACCE Plug-in
- Demonstration of ACCE and Process Applets Plug-ins for IBM Content Navigator
- Indexing, Site, Storage and Sweep Improvements
- CPE Download Service and Read-Only Administration
- ➔ Subscription, Document & Custom Object Wizard Improvements
- ACCE Translation and Localization

PJ Pillai

Sr. Software Engineer

October 21, 2014

Product Implementation Training (PIT)

Content Platform Engine 5.2.1 GA

Subscriptions, Document & Custom Object Wizard Improvements



Limitation with Subscription support in previous release

- Creating new Subscription was not intuitive. You must navigate to Class Definition, right click to add new Subscription
- When creating new Subscription, there is no way to create new Event Action
- There is no ability to delete referencing Event Action and Code Module when subscription is deleted

Improved Subscription support

- Added a New Subscription action on Subscriptions tab

Administration Console for Content Platform Engine

P8 OS2 x

Object Store: OS2

OS2

- Administrative
- Browse
- Data Design
- Events, Actions, Processes
 - Change Preprocessor Actions
 - Content Conversion Actions
 - Document Classification Actions
 - Document Lifecycle Actions
 - Document Lifecycle Policies
 - Event Actions
 - Search Function Definitions
 - Subscriptions
 - Reporting Subscription
 - Text Indexing Preprocessor Actions
 - Workflow Definitions
- Recovery Bins
- Search
- Sweep Management

OS2 Subscription... x

New Refresh Delete

	Display Name	Enabled
<input type="radio"/>	Reporting Subscription	True


Improved Subscription support

- Ability to create new Event Action from Subscription creation wizard

The screenshot shows a web-based wizard interface for creating a new subscription. At the top, there are three tabs: 'OS2', 'Subscription...', and 'New Subscri... *'. Below the tabs are four buttons: '< Back', 'Next >', 'Finish', and 'Cancel'. The main heading is 'Select an Event Action', followed by the instruction 'Select the event action that defines the actions to be taken when the subscription is triggered.' Below this, there is a label '* Select an event action: ?' and a dropdown menu currently displaying 'Reporting CSV File Generation Event Action'. To the right of the dropdown is a 'New...' button.

Improved Subscription support

- Provides additional options for Subscription delete
 - Delete Event Action
 - Delete Event Action and Code Module



Message

Do you want to delete subscription 'Sub2'?

To delete subscription reference object, select following options?

☐ Delete event action

☐ Delete event action and code module

OK Cancel

Limitation with Document/Custom Object wizard in previous release

- Unable to Create Document/Custom Object if the class has custom required property
- Unable to set values for custom properties (Especially a property with Settability on Create)
- No support for Content Upload on IE 9 (Document wizard)

Improved Document and Custom Object Creation wizard

- Allows setting values for required custom properties
- Automatically set the property default and allow setting values for custom properties

OS2 New Document... * x

< Back Next > Finish Cancel

Object Properties

* ▼	Property Name	Property Value			Data Type	Cardinality	Settability
*	ISBN-13	<input type="text"/>	▼		8 <String>	0 <Single>	0 <Read-write>
*	Language	<input type="text" value="English"/>	▼		8 <String>	0 <Single>	2 <Settable only on create>
*	Paperback	<input type="text"/>	▼		6 <Integer>	0 <Single>	0 <Read-write>
	Publication Info	<input type="text"/>	▼		1 <Binary>	0 <Single>	1 <Settable only before checkin>
	Publishing Subsidiary Folder	<input type="text"/>	▼		7 <Object>	0 <Single>	1 <Settable only before checkin>
	Ignore Redirect	<input type="text" value="True"/>	▼		2 <Boolean>	0 <Single>	0 <Read-write>

Improved Document and Custom Object Creation wizard

- Content Upload support for IE 9 (Document creation wizard)

Product Demonstration

Demonstration

Subscription improvements

For more information, see the **Creating a subscription** topic:

Knowledge center link:

http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/com.ibm.p8.ce.admin.tasks.doc/p8pcc040.htm

Course Roadmap

- Process Configuration Console Functions added to ACCE
- Email Notification, Searches, Process Administrator Functions added to ACCE, ICN Process Applets Plug-in and ACCE Plug-in
- Demonstration of ACCE and Process Applets Plug-ins for IBM Content Navigator
- Indexing, Site, Storage and Sweep Improvements
- CPE Download Service and Read-Only Administration
- Subscription, Document & Custom Object Wizard Improvements
- ➔ ACCE Translation and Localization

Brien Amspoker
Software Developer
October 21, 2014

Product Implementation Training (PIT)

Content Platform Engine 5.2.1 GA

ACCE Translation and Localization



ACCE Translation

- This is the first time ACCE has been translated
- Other parts of CPE have been translated in previous releases
 - Greek, Kazakh, and Vietnamese are new
- Other new CPE translations in this release:
 - CPE API exception messages
 - Shown in ACCE for errors detected by the server

Languages

1	Arabic [ar]
2	Bulgarian [bg] (Not supported by ACCE)
3	Catalan [ca]
4	Chinese, Simplified [zh_CN]
5	Chinese, Traditional [zh_TW]
6	Croatian [hr]
7	Czech [cs]
8	Danish [da]
9	Dutch [nl]
10	English [en]
11	Finnish [fi]
12	French [fr]
13	German [de]
14	Greek [el] (New in 5.2.1)
15	Hebrew [he]
16	Hungarian [hu]
17	Italian [it]

18	Japanese [ja]
19	Kazakh [kk] (New in 5.2.1)
20	Korean [ko]
21	Norwegian [no]
22	Polish [pl]
23	Portuguese [pt]
24	Portuguese, Brazilian [pt_BR]
25	Romanian [ro]
26	Russian [ru]
27	Slovak [sk]
28	Slovenian [sl]
29	Spanish [es]
30	Swedish [sv]
31	Thai [th]
32	Turkish [tr]
33	Vietnamese [vi] (New in 5.2.1)

Change Language and Locale Settings Dialog

Change Language and Locale Settings
If you delete your browser cookies, you must reset your language and locale settings.

Application language: ?
Use Browser Language Setting (Default) ▼

Application locale: ?
Use Browser Language Setting (Default) ▼

Calendar type: ?
Gregorian ▼

☐ Enable bidirectional support ?

Base text direction for content: ?
Default ▼

Save Cancel

- Determines the text language in ACCE
- Determines the format of dates, times, and numbers in ACCE
- Determines calendar type in ACCE (Gregorian, Hijri, Umm al-Qura, Hebrew)

- Settings are saved in cookies


Change Language and Locale Settings Dialog, cont.

Application language: ?



- Options are the 32 languages supported by ACCE plus “Use Browser Language Setting”

Application locale: ?



- Options are the same as for Application language, plus en_CA, en_GB, fr_CA, and nb (Norwegian Bokmål)

Translated ACCE Screen Shots

Arabic [ar]

Firefox ▾

Cont... الرئيسية للشاشة لإدارة لبرنامج

IBM ? ▾ ▾ ceadmin

Administration Console for Content Platform Engine

WebLogic

المجلد: WebLogic

WebLogic

التوصيف الشامل

الإدارة

أجهزة المحتوى الثابت

المواقع

مجموعات العنقدة

مجموعات النسخ المتماثل

مساحات ذاكرة التخزين المؤقت للمحتوى

مستودعات تخزين خارجية

وحدات خدمة بحث النص

وصلات Rendition Engine Connections

وصلات قاعدة البيانات

تصميم البيانات

تحميل واجهة تعامل برمجة تطبيق الوحدة التابعة

ملفات تخزين Case Analyzer

ملفات تخزين العنصر

WebLogic

الاسم: *

الكود:

نوع التطبيق:

عنوان URL للمطبوعات الفنية:

WebLogic

{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

مستقل

/http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1

تحديث

حفظ

النظام الفرعي للمراجعة

النظام الفرعي لذاكرة التخزين المؤقت لخدمة

توصيف الدليل

السرية

الخصائص

عام

Catalan [ca]

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine

ceadmin ▾ ? IBM

WebLogic

Domini: WebLogic

- WebLogic
 - Baixada d'API de client
 - Configuració global
 - Administració**
 - Connexions de base de dades
 - Connexions de Rendition Engine
 - Dispositius de contingut fix
 - Grups d'afinitats
 - Grups de rèplica
 - Llocs
 - Repositoris externs
 - Servidors de cerca de text
 - Àrees de memòria cau de contingut
 - Disseny de dades
 - Magatzems d'objectes
 - Magatzems del Case Analyzer

WebLogic

Desa Actualitza

Generals Propietats Seguretat Configuració de directori Subsistema de memòria cau de contingut


Nom: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}


Tipus de domini: ? Autònom ▾

URL de documentació: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Chinese, Simplified [zh_CN]



Chinese, Traditional [zh_TW]



Croatian [hr]

Czech [cs]

The screenshot shows a web browser window (Firefox) displaying the 'Administrativní konzola pro produkt Co...' (Administration Console for product Co...). The page title is 'Administration Console for Content Platform Engine'. The user is logged in as 'ceadmin'. The main content area is titled 'WebLogic' and shows the 'Doména: WebLogic' (Domain: WebLogic) configuration page. The left sidebar contains a tree view of the configuration hierarchy, with 'Správa' (Management) selected. The main panel shows the 'Obecné' (General) tab, with fields for 'Název' (Name), 'ID', 'Typ domény' (Domain type), and 'Adresa URL dokumentace' (Documentation URL). The 'Název' field is set to 'WebLogic', the 'ID' field is set to '{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}', the 'Typ domény' field is set to 'Samostatná' (Standalone), and the 'Adresa URL dokumentace' field is set to 'http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/'.

Firefox

Administrativní konzola pro produkt Co... +

Administration Console for Content Platform Engine

ceadmin ? IBM

WebLogic

Doména: WebLogic

WebLogic

Uložit Aktualizovat

Obecné Vlastnosti Zabezpečení Konfigurace adresáře Subsystem mezipaměti serveru

Název: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Typ domény: ? Samostatná

Adresa URL dokumentace: http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

?

Danish [da]

The screenshot shows a web browser window (Firefox) displaying the 'Administrationskonsol til Content Platfo...' (Administration Console for Content Platform Engine). The page title is 'Administration Console for Content Platform Engine'. The user is logged in as 'ceadmin'. The main content area is titled 'WebLogic' and shows the 'Domæne: WebLogic' (Domain: WebLogic) configuration page. The left sidebar contains a tree view of the domain structure, including 'API til klientdownload', 'Case Analyzer-lagre', 'Global konfiguration', 'Administration' (selected), 'Beslægtede grupper', 'Cacheområder til indhold', 'Databaseforbindelser', 'Eksterne opbevaringssteder', 'Enheder med fast indhold', 'Forbindelser for Rendition Engine', 'Replikeringsgrupper', 'Sites', 'Tekstsøgningsservere', 'Datadesign', and 'Objektlagre'. The main content area displays the 'Generelt' (General) tab for the 'WebLogic' domain. It includes fields for 'Navn' (Name), 'Id', 'Domænetype' (Domain type), and 'URL til dokumentation' (Documentation URL). The 'Navn' field is set to 'WebLogic', the 'Id' field is set to '{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}', the 'Domænetype' field is set to 'Enkeltstående' (Single), and the 'URL til dokumentation' field is set to 'http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/'. The 'Generelt' tab is selected, and other tabs like 'Egenskaber', 'Sikkerhed', 'Biblioteksconfiguration', 'Servercachesubsystem', and 'Revisi' are visible.

Dutch [nl]

The screenshot shows a web browser window with the title "Administration Console for Content Plat...". The browser is Firefox. The page header includes the text "Administration Console for Content Platform Engine", a user dropdown menu showing "ceadmin", and the IBM logo. The main content area is titled "WebLogic" and "Domein: WebLogic". On the left, there is a tree view of the configuration hierarchy. The "Beheer" folder is selected, showing sub-items like "Affiniteitsgroepen", "Databaseverbindingen", "Externe repository's", "Inhoudscachegebieden", "Rendition Engine-verbindingen", "Replicatiegroepen", "Sites", "Text Search-servers", "Vastecontentapparaten", "Gegevensontwerp", "Caseanalyse-archieven", "Client-API downloaden", and "Objectruimten". The main panel displays the configuration for the "WebLogic" domain. It includes buttons for "Opslaan" (Save) and "Vernieuwen" (Refresh). Below these are tabs for "Algemeen" (General), "Eigenschappen" (Properties), "Beveiliging" (Security), "Directoryconfiguratie" (Directory configuration), and "Subsysteem servercache" (Subsystem server cache). The "Algemeen" tab is active, showing fields for "Naam" (Name) with value "WebLogic", "ID" with value "{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}", "Domeintype" (Domain type) with value "Stand-alone", and "Documentatie-URL" (Documentation URL) with value "http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/".

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine ceadmin ? IBM

WebLogic

Domein: WebLogic

- WebLogic
 - Algemene configuratie
 - Beheer**
 - Affiniteitsgroepen
 - Databaseverbindingen
 - Externe repository's
 - Inhoudscachegebieden
 - Rendition Engine-verbindingen
 - Replicatiegroepen
 - Sites
 - Text Search-servers
 - Vastecontentapparaten
 - Gegevensontwerp
 - Caseanalyse-archieven
 - Client-API downloaden
 - Objectruimten

WebLogic

Opslaan Vernieuwen

Algemeen Eigenschappen Beveiliging Directoryconfiguratie Subsysteem servercache

*Naam: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Domeintype: ? Stand-alone

Documentatie-URL: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

English [en]

The screenshot displays the IBM Administration Console for Content Platform Engine, accessed via a Firefox browser. The interface is in English. The top navigation bar shows the user 'ceadmin' and the IBM logo. The main content area is titled 'WebLogic' and shows the 'Domain: WebLogic'. On the left, a tree view lists various configuration categories, with 'Administration' selected under 'Global Configuration'. The right pane shows the 'General' tab for the 'WebLogic' domain. It includes fields for 'Name' (WebLogic), 'Id' ({C26D2E54-31C9-4F64-92F9-3C5EFA055E64}), 'Domain type' (Standalone), and 'Documentation URL' (http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/). Buttons for 'Save' and 'Refresh' are visible above the tabs.

Firefox

Administration Console for Content Plat... +

Administration Console for Content Platform Engine

ceadmin ? IBM

WebLogic

Domain: WebLogic

WebLogic

- Case Analyzer Stores
- Client API Download
- Global Configuration
 - Administration
- Affinity Groups
- Content Cache Areas
- Database Connections
- External Repositories
- Fixed Content Devices
- Rendition Engine Connections
- Replication Groups
- Sites
- Text Search Servers
- Data Design
- Object Stores

Save Refresh

General Properties Security Directory Configuration Server Cache Subsystem Audit S

Name: ? WebLogic

Id: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Domain type: ? Standalone

Documentation URL: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Finnish [fi]

Firefox

Administration Console for Content Plat... +

Administration Console for Content Platform Engine

ceadmin

WebLogic

Verkkoalue: WebLogic

- WebLogic
 - Case Analyzer -säiliöt
 - Objektisäiliöt
 - Työaseman sovellusohjelmaliittymän lataus
 - Yleinen kokoonpano
 - Hallinta**
 - Muuttumattoman sisällön tallennusla...
 - Rendition Engine -ohjelman yhteydet
 - Samankaltaisuusryhmät
 - Sisällön välimuistialueet
 - Sivustot
 - Tekstihakupalvelimet
 - Tietokantayhteydet
 - Toisinnusryhmät
 - Ulkoiset tietovarastot
 - Tietojen rakenne

Tallenna Päivitä

Yleiset Ominaisuudet Suojaus Hakemistokokoonpano Palvelimen välimuistin alijärjestelmä


Nimi: ? WebLogic

Tunnus: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Verkkoalueen laji: ? Erillistila

Ohjeen URL-osoite: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

French [fr]



German [de]

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine ceadmin ? IBM

WebLogic

Domäne: WebLogic

WebLogic

- Case Analyzer-Speicher
- Client-API-Download
- Globale Konfiguration
 - Datenentwurf
 - Verwaltung**
 - Datenbankverbindungen
 - Einheiten für unveränderliche Inhalte
 - Externe Repositories
 - Inhaltscachebereiche
 - Rendition Engine-Verbindungen
 - Replikationsgruppen
 - Sites
 - Textsuchserver
 - Verwandte Gruppen
 - Objektspeicher

Speichern Aktualisieren

Allgemein Eigenschaften Sicherheit Verzeichniskonfiguration Server-Cache-Subsystem

Name: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Domänentyp: ? Eigenständig

Dokumentations-URL: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Greek [el]

The screenshot shows a web browser window (Firefox) displaying the 'Administration Console for Content Platform Engine'. The user is logged in as 'ceadmin'. The main menu on the left shows the 'WebLogic' section expanded, with 'Διαχείριση' (Management) selected. The right pane shows the 'WebLogic' configuration page with tabs for 'Αποθήκευση' (Storage), 'Ανανέωση' (Refresh), 'Γενικά' (General), 'Ιδιότητες' (Properties), 'Ασφάλεια' (Security), 'Σύνολο ρυθμίσεων καταλόγου' (Catalog settings), and 'Υποσύστημα λανθάνουσας μνήμης' (Subsystem of latent memory). The 'Γενικά' tab is active, showing fields for 'Όνομα' (Name) set to 'WebLogic', 'Ταυτότητα' (Identity) set to '{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}', 'Είδος τομέα' (Domain type) set to 'Ανεξάρτητος' (Independent), and 'Διεύθυνση URL τεκμηρίωσης' (Documentation URL) set to 'http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/'.

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine ceadmin ? IBM

WebLogic

Τομέας: WebLogic

WebLogic

Αποθήκευση Ανανέωση

Γενικά Ιδιότητες Ασφάλεια Σύνολο ρυθμίσεων καταλόγου Υποσύστημα λανθάνουσας μνήμης

Όνομα: ? WebLogic

Ταυτότητα: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Είδος τομέα: ? Ανεξάρτητος

Διεύθυνση URL τεκμηρίωσης: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Hebrew [he]

Firefox ▾

Administration Console for Content Plat... +

IBM ? ▾ cadmin

Administration Console for Content Platform Engine

WebLogic

WebLogic : מיתחם

WebLogic

תצורה גלובלית

מנהל

Rendition Engine Connections

אזורים של אחסון תוכן במסמך

אחרים

התקני תוכן קבוע

חיבורי מסד נתונים

מאגרים חיצוניים

קבוצות קירבה

קבוצות שכיפול

שרתי חיפוש תמליל

עיצוב נתונים

WebLogic

שם: ?

זיהוי: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

עצמאי ?

סוג מיתחם: ?

כתובת URL של תיעוד: ?

/http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1

Hungarian [hu]

Firefox

Content Platform Engine adminisztráció...

Administration Console for Content Platform Engine

ceadmin

WebLogic

Tartomány: WebLogic

WebLogic

Mentés Frissítés

Általános Tulajdonságok Biztonság Címtár konfiguráció Kiszolgáló gyorsítótár alrendszere


Név: ? WebLogic

Azonosító: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Tartománytípus: ? Önálló

Dokumentációs URL: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Italian [it]



Japanese [ja]

The screenshot shows a web browser window with the title "Administration Console for Content Plat...". The browser is Firefox. The page header includes the text "Administration Console for Content Platform Engine", a user dropdown menu showing "ceadmin", and the IBM logo.

The main content area is titled "WebLogic" and shows the domain "ドメイン: WebLogic". On the left is a tree view of the configuration hierarchy:


- WebLogic
 - Case Analyzer ストア
 - オブジェクト・ストア
 - クライアント API のダウンロード
 - グローバル構成
 - データ設計
 - 管理**
 - Rendition Engine 接続
 - アフィニティー・グループ
 - コンテンツ・キャッシュ領域
 - サイト
 - テキスト検索サーバー
 - データベース 接続
 - 固定コンテンツ・デバイス
 - 外部リポジトリ
 - 複製グループ

The right pane shows the configuration details for the selected "管理" (Management) node. It includes tabs for "一般" (General), "プロパティ" (Properties), "セキュリティ" (Security), "ディレクトリー構成" (Directory Configuration), "サーバー・キャッシュ・サブシステム" (Server Cache Subsystem), and "監査" (Audit). The "一般" tab is active, showing the following fields:

- 名前: ? (Name): WebLogic
- ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}
- ドメイン・タイプ: ? (Domain Type): スタンドアロン (Standalone)
- ドキュメントの URL: ? (Document URL): http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Buttons for "保存" (Save) and "最新表示" (Refresh) are located above the tabs.

Kazakh [kk]



Korean [ko]

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine ceadmin ? IBM

WebLogic

도메인: WebLogic

- WebLogic
 - Case Analyzer 저장소
 - 글로벌 구성
 - 관리**
 - Rendition Engine 연결
 - 고정 콘텐츠 장치
 - 데이터베이스 연결
 - 복제 그룹
 - 사이트
 - 선호도 그룹
 - 외부 저장소
 - 컨텐츠 캐시 영역
 - 텍스트 검색 서버
 - 데이터 설계
 - 오브젝트 저장소
 - 클라이언트 API 다운로드

WebLogic

저장 새로 고침

일반 특성 보안 디렉토리 구성 서버 캐시 서브시스템 감사 서브시스템 컨텐츠 서브

이름: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

도메인 유형: ? 독립형

문서 URL: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Norwegian [no]

The screenshot shows a web browser window with the title "Administration Console for Content Plat...". The browser is Firefox. The page header includes the text "Administration Console for Content Platform Engine", a user dropdown menu showing "ceadmin", and the IBM logo.

The main content area is titled "WebLogic" and shows a tree view on the left under the domain "Domene: WebLogic". The tree view includes folders like "Case Analyzer-lagre", "Global konfigurasjon", "Administrasjon", "Affinitetsgrupper", "Databasetilkoblinger", "Eksterne datalagre", "Enheter for fast innhold", "Innholdsbufferområder", "Rendition Engine-tilkoblinger", "Replikeringsgrupper", "Steder", "Tekstsøkservere", "Datadesign", "Nedlasting av klient-API", and "Objektlagre".

The "Administrasjon" folder is selected, and the "WebLogic" sub-page is active. The page has tabs for "Generelt", "Egenskaper", "Sikkerhet", "Katalogkonfigurasjon", "Serverbufferdelsystem", and "Revisjon". The "Generelt" tab is selected, showing the following configuration details:

- Navn: WebLogic
- ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}
- Domenetype: Frittstående
- Dokumentasjons-URL: http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Buttons for "Lagre" (Save) and "Oppdater" (Update) are visible at the top of the configuration area.


Polish [pl]

The screenshot shows a web browser window (Firefox) displaying the 'Konsola administracyjna dla programu ...' (Administration Console for Content Platform Engine). The page title is 'Administration Console for Content Platform Engine'. The user is logged in as 'ceadmin'. The main content area is titled 'WebLogic' and shows the 'Domena: WebLogic' (Domain: WebLogic) configuration page. The left sidebar contains a tree view of the configuration hierarchy, with 'Grupy replikacji' (Replication Groups) selected. The main panel displays the 'Ogólne' (General) tab for the 'WebLogic' domain. The configuration fields are as follows:


Field	Value
Nazwa: ?	WebLogic
Identyfikator:	{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}
Typ domeny: ?	Autonomiczna
Adres URL dokumentacji: ?	http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Buttons for 'Zapisz' (Save) and 'Odśwież' (Refresh) are visible at the top of the configuration panel. The bottom of the page shows a blue bar with the page number '40' and the copyright notice '© 2014 IBM Corporation'.

Portuguese [pt]




Portuguese, Brazilian [pt_BR]



Romanian [ro]

The screenshot displays the IBM Administration Console for Content Platform Engine, running in a Firefox browser window. The interface is in Romanian. The top navigation bar shows the user 'ceadmin' and the IBM logo. The main content area is titled 'WebLogic' and shows the 'Domeniu: WebLogic' configuration page. On the left, a tree view lists various configuration categories under 'WebLogic', including 'Configurație globală', 'Administrare', 'Conexiuni la baza de date', 'Conexiuni Rendition Engine', 'Dispozitive de conținut fix', 'Grupuri de afinitate', 'Grupuri de replicare', 'Magazii externe', 'Servere Text Search', 'Site-uri', 'Zone de cache conținut', 'Design date', 'Depozite Case Analyzer', 'Depozite de obiecte', and 'Descărcare API client'. The 'Administrare' folder is expanded. The main configuration area on the right has tabs for 'General', 'Proprietăți', 'Securitate', 'Configurație director', 'Subsistem cache server', and 'Subsiste'. The 'General' tab is active, showing fields for 'Nume' (WebLogic), 'ID' ({C26D2E54-31C9-4F64-92F9-3C5EFA055E64}), 'Tip de domeniu' (Autonom), and 'URL documentație' (http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/). Buttons for 'Salvare' and 'Reîmprospătare' are visible at the top of the configuration area.

Russian [ru]



Slovak [sk]

The screenshot shows a web browser window (Firefox) displaying the 'Administration Console for Content Platform Engine'. The interface is in Slovak. The left sidebar shows a tree view under 'Doména: WebLogic' with folders like 'Globálna konfigurácia', 'Administrácia', 'Externé archívy', 'Lokality', 'Oblasti pamäte cache obsahu', 'Pripojenia k databáze', 'Pripojenia k serveru Rendition Engine', 'Replikačné skupiny', 'Servery textového vyhľadávania', 'Skupiny afinity', 'Zariadenia s nemenným obsahom', 'Návrh údajov', 'Sklady Case Analyzer', 'Sklady objektov', and 'Stiahnutie klientskych rozhraní API'. The main area shows the 'WebLogic' configuration page with tabs: 'Všeobecné' (selected), 'Vlastnosti', 'Bezpečnosť', 'Konfigurácia adresára', and 'Podsystem pamäte cache serv'. The 'Všeobecné' tab contains fields for: 'Názov: ?' (WebLogic), 'ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}', 'Typ domény: ?' (Samostatná), and 'Adresa URL dokumentácie: http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/'. There are 'Uložiť' and 'Obnoviť' buttons at the top of the configuration area.

Slovenian [sl]

The screenshot shows a web browser window (Firefox) displaying the 'Administration Console for Content Platform Engine'. The user is logged in as 'ceadmin'. The main menu on the left shows a tree structure under 'WebLogic', with 'Skrbnišтво' (Administration) selected. The right pane shows the configuration for the 'WebLogic' domain. The 'Splošno' (General) tab is active, displaying fields for 'Ime' (Name), 'ID', 'Vrsta domene' (Domain Type), and 'URL dokumentacije' (Documentation URL). The 'Ime' field is set to 'WebLogic', the 'ID' is '{C26D2E54-31C9-4F64-92F9-3C5EFA055E64}', the 'Vrsta domene' is 'Samostojna' (Standalone), and the 'URL dokumentacije' is 'http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/'. The 'Shrani' (Save) and 'Osveži' (Refresh) buttons are visible at the top of the configuration pane.

Firefox ▾

Administration Console for Content Plat... +

Administration Console for Content Platform Engine ceadmin ? IBM

WebLogic

Domena: WebLogic

WebLogic

- Globalna konfiguracija
 - Podatkovna zasnova
 - Skrbnišтво**
 - Afinitetne skupine
 - Naprave s fiksno vsebino
 - Področja predpomnilnika vsebine
 - Povezave mehanizma Rendition Eng
 - Povezave z bazo podatkov
 - Skupine za replikacijo
 - Spletna mesta
 - Strežniki iskanja po besedilu
 - Zunanji repozitoriji
 - Prenos API-ja odjemalca
 - Shrambe analizatorja primerov
 - Shrambe objektov

Shrani Osveži

Splošno Lastnosti Zaščita Konfiguracija imenika Podsystem predpomnilnika strežnika


Ime: ? WebLogic

ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Vrsta domene: ? Samostojna

URL dokumentacije: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Spanish [es]



Swedish [sv]

The screenshot shows a web browser window with the title "Administration Console for Content Plat...". The browser is Firefox. The page header includes the text "Administration Console for Content Platform Engine", a user dropdown menu showing "ceadmin", a hamburger menu icon, a help icon, and the IBM logo.

The main content area is titled "WebLogic" and shows the domain "Domän: WebLogic". On the left is a tree view of the domain structure:

- WebLogic
 - Case Analyser-lager
 - Global konfiguration
 - Administration
 - Databasanslutningar
 - Externa behållare
 - Fasta innehållsenheter
 - Innehållscacheområden
 - Platser
 - Rendition Engine-anslutningar
 - Replikeringsgrupper
 - Sambandsgrupper
 - Textsökningsservrar
 - Datadesign
 - Hämta klient-API
 - Objektlager

The right pane shows the configuration for the selected "Administration" folder. It has tabs for "Allmänt", "Egenskaper", "Säkerhet", "Katalogkonfiguration", "Servercachedelsystem", and "Granskning". The "Allmänt" tab is active, showing the following fields:

- Namn: WebLogic
- ID: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}
- Domäntyp: Fristående
- Dokumentations-URL: http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Buttons for "Spara" (Save) and "Uppdatera" (Update) are located above the tabs.

Thai [th]

Firefox ▾

Administration Console สำหรับ Conte... +

Administration Console for Content Platform Engine

ceadmin ▾ ? IBM

WebLogic

โดเมน: WebLogic

- WebLogic
 - Case Analyzer Stores
 - คอนฟิกรูชันโกลบอล
 - การดูแลระบบ
 - กลุ่มความเกี่ยวข้อง
 - กลุ่มเรลเคชัน
 - การเชื่อมต่อ Rendition Engine
 - การเชื่อมต่อฐานข้อมูล
 - ที่เก็บภายนอก
 - พื้นที่แคชเนื้อหา
 - อุปกรณ์เนื้อหาแบบคงที่
 - เซิร์ฟเวอร์การค้นหาค้นหาข้อความ
 - ไซต์
 - การออกแบบข้อมูล
 - ดาวน์โหลด API โกลบอล
 - ที่เก็บสื่อเจกต์

WebLogic

บันทึก รีเฟรช

ทั่วไป คุณสมบัติ ความปลอดภัย คอนฟิกรูชันไดเรกทอรี ระบบย่อยแคชเซิร์ฟเวอร์ ระบบย่อยตรวจสอบ

ชื่อ: WebLogic

Id: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

ชนิดโดเมน: แสดงตัวอย่าง

URL เอกสาร: http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Turkish [tr]

Firefox

Administration Console for Content Plat... +

Administration Console for Content Platform Engine

ceadmin ? IBM

WebLogic

Etki Alanı: WebLogic

- WebLogic
 - Case Analyzer Depolan
 - Genel Yapılandırma
 - Veri Tasarımı
 - Yönetim
 - Diş Havuzlar
 - Eşleme Grupları
 - İçerik Önbelleği Alanları
 - Metin Arama Sunucuları
 - Rendition Engine Bağlantıları
 - Sabit İçerik Aygıtları
 - Siteler
 - Veritabanı Bağlantıları
 - Yakınlık Grupları
 - İstemci API Karşından Yükleme
 - Nesne Depolan

WebLogic

Kaydet Yenile

Genel Özellikler Güvenlik Dizin Yapılandırması Sunucu Önbelleği Altsistemi Denetim

Ad: ? WebLogic

Tanıtıcı: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}

Etki alanı tipi: ? Bağımsız

Belge URL Adresi: ? http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/

Vietnamese [vi]

The screenshot displays the IBM Enterprise Content Management Administration Console for Content Platform Engine. The interface is in Vietnamese. At the top, there's a browser window titled "Firefox" with the address bar showing "Bản điều khiển quản trị cho Công cụ nền...". The console header includes the text "Administration Console for Content Platform Engine" and a user profile "ceadmin".

The main content area is titled "WebLogic". On the left, a tree view shows the "Miền: WebLogic" structure, with "Cấu hình toàn cục" (Global Configuration) expanded, showing various configuration categories like "Quản trị" (Management), "Kho lưu trữ bên ngoài" (External Storage), "Kết nối công cụ kết xuất" (Export Tool Connection), etc.

The right pane shows the "WebLogic" configuration details. It includes buttons for "Lưu" (Save) and "Làm mới" (Refresh). Below these are tabs for "Tổng quát" (General), "Thuộc tính" (Properties), "Bảo mật" (Security), "Cấu hình thư mục" (Directory Configuration), and "Hệ thống con bộ nhớ đệm máy chủ" (Host Cache Subsystem). The "Tổng quát" tab is active, showing fields for:

- Tên: ? (Name): WebLogic
- Id: {C26D2E54-31C9-4F64-92F9-3C5EFA055E64}
- Kiểu miền: ? (Domain Type): Độc lập (Independent)
- URL tài liệu: ? (Documentation URL): http://www.ibm.com/support/knowledgecenter/SSNW2F_5.2.1/



Course Summary

You have completed this course and can:

- *Describe what's new and different in Administration Console for Content Platform Engine in Release CPE 5.2.1*

Contacts

- Product Marketing Manager:
 - Robert Finn
- Product Manager:
 - Stephen Hussy
- Subject Matter Experts (SME) / Area of Expertise:
 - Robert Payne (Development Manager)
 - Ken Rong (Software Developer)
 - Lauren Nguyen (Software Developer)
 - Yvonne Santiago (Software Developer)
 - David Wang (Software Developer)
 - Xingdong Ji (Software Developer)
 - PJ Pillai (Software Developer)
 - Brien Amspoker (Software Developer)
- Support:
 - Eric Fonkalsrud Jr (L3 Manager)

Questions

