## **General Index**

| _  |  |
|--|--|
| <b>A</b> ccelerated convergence of series 166ff.           | schedule 445                                   |
| Accuracy 28f.  | thermodynamic analogy 444f.                    |
| achievable in minimization 398, 404, 410                   | traveling salesman problem 445ff.              |
| achievable in root finding 353                             | ANSI C standard 2f., 14, 25, 930, 941          |
| contrasted with fidelity 841, 849                          | ANSI macro 17, 930                             |
| CPU different from memory 186                              | Antonov-Saleev variant of Sobol' sequence      |
| vs. stability 710, 736, 839, 853                           | 310ff.   |
| Acknowledgments xii  | Apple xvii                                     |
| Adams-Bashford-Moulton method 749                          | Macintosh 894                                  |
| Adams' stopping criterion 373                              | Approximate inverse of matrix 57               |
| Adaptive integration 129, 141, 709, 714ff.,                | Approximation of functions 105f.               |
| 725ff., 733f., 737, 744, 749f., 797                        | by Chebyshev polynomials 191f., 519            |
| Adaptive Monte Carlo integration 316ff.,                   | Padé approximant 200ff.                        |
| 319ff.   | by rational functions 204ff.                   |
| Addition, multiple precision 916                           | by wavelets 601f., 791                         |
| Addition theorem, elliptic integrals 262                   | see also Fitting                               |
| ADI (alternating direction implicit) method                | Arguments, conversion of data types 24f., 930  |
| 856, 870f., 915  | Arithmetic                                     |
| Adjoint operator 876                                       | arbitrary precision 889, 915ff.                |
| Adobe Illustrator xiii, xvii                               | complex 23f., 948ff.                           |
| Advective equation 835                                     | floating point 889                             |
| AGM (arithmetic geometric mean) 915                        | IEEE standard 285, 890f.                       |
| Airy function 210, 240, 250                                | rounding 890                                   |
| routine for 250f.  | Arithmetic coding 889, 910ff.                  |
| Aitken's delta squared process 166                         | Arithmetic-geometric mean (AGM) method         |
| Aitken's interpolation algorithm 108                       | 915  |
| Algorithms, non-numerical 889ff.                           | Array  |
| Aliasing 501, 576  see also Fourier transform              | centered subarray of 119<br>how to allocate 19 |
|  |  |
| All-poles model 573  see also Maximum entropy method (MEM) | index range 18<br>one-dimensional 18           |
| All-zeros model 573  | relation to C pointer 18                       |
| see also Periodogram                                       | three-dimensional 23                           |
| Allocation of storage 19, 21f., 940ff.                     | two-dimensional 20f.                           |
| Alternating-direction implicit method (ADI)                | unit-offset 18, 940f.                          |
| 856, 870f., 915  | variable dimension 20                          |
| Alternating series 166f.                                   | zero-offset 18                                 |
| Alternative extended Simpson's rule 134                    | Artificial viscosity 840, 846                  |
| Amoeba 410   | Ascending transformation, elliptic integrals   |
| see also Simplex, method of Nelder and                     | 262  |
| Mead   | ASCII character set 5, 896, 903, 910           |
| Amplification factor 837, 839, 841, 849, 854f.             | Assembly language 278                          |
| Amplitude error 840  | Associated Legendre polynomials 252f., 773     |
| Analog-to-digital converter 821, 894                       | recurrence relation for 253                    |
| Analyticity 201  | relation to Legendre polynomials 252           |
| Analyze/factorize/operate package 71f., 833                | Association, measures of 610, 628ff.           |
| Anderson-Darling statistic 626f.                           | Asymptotic series 167                          |
| Andrew's sine 702  | exponential integral 224                       |
| Annealing, method of simulated 394f., 444ff.               | Attenuation factors 590                        |
| assessment 454f.   | Autocorrelation                                |
| for continuous variables 444, 451f.                        | in linear prediction 565                       |
|  |  |

| use of FFT 545   | reflection formulas modified functions                                 |
|--|--|
| Wiener-Khinchin theorem 498, 574                           | reflection formulas, modified functions<br>247                         |
| AUTODIN-II polynomial 898                                  | routines for 232ff., 243ff.  |
| Autonomous differential equations 735f.                    | routines for modified functions 248f.                                  |
| Autoregressive model (AR) see Maximum en-                  | series for 166, 230  |
| tropy method (MEM)   | series for $K_{\nu}$ 247   |
| Average deviation of distribution 611                      | series for $Y_{\nu}$ 242   |
| Averaging kernel, in Backus-Gilbert method                 | spherical 240, 251   |
| 816  | turning point 241  |
|  | Wronskian 240, 246   |
|  | Best-fit parameters 656, 662, 666, 703                                 |
| <b>B</b> acksubstitution 42, 47, 50, 98                    | see also Fitting   |
| in band diagonal matrix 54                                 | Beta function 213  |
| in Cholesky decomposition 97                               | incomplete see Incomplete beta function                                |
| complex equations 49                                       | BFGS algorithm see Broyden-Fletcher-Goldfarb-                          |
| direct for computing $\mathbf{A}^{-1} \cdot \mathbf{B}$ 48 | Shanno algorithm   |
| relaxation solution of boundary value prob-                | Bias, of exponent 28   |
| lems 764   | Bias, removal in linear prediction 570                                 |
| in singular value decomposition 64                         | Biconjugacy 84   |
| Backtracking 427   | Biconjugate gradient method  |
| in quasi-Newton methods 384                                | elliptic partial differential equations 833                            |
| Backus-Gilbert method 815ff.                               | preconditioning 85f., 833  |
| Backward deflation 370 Bader-Deuflhard method 737, 742f.   | for sparse system 84f., 606  |
| Bairstow's method 371, 376f.                               | Bicubic interpolation 125f.  |
| Balancing 483  | Bicubic spline 127f.   |
| Band diagonal matrix 50, 51ff.                             | Big-endian 302   |
| backsubstitution 54  | Bilinear interpolation 123f.   |
| LU decomposition 53f.                                      | Binomial coefficients 213  |
| multiply by vector 52f.                                    | recurrences for 215  |
| storage 52   | Binomial probability function 215                                      |
| Band-pass filter 558, 562                                  | cumulative 229 deviates from 290, 295f.                                |
| wavelets 592, 599f.  | Binormal distribution 637, 695   |
| Bandwidth limited function 501                             | Biorthogonality 84   |
| Bank accounts, checksum for 902                            | Bisection 117, 366   |
| Bar codes, checksum for 902                                | compared to minimum bracketing 397f.,                                  |
| Bartlett window 554  | 399f.  |
| Base of representation 28, 890                             | minimum finding with derivatives 406                                   |
| BASIC, Numerical Recipes in xv, 1                          | root finding 350, 353f., 359ff., 397, 476                              |
| Basis functions in general linear least squares 671        | BISYNCH 898  |
| Bayes' Theorem 819   | Bit 28   |
| Bayesian   | reversal in fast Fourier transform (FFT)                               |
| approach to inverse problems 808, 820,                     | 505f., 532   |
| 825f.  | Bitwise logical functions 296ff., 898f.                                |
| contrasted with frequentist 819                            | Block-by-block method 797  |
| vs. historic maximum entropy method                        | Block of statements 6  |
| 825f.  | Bode's rule 132  |
| views on straight line fitting 670                         | Boltzmann probability distribution 445                                 |
| Bays' shuffle 280  | Boltzmann's constant 445   |
| Bernoulli number 138                                       | Bootstrap method 691f.   |
| Bessel functions 230ff., 240ff.                            | Bordering method for Toeplitz matrix 92f.                              |
| asymptotic form 230, 236                                   | Borwein and Borwein method for $\pi$ 915<br>Boundary 161f., 432f., 753 |
| complex 210  | Boundary conditions  |
| continued fraction 240f., 246f.                            | for differential equations 707f.                                       |
| double precision 230 fractional order 230, 240ff.          | initial value problems 708   |
| Miller's algorithm 181, 234                                | in multigrid method 877f.  |
| modified 236ff.  | partial differential equations 514, 828ff.,                            |
| modified, fractional order 246ff.                          | 857ff.   |
| modified, normalization formula 239, 246                   | for spheroidal harmonics 774   |
| modified, routines for 237ff.                              | two-point boundary value problems 708,                                 |
| normalization formula 181                                  | 753ff.   |
| recurrence relation 178, 231, 239, 241f.                   | Boundary value problems see Differential                               |
| reflection formulas 242                                    | equations; Elliptic partial differential                               |

| equations; Two-point boundary value   | CCITT (Comité Consultatif International Télé-                        |
|---|--|
| problems  | graphique et Téléphonique) 897f., 909                                |
| Box-Muller algorithm for normal deviate 289                                 | CCITT polynomial 897f.   |
| Bracketing of function minimum 350, 397ff., 409                             | Center of mass 305ff. Central limit theorem 658f.                    |
| of roots 348, 350ff., 360, 369, 371, 376,                                   | Central tendency, measures of 610ff.                                 |
| 397   | Change of variable   |
| Branch cut, for hypergeometric function 209f.                               | in integration 144ff., 797   |
| Branching 8   | in Monte Carlo integration 307f.                                     |
| Break iteration 12f.  | in probability distribution 287ff.                                   |
| Brenner, N.M. 506, 522  | Characteristic polynomial  |
| Brent's method  | digital filter 561   |
| minimization 395f., 402ff., 666   | eigensystems 456, 475f.  |
| minimization, using derivative 396, 406 root finding 348, 356, 666          | linear prediction 567  |
| Broyden-Fletcher-Goldfarb-Shanno algorithm                                  | matrix with a specified 375  |
| 397, 426ff.   | of recurrence relation 180   |
| Broyden's method 380, 389ff., 393   | Characteristics of partial differential equations                    |
| singular Jacobian 393   | Chabyshay acceleration in successive over                            |
| Bubble sort 330   | Chebyshev acceleration in successive over-<br>relaxation (SOR) 868f. |
| Bugs  | Chebyshev approximation 91, 130, 189, 190ff.                         |
| in compilers xiii   | Clenshaw-Curtis quadrature 196                                       |
| how to report iv, xviii   | Clenshaw's recurrence formula 193                                    |
| Bulirsch-Stoer  | coefficients for 191   |
| algorithm for rational function interpolation                               | contrasted with Padé approximation 201                               |
| 111f.   | derivative of approximated function 189,                             |
| method (differential equations) 209, 272, 708f., 712, 722, 724ff., 733, 747 | 195  |
| method (differential equations), stepsize                                   | economization of series 198ff., 201                                  |
| control 725, 733f.  | for error function 220f.   |
| for second order equations 733  | even function 194  |
| Burg's LP algorithm 568   | and fast cosine transform 519  |
| Byte 28   | gamma functions 242  |
|   | integral of approximated function 195<br>odd function 194            |
|   | polynomial fits derived from 197                                     |
| <b>C</b> ++ 7, 24   | rational function 204ff.   |
| C (programming language) 11   | Remes exchange algorithm for filter 560                              |
| ANSI 2f., 14, 25, 930, 941  | Chebyshev polynomials 190ff.   |
| C++ 7, 24   | continuous orthonormality 190f.                                      |
| compilers 3 control structures 5  | discrete orthonormality 191  |
| deficiencies 16, 24f., 26f.   | explicit formulas for 190  |
| external functions 25   | formula for $x^k$ in terms of 199                                    |
| features 15f.   | Check digit 901  |
| function declaration 17   | Checksum 889, 896  |
| function definition 17  | cyclic redundancy (CRC) 896ff.                                       |
| header (.h) file 17   | Cherry, sundae without a 818   |
| implicit conversions 24f., 930  | Chi-by-eye 657   |
| Kernighan and Ritchie 2, 16, 24, 930  | Chi-square fitting <i>see</i> Fitting; Least squares fitting         |
| nature of 15f.  | Chi-square probability function 216, 221,                            |
| Numerical Recipes in xv, 1 operator associativity 25f.                      | 621, 660, 806  |
| operator precedence 25f.  | as boundary of confidence region 693f.                               |
| prototypes 2, 25, 930   | related to incomplete gamma function 221                             |
| vectors in 18   | Chi-square test 620f.  |
| Calendar algorithms 1f., 11ff.  | for binned data 620f.  |
| Calibration 659   | chi-by-eye 657   |
| Cards, sorting a hand of 330  | and confidence limit estimation 693f.                                |
| Carlson's elliptic integrals 261f.  | for contingency table 630ff.   |
| Cash-Karp parameters 716f.  | degrees of freedom 621f.   |
| Cauchy probability distribution see Lorentzian                              | for inverse problems 806   |
| probability distribution  | least squares fitting 659ff.   |
| Cauchy problem for partial differential equations 827f.                     | nonlinear models 681ff. rule of thumb 661                            |
| Cayley's representation of $\exp(-iHt)$ 853                                 | for straight line fitting 661ff.                                     |
| curio, a representation of exp(-iiii) 633                                   | for sumgin time mailing total.                                       |

| for straight line fitting, errors in both coor-                                | Complex systems of linear equations 49f.                                    |
|--|---|
| dinates 666  | complex systems of finear equations 491.                                    |
| for two binned data sets 622   | Compression of data 603, 889, 903ff., 910ff.                                |
| unequal size samples 623   | Concordant pair for Kendall's tau 642f.                                     |
| Chip rate 300  | Condition number 61, 85   |
| Chirp signal 563   | Confidence level 692f., 696ff.  |
| Cholesky decomposition 96ff., 430, 462   | Confidence limits   |
| backsubstitution 97  | bootstrap method 692f.  |
| operation count 97   | and chi-square 693f.  |
| pivoting 97  | confidence region, confidence interval 692                                  |
| solution of normal equations 674   | on estimated model parameters 689ff.  |
| Circulant 592  | by Monte Carlo simulation 689ff.<br>from singular value decomposition (SVD) |
| Class, data type 7<br>Clenshaw-Curtis quadrature 130, 196, 518,                | 698   |
| 519  | Confluent hypergeometric function 210, 246                                  |
| Clenshaw's recurrence formula 181ff., 196                                      | Conjugate directions 414f., 421ff.  |
| for Chebyshev polynomials 193  | Conjugate gradient method   |
| stability 181ff.   | biconjugate 84  |
| Clocking errors 899  | compared to variable metric method 425f.                                    |
| cn function 269  | elliptic partial differential equations 833                                 |
| Coarse-to-fine operator 873  | for minimization 396f., 420ff., 812f., 824                                  |
| Coarse-grid correction 873f.   | minimum residual method 85  |
| Coding   | preconditioner 85f.   |
| arithmetic 910ff.  | for sparse system 83ff., 606<br>and wavelets 606                            |
| checksums 896<br>decoding a Huffman-encoded message                            | Conservative differential equations 732f.                                   |
| 905  | Constrained linear inversion method 808ff.                                  |
| Huffman 903ff.   | Constrained linear optimization see Linear pro-                             |
| run-length 909   | gramming  |
| variable length code 903   | Constrained optimization 394  |
| Ziv-Lempel 903   | Constraints, deterministic 813ff.   |
| see also Arithmetic coding; Huffman cod-                                       | Constraints, linear 431   |
| ing  | Contingency coefficient C 631   |
| Coefficients   | Contingency table 628ff., 644   |
| binomial 215   | statistics based on chi-square 630ff.                                       |
| for Gaussian quadrature 147ff.<br>for Gaussian quadrature, nonclassical weight | statistics based on entropy 632ff.  |
| function 157ff., 797   | Continued fraction 169ff.   |
| for quadrature formulas 131ff., 797  | Bessel functions 240f.  |
| Column degeneracy 32   | convergence criterion 171   |
| Column operations on matrix 37, 40f.   | equivalence transformation 172  |
| Column totals 630  | evaluation 169ff.   |
| Combinatorial minimization see Annealing                                       | evaluation along with normalization condi-                                  |
| Comité Consultatif International Télégraphique                                 | tion 247  |
| et Téléphonique (CCITT) 897f., 909   | even and odd parts 172, 217, 222  |
| Communication theory, use in adaptive integra-                                 | even part 255, 257  |
| tion 727<br>Communications protocol 896  | exponential integral 222<br>Fresnel integral 255                            |
| Comparison function for rejection method                                       | incomplete beta function 227  |
| 290f.  | incomplete gamma function 217   |
| Complementary error function   | Lentz's method 171, 219   |
| see Error function   | modified Lentz's method 171   |
| Complete elliptic integral see Elliptic integrals                              | Pincherle's theorem 181   |
| Complex arithmetic 23f., 176ff., 948ff.  | ratio of Bessel functions 246   |
| avoidance of in path integration 209   | rational function approximation 170, 217,                                   |
| cubic equations 185  | 227   |
| for linear equations 49f.  | recurrence for evaluating 170f.   |
| quadratic equations 184  | and recurrence relation 181   |
| Complex error function 259<br>Complex plane                                    | sine and cosine integrals 257<br>Steed's method 170f.                       |
| fractal structure for Newton's rule 367f.                                      | tangent function 169  |
| path integration for function evaluation                                       | typography for 169  |
| 208ff., 271  | Continuous variable (statistics) 628  |
| poles in 111, 166, 208f., 213, 561, 573,                                       | Control structures 6, 8ff.  |
| 724f.  | bad 14  |
|  |   |

| Conventions in C programs 25ff.                                       | routine for 258f.                               |
|---|---|
| Convergence   | series 257                                      |
| accelerated, for series 166ff.  | Cosine transform see Fast Fourier transform     |
| of algorithm for $\pi$ 915  | (FFT); Fourier transform                        |
| criteria for 353, 398f., 410, 489f., 495,                             | Coulomb wave function 210, 240                  |
| 684f., 767  | Courant condition 838, 841, 843, 845            |
| eigenvalues accelerated by shifting 477f.                             | multidimensional 855                            |
| golden ratio 354, 406   | Courant-Friedrichs-Lewy stability criterion see |
| of golden section search 398f.  | Courant condition                               |
| of Levenberg-Marquardt method 684f.                                   | Covariance                                      |
| linear 353, 400   | a priori 705                                    |
| of QL method 477f.  | in general linear least squares 673, 677        |
| quadratic 57, 358, 364f., 415f., 427, 915                             | matrix, by Cholesky decomposition 98,           |
| rate 353, 359f., 364f.  | 673   |
| recurrence relation 181   | matrix, of errors 805, 817                      |
| of Ridders' method 358  | matrix, is inverse of Hessian matrix 685        |
| series vs. continued fraction 169f.                                   | matrix, when it is meaningful 695ff.            |
| and spectral radius 865ff., 871                                       | in nonlinear models 685, 687                    |
| convert_matrix() utility 945  | relation to chi-square 695ff.                   |
| Convex sets, use in inverse problems 813f.                            | from singular value decomposition (SVD)         |
| Convolution   | 698   |
| denoted by asterisk 498   | in straight line fitting 663                    |
| finite impulse response (FIR) 538                                     | CR method see Cyclic reduction (CR)             |
| of functions 498, 509   | Cramer's V 631                                  |
| of large data sets 543f.  | Crank-Nicolson method 848, 853, 855             |
| for multiple precision arithmetic 918                                 | CRC (cyclic redundancy check) 896ff.            |
| multiplication as 918   | CRC-12 898                                      |
| necessity for optimal filtering 542                                   | CRC-16 polynomial 898                           |
| overlap-add method 544  | CRC-CCITT 898                                   |
| overlap-save method 543f.   | Creativity, essay on 8                          |
| and polynomial interpolation 120                                      | Critical (Nyquist) sampling 500, 550            |
| relation to wavelet transform 592                                     | Cross (denotes matrix outer product) 73         |
| theorem 498, 538ff., 553  | Crosstabulation analysis 629                    |
| theorem, discrete 538ff.  | see also Contingency table                      |
| treatment of end effects 540  | Crout's algorithm 44ff., 53                     |
| use of FFT 530, 538ff.  | Cubic equations 183ff., 367                     |
| wraparound problem 540  | Cubic spline interpolation 113ff.               |
| Cooley-Tukey FFT algorithm 509  | see also Spline                                 |
| Co-processor, floating point 894                                      | Cumulative binomial distribution 226, 229       |
| Copyright rules xvi   | Cumulative Poisson function 221                 |
| Cornwell-Evans algorithm 825  | related to incomplete gamma function 221        |
| Corporate promotion ladder 336f.                                      | Curvature matrix see Hessian matrix             |
| Corrected two-pass algorithm 613                                      | cvector() utility 943                           |
| Correction, in multigrid method 872                                   | Cycle, in multigrid method 874                  |
| Correlation coefficient (linear) 636ff.                               | Cyclic Jacobi method 466                        |
| Correlation function 498  | Cyclic reduction (CR) 857f., 861f.              |
| autocorrelation 498, 546, 565   | Cyclic redundancy check (CRC) 896ff.            |
| and Fourier transforms 498  | Cyclic tridiagonal systems 74f.                 |
| theorem 498, 545  |   |
| treatment of end effects 546  |   |
| using FFT 545f.   | <b>D</b> anielson-Lanczos lemma 504f., 532      |
| Wiener-Khinchin theorem 498, 574                                      | Data  |
| Correlation, statistical 609f., 628                                   | assigning keys to 897                           |
| Kendall's tau 640, 642ff.   | continuous vs. binned 620                       |
| linear correlation coefficient 636ff., 664                            | entropy 632ff., 903f.                           |
| linear related to least square fitting 636,                           | essay on 609                                    |
| 664   | fitting 656ff.                                  |
| nonparametric or rank statistical 639ff.                              | fraudulent 661                                  |
| among parameters in a fit 663, 673, 676                               | glitches in 659                                 |
|   |   |
| in random number generators 277 Spearman rank-order coefficient 640f. | iid (independent and identically distributed)   |
| sum squared difference of ranks 640                                   | 691   |
|   | modeling 656ff.                                 |
| Cosine function, recurrence 178                                       | serial port 899                                 |
| Cosine integral 255, 257ff.   | smoothing 610, 650ff.                           |
| continued fraction 257  | statistical tests 609ff.                        |

| unevenly or irregularly sampled 576,                      | Determinant 34, 49  |
|---|---|
| 581f., 654  | Deviates, random see Random deviates  |
| use of CRCs in manipulating 897                           | DFP algorithm see Davidon-Fletcher-Powell                                     |
| windowing 553ff.  | algorithm   |
| see also Statistical tests                                | Diagonal dominance 51, 684, 789, 865  |
| Data compression 603, 889                                 | Difference equations, finite see Finite differ-                               |
| arithmetic coding 910ff.                                  | ence equations (FDEs)   |
| cosine transform 519                                      | Difference operator 167   |
| Huffman coding 903ff., 910                                | Differential equations 707ff.   |
| linear predictive coding (LPC) 571f.                      | accuracy vs. stability 710, 736   |
| lossless 903  | Adams-Bashforth-Moulton schemes 749   |
| Data Encryption Standard (DES) 300ff.                     | adaptive stepsize control 709, 714ff., 725,                                   |
| Data type 28  | 733f., 738, 744, 749f., 751   |
| DAUB4 592ff., 595, 598f., 601                             | algebraically difficult sets 772  |
| DAUB6 593   | backward Euler's method 735   |
| DAUB12 605  | Bader-Deuflhard method for stiff 737, 742f.                                   |
| DAUB20 598f. Daubechies wavelet coefficients 592ff., 596, | boundary conditions 707f., 753ff., 757,                                       |
| 598f., 601, 605   | 760, 779f.  |
| Davidon-Fletcher-Powell algorithm 397, 426f.              | Bulirsch-Stoer method 209, 272, 708f.,  |
| Dawson's integral 259f., 606                              | 712, 722, 724ff., 747   |
| approximation for 259                                     | Bulirsch-Stoer method for conservative  |
| routine for 260   | equations 733   |
| D.C. (direct current) 498                                 | comparison of methods 708f., 747, 751   |
| Debugging 7   | conservative 732f.  |
| DEC (Digital Equipment Corp.) xvii, 3, 894                | danger of too small stepsize 720  |
| Declarations 930ff.                                       | eigenvalue problem 756, 772ff., 779f.,  |
| Decomposition see Cholesky decomposition;                 | 781   |
| LU decomposition; QR decomposition;                       | embedded Runge-Kutta method 715f., 738  |
| Singular value decomposition (SVD)                        | equivalence of multistep and multivalue                                       |
| Deconvolution 542, 549                                    | methods 751   |
| see also Convolution; Fast Fourier trans-                 | Euler's method 708, 710, 735  |
| form (FFT); Fourier transform                             | forward Euler's method 735  |
| Defect, in multigrid method 872                           | free boundary problem 756, 785  |
| Deferred approach to the limit see Richard-               | high-order implicit methods 737ff.  |
| son's deferred approach to the limit                      | implicit differencing 735f., 749  |
| Deflation   | initial value problems 708  |
| of matrix 478   | internal boundary conditions 784ff.   |
| of polynomials 369ff., 377, 378                           | internal singular points 784ff.   |
| Degeneracy of linear algebraic equations 32,              | interpolation on right-hand sides 117   |
| 61, 65, 676   | Kaps-Rentrop method for stiff 737   |
| Degenerate kernel 794                                     | local extrapolation 715   |
| Degenerate minimization principle 804                     | modified midpoint method 722f., 726   |
| Degrees of freedom 621f., 660, 695f.                      | multistep methods 747ff.  |
| Demonstration programs 3                                  | multivalue methods 747  |
| Derivatives   | order of method 710f., 725  |
| computation via Chebyshev approximation                   | path integration for function evaluation                                      |
| 189, 195  | 208ff., 271   |
| computation via Savitzky-Golay filters                    | predictor-corrector methods 708, 737,   |
| 189, 651  | 747ff.  |
| matrix of first partial see Jacobian determi-             | reduction to first-order sets 707, 753  |
| nant  | relaxation method 754f., 762ff.   |
| matrix of second partial see Hessian ma-                  | relaxation method, example of 772ff.  |
| trix  | r.h.s. independent of x 735   |
| numerical computation 186ff., 386, 651, 738, 758, 779     | Rosenbrock methods for stiff 737<br>Runge-Kutta method 708f., 710ff., 714ff., |
|   |   |
| of polynomial 173f.<br>use in optimization 395f., 406     | 738, 747<br>Runge-Kutta method, high-order 711                                |
| DES see Data Encryption Standard                          | Runge-Kutta method, mgn-order 711 Runge-Kutta-Fehlberg method 715f.           |
| Descending transformation, elliptic integrals             | scaling stepsize to required accuracy 716f.                                   |
| 262   | second order 732f.  |
| Descent direction 383, 390, 427                           | semi-implicit differencing 737  |
| Descriptive statistics 609ff.                             | semi-implicit Euler method 737, 743   |
| see also Statistical tests                                | semi-implicit extrapolation method 737, 743                                   |
| Design matrix 651, 671, 804, 809                          | 743   |
|   | · te  |

| semi-implicit midpoint rule 743 shooting method 754, 757ff.                         | Downhill simplex method see Simplex, method of Nelder and Mead  |
|---|---|
| shooting method, example 779f., 781 similarity to Volterra integral equations 794f. | Driver programs 3 Dual viewpoint, in multigrid method 883 Duplication theorem, elliptic integrals 262f. |
| singular points 724f., 760, 784ff.<br>step doubling 715                             | dvector() utility 943 DWT (discrete wavelet transform) see Wavelet                                      |
| stepsize control 709, 714ff., 724, 733f.,<br>738, 744, 749f., 751                   | transform   |
| stiff 709, 734ff.   | <b>E</b> ardley, D.M. 346   |
| stiff methods compared 747<br>Stoermer's rule 732f.                                 | EBCDIC 898  |
| see also Partial differential equations; Two-                                       | Economization of power series 198ff., 201<br>Eigensystems 456ff.  |
| point boundary value problems<br>Diffusion equation 827, 847ff., 864                | balancing matrix 483  |
| Crank-Nicolson method 848, 853, 855   | bounds on eigenvalues 58  |
| Forward Time Centered Space (FTCS)  | calculation of few eigenvectors or eigenval-<br>ues 461, 494  |
| 847ff., 850f., 864<br>implicit differencing 848                                     | canned routines 461   |
| multidimensional 855f.  | characteristic polynomial 456, 475f.  |
| Digamma function 222  | completeness 457<br>defective 457, 482, 494   |
| Digital filtering see Filter  | deflation 478   |
| Dihedral group $D_5$ 902<br>Dimensions (units) 683f.                                | degenerate eigenvalues 456, 458   |
| Diminishing increment sort 331  | elimination method 460, 485<br>factorization method 460   |
| Dirac delta function 293, 789   | fast Givens reduction 470   |
| Direct method see Periodogram   | generalized eigenproblem 462  |
| Direct methods for linear algebraic equations 35                                    | Givens reduction 469f.  |
| Direct product see Outer product of matrices  | Hermitian matrix 481f.<br>Hessenberg matrix 460, 477, 482ff., 494                                       |
| Direction of largest decrease 416f.   | Householder transformation 460, 469ff.,   |
| Direction numbers, Sobol's sequence 311   | 476, 480, 481, 484f.  |
| Direction-set methods for minimization 396,<br>412ff.                               | ill-conditioned eigenvalues 483   |
| Dirichlet boundary conditions 829, 849, 859,  | implicit shifts 478ff.<br>and integral equations 788ff., 794  |
| 865, 867  | invariance under similarity transform 459   |
| Discolaimer of warranty xvi<br>Discordant pair for Kendall's tau 643                | inverse iteration 462, 476, 483, 493ff.   |
| Discrete convolution theorem 538ff.   | Jacobi transformation 460, 463ff., 469,   |
| Discrete Fourier transform (DFT) 500ff.   | 481, 495<br>left eigenvalues 458  |
| as approximate continuous transform 503   | list of tasks 461   |
| see also Fast Fourier transform (FFT)   | multiple eigenvalues 495  |
| Discrete optimization 444ff. Discriminant 184, 464                                  | nonlinear 462<br>nonsymmetric matrix 482ff.   |
| Diskettes, how to order xvi, 996f.  | operation count of balancing 483  |
| Dispersion 840  | operation count of Givens reduction 470   |
| DISPO see Savitzky-Golay filters Dissipation, numerical 839                         | operation count of Householder reduction  |
| Divergent series 167  | 474 operation count of inverse iteration 494  |
| Division  | operation count of Jacobi method 467  |
| complex 177   | operation count of QL method 477, 480   |
| multiple precision 919f.<br>of polynomials 175, 369, 377                            | operation count of QR method for Hessen-  |
| dmatrix() utility 944   | berg matrices 490 operation count of reduction to Hessenberg  |
| dn function 269   | form 485  |
| Do-while iteration 12   | orthogonality 457   |
| Dogleg step methods 393 Domain of integration 161f.                                 | polynomial roots and 375<br>QL method 476ff., 481, 494f.  |
| Dominant solution of recurrence relation 179  | QL method with implicit shifts 478ff.   |
| Dot (denotes matrix multiplication) 33  | QR method 60, 460, 463, 476ff.  |
| Double exponential error distribution 701   | QR method for Hessenberg matrices 486ff.  |
| Double precision as refuge of scoundrels 890  | real, symmetric matrix 156, 474, 794 reduction to Hessenberg form 484f.                                 |
| use in iterative improvement 56   | right eigenvalues 458   |
| Double root 348   | shifting eigenvalues 456, 477f., 486f.  |
|   |   |

| special matrices 461<br>termination criterion 489f., 495<br>tridiagonal matrix 460, 475ff., 494          | nonnormal 659, 695, 699ff.<br>relative truncation 883<br>roundoff 185, 889f.   |
|--|--|
| Eigenvalue and eigenvector, defined 456<br>Eigenvalue problem for differential equations                 | series, advantage of an even 138f., 723 systematic vs. statistical 659   |
| 756, 772ff., 779, 781 Eigenvalues and polynomial root finding 375  | truncation 30, 186, 406, 715, 889f. varieties found by check digits 902  |
| EISPACK 461, 482<br>Electromagnetic potential 525  | varieties of, in PDEs 840ff.  see also Roundoff error  |
| Elimination see Gaussian elimination   | Error function 220f., 607  |
| Ellipse in confidence limit estimation 693<br>Elliptic integrals 261ff., 915                             | approximation via sampling theorem 607f. Chebyshev approximation 220f.   |
| addition theorem 262 Carlson's forms and algorithms 261ff.   | complex 259<br>for Fisher's z-transformation 638   |
| Cauchy principal value 263   | relation to Dawson's integral 259  |
| duplication theorem 262f.<br>Legendre 261ff., 267ff.   | relation to Fresnel integrals 255 relation to incomplete gamma function  |
| routines for 264ff.<br>symmetric form 261f.  | 220 routine for 220f.  |
| Weierstrass 262  | for significance of correlation 636  |
| Elliptic partial differential equations 827 alternating-direction implicit method (ADI)                  | for sum squared difference of ranks 641<br>Error handling in programs 2, 940   |
| 870f., 915<br>analyze/factorize/operate package 833  | Estimation of parameters <i>see</i> Fitting; Maximum likelihood estimate   |
| biconjugate gradient method 833  | Estimation of power spectrum 549ff., 572ff.  |
| boundary conditions 828f.<br>comparison of rapid methods 863   | Euler equation (fluid flow) 840<br>Euler-Maclaurin summation formula 138, 142  |
| conjugate gradient method 833 cyclic reduction 857f., 861f.  | Euler's constant 223f., 257<br>Euler's method for differential equations 708,  |
| Fourier analysis and cyclic reduction (FACR)   | 710, 735   |
| 857ff., 863<br>Gauss-Seidel method 864, 873, 874f., 884  | Euler's transformation 166ff. generalized form 168f.   |
| incomplete Cholesky conjugate gradient   | Evaluation of functions see Function   |
| method (ICCG) 833 Jacobi's method 864f., 873   | Even and odd parts, of continued fraction 172, 217, 222  |
| matrix methods 833   | Even parity 896  |
| multigrid method 833, 871ff. rapid (Fourier) method 833, 857ff.  | Exception handling in programs 2, 940 exit() function 2  |
| relaxation method 832, 863ff.  | Explicit differencing 836  |
| strongly implicit procedure 833  | Exponent in floating point format 28, 890  |
| successive over-relaxation (SOR) 866ff.,<br>871, 875   | Exponential deviate 287f. Exponential integral 222ff.  |
| Emacs, GNU xiii  | asymptotic expansion 224   |
| Embedded Runge-Kutta method 715f., 738   | continued fraction 222   |
| Encapsulation, in programs 6f.<br>Encryption 300   | recurrence relation 178 related to incomplete gamma function 222   |
| Entropy 903f.  | relation to cosine integral 257  |
| of data 632ff., 820  | routine for $E_n(x)$ 223f.   |
| EOM (end of message) 910<br>Equality constraints 431   | routine for $Ei(x)$ 225<br>series 222  |
| Equations 431  | Exponential probability distribution 577   |
| cubic 183ff., 367  | Extended midpoint rule 130f., 135, 141f.   |
| normal (fitting) 651, 672ff., 809f.<br>quadratic 29, 183ff.  | Extended Simpson's rule 134, 796, 799<br>Extended Simpson's three-eighths rule 797   |
| see also Differential equations; Partial dif-<br>ferential equations; Root finding                       | Extended trapezoidal rule 131f., 133, 136ff., 141, 795   |
| Equivalence classes 345f.  |  |
|  | roundoff error 138   |
| Equivalence transformation 172 Error   | extern storage class 25  |
| Error checksums for preventing 899   | extern storage class 25 Extirpolation (so-called) 581f. Extrapolation 105ff.   |
| Error checksums for preventing 899 clocking 899  | extern storage class 25 Extirpolation (so-called) 581f. Extrapolation 105ff. in Bulirsch-Stoer method 724ff., 731  |
| Error checksums for preventing 899 clocking 899 double exponential distribution 701                      | extern storage class 25 Extirpolation (so-called) 581f. Extrapolation 105ff. in Bulirsch-Stoer method 724ff., 731 differential equations 708                             |
| Error checksums for preventing 899 clocking 899  | extern storage class 25 Extirpolation (so-called) 581f. Extrapolation 105ff. in Bulirsch-Stoer method 724ff., 731  |
| Error checksums for preventing 899 clocking 899 double exponential distribution 701 local truncation 883 | extern storage class 25 Extirpolation (so-called) 581f. Extrapolation 105ff. in Bulirsch-Stoer method 724ff., 731 differential equations 708 by linear prediction 564ff. |

| polynomial 728, 730f., 748                                       | for multiple precision multiplication 918                         |
|--|---|
| rational function 724ff., 731                                    | number-theoretic transforms 509f.                                 |
| relation to interpolation 105                                    | operation count 504   |
| for Romberg integration 140 see also Interpolation               | optimal (Wiener) filtering 547ff., 565f. order of storage in 507  |
| Extremization see Minimization                                   | partial differential equations 833, 857ff.                        |
| Externization see Minimization                                   | Parzen window 554   |
| _  | periodicity of 503  |
| <b>F</b> -distribution probability function 226, 229             | periodogram 550ff., 574   |
| F-test for differences of variances 617, 619                     | power spectrum estimation 549ff.                                  |
| FACR see Fourier analysis and cyclic reduc-<br>tion (FACR)       | for quadrature 130  |
| Facsimile standard 909   | of real data in 2D and 3D 525ff.                                  |
| Factorial  | of real functions 510ff., 525ff.                                  |
| double (denoted "!!") 253  | related algorithms 509f.  |
| evaluation of 165  | Sande-Tukey algorithm 509   |
| relation to gamma function 213                                   | sine transform 514ff., 859<br>Singleton's algorithm 532           |
| routine for 214f.  | square window 553   |
| False position 354ff.  | treatment of end effects in convolution                           |
| Family tree 345  | 540   |
| FAS (full approximation storage algorithm)                       | treatment of end effects in correlation 546                       |
| 882ff. Fast Fourier transform (FFT) 504ff., 889                  | Tukey's trick for frequency doubling 582                          |
| alternative algorithms 509f.                                     | use in smoothing data 650   |
| applications 537ff.  | used for Lomb periodogram 581f.                                   |
| as approximation to continuous transform                         | variance of power spectrum estimate 552,                          |
| 503  | 556   |
| Bartlett window 554  | virtual memory machine 535f.                                      |
| bit reversal 505f., 532  | Welch window 554<br>Winograd algorithms 509                       |
| and Clenshaw-Curtis quadrature 196                               | see also Discrete Fourier transform (DFT);                        |
| convolution 509, 530, 538ff., 918                                | Fourier transform; Spectral density                               |
| convolution of large data sets 543f.                             | Faure sequence 310  |
| Cooley-Tukey algorithm 509 correlation 545f.                     | Fax (facsimile) Group 3 standard 909                              |
| cosine transform 196, 517ff., 860f.                              | fcomplex (data type) 24, 948                                      |
| cosine transform, second form 519, 861                           | Feasible vector 431   |
| Danielson-Lanczos lemma 504f., 532                               | FFT see Fast Fourier transform (FFT)                              |
| data sets not a power of 2 509                                   | Field, in data record 338   |
| data smoothing 650   | Figure-of-merit function 656                                      |
| data windowing 553ff.  | Filon's method 590<br>Filter 558ff.                               |
| decimation-in-frequency algorithm 509                            | acausal 559   |
| decimation-in-time algorithm 509<br>discrete autocorrelation 546 | bilinear transformation method 561                                |
| discrete autocorrelation 546 discrete convolution theorem 538ff. | causal 559, 650   |
| discrete correlation theorem 545                                 | characteristic polynomial 561                                     |
| at double frequency 582  | data smoothing 650  |
| endpoint corrections 585f.                                       | digital 558ff.  |
| external storage 532   | DISPO 650   |
| figures of merit for data windows 554                            | by fast Fourier transform (FFT) 530,                              |
| filtering 558ff.   | 558ff.  |
| FIR filter 559f.   | finite impulse response (FIR) 538, 559f. homogeneous modes of 561 |
| Fourier integrals 584ff. Fourier integrals, infinite range 590f. | infinite impulse response (IIR) 559, 573                          |
| Hamming window 554   | Kalman 705  |
| Hann window 554  | linear 559ff.   |
| history 504  | low-pass for smoothing 650  |
| IIR filter 559   | nonrecursive 559f.  |
| image processing 812, 814  | optimal (Wiener) 542, 547ff., 565f., 650                          |
| integrals using 130  | quadrature mirror 592, 600  |
| inverse of cosine transform 518f.                                | realizable 559, 561   |
| inverse of sine transform 517                                    | recursive 559, 573  |
| large data sets 532  | Remes exchange algorithm 560<br>Savitzky-Golay 189, 650ff.        |
| leakage 551<br>memory-local algorithm 535f.                      | stability of 561  |
| multidimensional 521ff.  | in the time domain 558ff.   |
| for multiple precision arithmetic 915                            | Fine-to-coarse operator 873                                       |
| * *  | •   |

| Finite difference equations (FDEs) 762, 772, 783                                     | standard (probable) errors on fitted parameters 663, 667f., 673, 677, 689ff.  |
|--|---|
| alternating-direction implicit method (ADI) 856, 870f.                               | straight line 661ff., 673f., 703<br>straight line, errors in both coordinates |
| art, not science 838   | 666ff.  |
| Cayley's form for unitary operator 853   | see also Error; Least squares fitting; Max-                                   |
| Courant condition 838, 841, 845  | imum likelihood estimate; Robust esti-  |
| Courant condition (multidimensional) 855   | mation  |
| Crank-Nicolson method 848, 853, 855  | Five-point difference star 876  |
| eigenmodes of 836f.  | Fixed point format 28   |
| explicit vs. implicit schemes 836 forward Euler 835f.                                | Fletcher-Powell algorithm see Davidon-Fletcher-<br>Powell algorithm           |
| Forward Time Centered Space (FTCS)   | Fletcher-Reeves algorithm 396f., 421ff.                                       |
| 836ff., 847ff., 852, 864   | float to double conversion 24f.   |
| implicit scheme 848  | Floating point co-processor 894   |
| Lax method 837ff., 845   | Floating point format 28, 890   |
| Lax method (multidimensional) 854f.  | care in numerical derivatives 186   |
| mesh drifting instability 843f.  | IEEE 285, 890f.   |
| numerical derivatives 186  | Flux-conservative initial value problems 834ff.                               |
| partial differential equations 830ff.  | FMG (full multigrid method) 872, 877f.  |
| in relaxation methods 762ff.   | for iteration 8, 11   |
| staggered leapfrog method 842f.  | Formats of numbers 28, 890  |
| two-step Lax-Wendroff method 844ff.  | FORTRAN 16, 20  |
| upwind differencing 841f., 846   | Numerical Recipes in xv, 1  |
| see also Partial differential equations Finite element methods, partial differential | Forward deflation 370 Forward difference operator 167                         |
| equations 833f.  | Forward Euler differencing 835f.  |
| Finite impulse response (FIR) 538  | Forward Time Centered Space see FTCS  |
| Finkelstein, S. xii  | Fourier analysis and cyclic reduction (FACR)                                  |
| FIR (finite impulse response) filter 559f.   | 858. 863  |
| Fisher's z-transformation 637f.  | Fourier and spectral applications 537ff.                                      |
| Fitting 656ff.   | Fourier integrals   |
| basis functions 671  | attenuation factors 590   |
| by Chebyshev approximation 191f.   | endpoint corrections 585f.  |
| chi-square 659ff.  | tail integration by parts 591   |
| confidence levels related to chi-square val-   | use of fast Fourier transform (FFT) 584ff.                                    |
| ues 696ff.   | Fourier transform 105, 496ff.   |
| confidence levels from singular value de-  | aliasing 501, 576   |
| composition (SVD) 698  | approximation of Dawson's integral 259  |
| confidence limits on fitted parameters 689ff.  | autocorrelation 498   |
| covariance matrix not always meaningful 657, 695                                     | basis functions compared 514f. contrasted with wavelet transform 591f.,       |
| degeneracy of parameters 679   | 601   |
| an exponential 679   | convolution 498, 509, 538ff., 918   |
| freezing parameters in 674, 705  | correlation 498, 545f.  |
| Gaussians, a sum of 687f.  | cosine transform 196, 517ff., 860f.   |
| general linear least squares 671ff.  | cosine transform, second form 519, 861  |
| Kalman filter 705  | critical sampling 500, 550, 552   |
| K-S test, caution regarding 627  | definition 496  |
| least squares 657ff.   | discrete Fourier transform (DFT) 190,   |
| Legendre polynomials 680   | 500ff.  |
| Levenberg-Marquardt method 683ff., 825   | Gaussian function 607   |
| linear regression 661ff.   | image processing 812, 814   |
| maximum likelihood estimation 658,   | infinite range 590f.  |
| 699ff.  Monte Carlo simulation 627, 660, 689ff.                                      | inverse of discrete Fourier transform 503                                     |
| multidimensional 680   | method for partial differential equations 857ff.                              |
| nonlinear models 681ff.  | missing data 576  |
| nonlinear models, advanced methods 688   | missing data 376<br>missing data, fast algorithm 581f.                        |
| nonlinear problems that are linear 679   | Nyquist frequency 500ff., 526, 550, 552,                                      |
| nonnormal errors 662, 695, 699ff.  | 576, 579  |
| polynomial 90, 120, 197, 650f., 671, 679f.   | optimal (Wiener) filtering 547ff., 565f.                                      |
| by rational Chebyshev approximation 204ff.   | Parseval's theorem 498, 504, 551  |
| robust methods 699ff.  | power spectral density (PSD) 498f.  |
| of sharp spectral features 573   | power spectrum estimation by FFT 549ff.                                       |
|  |   |

| power spectrum estimation by maximum                          | associated Legendre polynomiai 2521.,                              |
|---|--|
| entropy method 572ff. properties of 497f.                     | 773<br>autocorrelation of 498                                      |
| sampling theorem 501, 550, 552, 606f.                         | bandwidth limited 501  |
| scalings of 497   | Bessel 178, 210, 230ff., 240ff.                                    |
|   | beta 215f.   |
| significance of a peak in 577f.<br>sine transform 514ff., 859 | branch cuts of 209f.   |
| ,   | chi-square probability 221, 806                                    |
| symmetries of 497   | complex 208  |
| uneven sampling, fast algorithm 581f.                         | confluent hypergeometric 210, 246                                  |
| unevenly sampled data 575ff., 581f.                           | convolution of 498   |
| and wavelets 599f.  | correlation of 498   |
| Wiener-Khinchin theorem 498, 566, 574                         | Coulomb wave 210, 240  |
| see also Fast Fourier transform (FFT);                        | cumulative binomial probability 226, 229                           |
| Spectral density  | cumulative Poisson 216   |
| Fractal region 367f.  | Dawson's integral 259f., 606                                       |
| Fractional step methods 856f.                                 | declaration 17   |
| Fredholm alternative 789                                      | definition 17  |
| Fredholm equations 788f.                                      | digamma 222  |
| eigenvalue problems 789, 794                                  | elliptic integrals 261ff., 915                                     |
| error estimate in solution 793                                | error 220f., 255, 259, 607, 636, 641                               |
| first kind 788  | evaluation 165ff.  |
| Fredholm alternative 789                                      | evaluation by path integration 208ff., 271                         |
| homogeneous, second kind 793f.                                | exponential integral 178, 222ff., 257                              |
| homogeneous vs. inhomogeneous 789                             | external 25  |
| ill-conditioned 789   | F-distribution probability 226, 229                                |
| infinite range 797f.  | Fresnel integral 255ff.  |
| inverse problems 789, 804ff.                                  | gamma 213f.  |
| kernel 788f.  | hypergeometric 208ff., 271ff.                                      |
| nonlinear 790   | incomplete beta 226ff., 616  |
| Nystrom method 791ff., 797f.                                  | incomplete gamma 216ff., 621, 660, 663f.                           |
| product Nystrom method 797                                    | inverse hyperbolic 184, 262  |
| second kind 789, 791f.  | inverse trigonometric 262  |
| with singularities 797  | Jacobian elliptic 261, 269f.                                       |
| with singularities, worked example 801                        | Kolmogorov-Smirnov probability 624f.,                              |
| subtraction of singularity 798                                | 646f.  |
| symmetric kernel 794  | Legendre polynomial 178, 252f., 680                                |
| see also Inverse problems                                     | logarithm 262  |
| Freeing of storage 19, 21f., 940ff.                           | modified Bessel 236ff.<br>modified Bessel, fractional order 246ff. |
| free_matrix() utility 946                                     |  |
| free_vector() utility 946                                     | path integration to evaluate 208ff. pathological 105f., 350f.      |
| Frequency domain 496  | Poisson cumulant 221   |
| Frequency spectrum see Fast Fourier transform                 | prototypes 16f., 25, 930   |
| (FFT)   | representations of 496   |
| Frequentist, contrasted with Bayesian 819                     | routine for plotting a 349f.                                       |
| Fresnel integrals 255ff.                                      | sine and cosine integrals 255, 257ff.                              |
| asymptotic form 255   | sn, dn, cn 269   |
| continued fraction 255  | spherical Bessel 240   |
| routine for 256f.   | spherical harmonics 252f.  |
| series 255  | spheroidal harmonic 772ff., 779f., 781                             |
| Friday the Thirteenth 13f.                                    | Student's probability 226, 228                                     |
| FTCS (forward time centered space) 836ff., 847ff., 852        | Weber 210  |
|   | Functional iteration, for implicit equations                       |
| stability of 836ff., 847ff., 864                              | 748  |
| Full approximation storage (FAS) algorithm 882ff.             | FWHM (full width at half maximum) 555                              |
|   |  |
| Full moon 13f.  | <b>C</b>   |
| Full multigrid method (FMG) 872, 877f.                        | <b>G</b> amma deviate 290ff.                                       |
| Full Newton methods, nonlinear least squares                  | Gamma function 213ff.  |
| 688<br>Full pivoting 38                                       | incomplete see Incomplete gamma func-                              |
| Full weighting 876  | tion Cover Chebrushev integration 147, 151, 519f                   |
| Full weighting 876<br>Function                                | Gauss-Chebyshev integration 147, 151, 518f.                        |
| Airy 210, 240, 250  | Gauss-Hermite integration 151, 798<br>abscissas and weights 153    |
| approximation 105f., 190ff.                                   | normalization 153  |
| upproximuuon 1001., 17011.                                    | nonnanzanon 155  |

| Gauss-Jacobi integration 151 abscissas and weights 154 Gauss-Jordan elimination 36ff., 41, 71 operation count 42, 48 solution of normal equations 673 storage requirements 38f. | Globally convergent minimization 425ff. root finding 380, 383ff., 390, 757f., 761 GMRES (generalized minimum residual method) 85 GNU Emacs xiii |
|---|---|
| Gauss-Kronrod quadrature 160  | Godunov's method 846  |
| Gauss-Laguerre integration 151, 798   | Golden mean (golden ratio) 30, 354, 399, 406  |
| Gauss-Legendre integration 151  | Golden section search 348, 396, 397ff., 403   |
| see also Gaussian integration   | Golub-Welsch algorithm, for Gaussian quadra-  |
| Gauss-Lobatto quadrature 160, 196, 518  | ture 156f.  |
| Gauss-Radau quadrature 160  | Goodness-of-fit 656, 660, 663f., 668, 695   |
| Gauss-Seidel method (relaxation) 864, 866,  | goto statements, danger of 8<br>Gram-Schmidt  |
| 873, 874f.  | biorthogonalization 421f.   |
| nonlinear 884 Gauss transformation 262  | orthogonalization 100, 457, 458   |
| Gaussian (normal) distribution 275, 658, 807  | SVD as alternative to 66  |
| central limit theorem 658f.   | Graphics, function plotting 349f.   |
| deviates from 288f., 578  | Gravitational potential 525   |
| kurtosis of 612   | Gray code 311, 889, 894ff.  |
| multivariate 695  | Greenbaum, A. 86<br>Gregorian calendar 12, 15   |
| semi-invariants of 614  | Grid square 123f.   |
| tails compared to Poisson 659   | Group, dihedral 902   |
| two-dimensional (binormal) 637  | Guard digits 890  |
| variance of skewness of 612   |   |
| Gaussian elimination 41f., 59, 63 fill-in 53, 71  | <b>H</b> alf weighting 876  |
| integral equations 795  | Halton's quasi-random sequence 309f.  |
| operation count 42  | Hamming window 554  |
| in reduction to Hessenberg form 485   | Hamming's motto 348   |
| relaxation solution of boundary value prob-   | Hann window 554   |
| lems 762ff., 785  | Harmonic analysis see Fourier transform   |
| Gaussian function   | Hashing 303   |
| Hardy's theorem on Fourier transforms   | HDLC checksum 898   |
| 607   | Header (.h) files 16f.<br>Heap (data structure) 336f., 344, 905   |
| see also Gaussian (normal) distribution<br>Gaussian integration 133, 147ff., 798  | Heapsort 329, 336f., 344  |
| calculation of abscissas and weights 150ff.   | Helmholtz equation 861  |
| error estimate in solution 793  | Hermite polynomials 151, 153  |
| extensions of 160   | Hermitian matrix 457ff., 481f.  |
| Golub-Welsch algorithm for weights and  | Hertz (unit of frequency) 496   |
| abscissas 156f.   | Hessenberg matrix 100, 460, 477, 482, 494<br>see also Matrix  |
| for integral equations 790, 792   | Hessian matrix 389, 414, 422, 427, 681ff.,  |
| from known recurrence relation 156f.  | 812, 824  |
| nonclassical weight function 157ff., 797  | is inverse of covariance matrix 673, 685  |
| and orthogonal polynomials 148 preassigned nodes 160  | second derivatives in 683   |
| weight function $\log x$ 159  | Hexadecimal constants 285, 303  |
| weight functions 147ff., 797  | Hierarchically band diagonal matrix 606   |
| Gear's method (stiff ODEs) 737  | Hierarchy of program structure 5ff.<br>High-order not same as high-accuracy 106f.,  |
| Geiger counter 274  | 130, 396, 406, 711, 715, 748f.  |
| Generalized eigenvalue problems 462   | High-pass filter 558  |
| Generalized minimum residual method (GM-  | Hilbert matrix 90   |
| RES) 85   | Historic maximum entropy method 825f.   |
| Geophysics, use of Backus-Gilbert method  | Homogeneous linear equations 61   |
| 818 Gerchberg-Saxton algorithm 814f.  | Hook step methods 393   |
| Gilbert and Sullivan 720  | Hotelling's method for matrix inverse 57, 606<br>Householder transformation 60, 460, 469ff.,  |
| Givens reduction 469f., 480   | 476, 480, 481, 484f., 488ff.  |
| fast 470  | operation count 474   |
| operation count 470   | in QR decomposition 99  |
| Glassman, A.J. 185  | Huffman coding 571, 889, 903ff., 910  |
| Global optimization 394f., 444ff., 656  | Hyperbolic functions, explicit formulas for   |
| continuous variables 451f.  | inverse 184   |

| Hyperbolic partial differential equations 827<br>advective equation 835<br>flux-conservative initial value problems<br>834ff. | Inheritance 7 Initial value problems 708, 827f.  see also Differential equations; Partial differential equations |
|---|--|
| Hypergeometric function 208ff., 271ff. routine for 272f.  | Injection operator 873 Instability see Stability   |
| Hypothesis, null 609  | Integer programming 443 Integral equations 788ff.  |
|   | adaptive stepsize control 797  |
| BM xvii   | block-by-block method 797  |
| bad random number generator 277   | correspondence with linear algebraic equa-<br>tions 788ff.   |
| PC 3, 285, 303, 894<br>radix base for floating point arithmetic   | degenerate kernel 794  |
| 483   | eigenvalue problems 789, 794   |
| IBM checksum 901f.  | error estimate in solution 793   |
| ICCG (incomplete Cholesky conjugate gradient  | Fredholm 788f., 791f.  |
| method) 833   | Fredholm alternative 789   |
| ICF (intrinsic correlation function) model 826  | homogeneous, second kind 793f. ill-conditioned 789   |
| Identity (unit) matrix 34 IEEE floating point format 285, 890f.   | infinite range 797f.   |
| if structure 11   | inverse problems 789, 804ff.   |
| warning about nesting 11  | kernel 788f.   |
| IIR (infinite impulse response) filter 559, 573   | nonlinear 790, 796   |
| Ill-conditioned integral equations 789  | Nystrom method 791f., 797  |
| Image processing 525, 812   | product Nystrom method 797   |
| cosine transform 519  | with singularities 797ff. with singularities, worked example 801   |
| fast Fourier transform (FFT) 525, 530,<br>812   | subtraction of singularity 798   |
| as an inverse problem 812   | symmetric kernel 794   |
| maximum entropy method (MEM) 818ff.   | unstable quadrature 796  |
| from modulus of Fourier transform 814   | Volterra 789f., 794f.  |
| wavelet transform 603   | wavelets 791   |
| imatrix() utility 944   | see also Inverse problems Integral operator, wavelet approximation of  |
| Implicit conversion of data types 24f., 930   | 603f., 791   |
| function theorem 347  | Integration of functions 129ff.  |
| pivoting 38   | cosine integrals 257   |
| shifts in QL method 478ff.  | Fourier integrals 584ff.   |
| Implicit differencing 836   | Fourier integrals, infinite range 590f.  |
| for diffusion equation 848  | Fresnel integrals 255  |
| for stiff equations 735f., 749  | Gauss-Hermite 153<br>Gauss-Jacobi 154  |
| Importance sampling, in Monte Carlo 316f. Improper integrals 141ff.   | Gauss-Jacobi 154 Gauss-Laguerre 152  |
| Impulse response function 538, 549, 559   | Gauss-Legendre 151   |
| IMSL xvii, 35, 72, 212, 371, 376, 461   | integrals that are elliptic integrals 261  |
| In-place selection 342  | path integration 208ff.  |
| Include files 17, 930   | sine integrals 257   |
| Incomplete beta function 226ff.   | see also Quadrature Integro-differential equations 791   |
| for F-test 619 routine for 227f.  | Interface, in programs 7   |
| for Student's t 616, 618  | Internediate value theorem 350   |
| Incomplete Cholesky conjugate gradient method   | Internet xvii  |
| (ICCG) 833  | Interpolation 105ff.   |
| Incomplete gamma function 216   | Aitken's algorithm 108   |
| for chi-square 621, 660, 663f.  | avoid 2-stage method 106   |
| deviates from 290ff.  | avoid in Fourier analysis 576 bicubic 125f.  |
| in mode estimation 616 routine for 218f.  | bilinear 123f.   |
| Increment of linear congruential generator  | caution on high-order 106f.  |
| 276   | coefficients of polynomial 106, 120ff.,  |
| Indentation of blocks 11  | 197, 582   |
| Index 965ff.  | for computing Fourier integrals 586  |
| this entry 977  | error estimates for 106  |
| Index table 329, 338 Inequality constraints 431   | of functions with poles 111ff.   |
| mequanty constraints 431  | inverse quadratic 360, 402ff.  |

| multidimensional 107f., 123ff. in multigrid method 876 Neville's algorithm 108f., 188 Nystrom 792 offset arrays 110, 119 operation count for 106 operator 873 order of 106   | for linear algebraic equations 35 required for two-point boundary value problems 753 in root finding 347f.  Iteration matrix 865 ITPACK 78 ivector() utility 943   |
|--|--|
| and ordinary differential equations 107 oscillations of polynomial 106, 120, 396, 406 parabolic, for minimum finding 402 polynomial 105, 108ff., 188 rational Chebyshev approximation 204ff. rational function 105, 111ff., 200ff., 231f., 724ff., 731 reverse (extirpolation) 581f. spline 106, 113ff., 127f. trigonometric 105 see also Fitting Interval variable (statistics) 628 | Jacobi matrix, for Gaussian quadrature 156 Jacobi transformation (or rotation) 100, 460, 463ff., 469, 481, 495 Jacobian determinant 288f., 783 Jacobian elliptic functions 261, 269f. Jacobian matrix 381, 383, 386, 389, 738 singular in Newton's rule 393 Jacobi's method (relaxation) 864f., 866, 873 Jenkins-Traub method 376 Julian Day 1, 12, 14 Jump transposition errors 902 |
| Intrinsic correlation function (ICF) model 826   | 1/   |
| Inverse hyperbolic function 184, 262   | <b>K</b> -S test <i>see</i> Kolmogorov-Smirnov test  |
| Inverse iteration see Eigensystems   | Kalman filter 705  |
| Inverse problems 789, 804ff.   | Kaps-Rentrop method 737  |
| Backus-Gilbert method 815ff.   | Kendall's tau 640, 642ff.<br>Kermit checksum 897   |
| Bayesian approach 808, 820, 825f.  | Kernel 788f.   |
| central idea 808   | averaging, in Backus-Gilbert method 816f.  |
| constrained linear inversion method 808ff.   | degenerate 794   |
| data inversion 816   | finite rank 794  |
| deterministic constraints 813ff.   | inverse response 816f.   |
| in geophysics 818  | separable 794  |
| Gerchberg-Saxton algorithm 814f.   | singular 797f.   |
| incomplete Fourier coefficients 822  | symmetric 793f.  |
| and integral equations 789   | Kernighan & Ritchie C (K&R C) 2, 16, 24,   |
| linear regularization 808ff.   | 930  |
| maximum entropy method (MEM) 818ff.,   | Keys used in sorting 338, 897  |
| 824f.  | Kolmogorov-Smirnov test 620, 623ff., 699   |
| MEM demystified 823  | two-dimensional 645ff.   |
| Phillips-Twomey method 808ff.  | variants 626ff., 645ff.  |
| principal solution 806   | Kuiper's statistic 627   |
| regularization 805ff.  | Kurtosis 612, 614  |
| regularizing operator 807  | , , ,  |
| stabilizing functional 807   |  |
| Tikhonov-Miller regularization 808ff.  | <b>L</b> -estimate 699   |
| trade-off curve 804  | Labels, statement 8  |
| trade-off curve, Backus-Gilbert method   | Lag 498, 545f., 560  |
| 818  | Lagrange multiplier 804  |
| two-dimensional regularization 812   | Lagrange's formula for polynomial interpola-   |
| use of conjugate gradient minimization   | tion 91, 108, 582, 585   |
| 812f., 824   | Laguerre's method 348, 371ff.  |
| use of Convex sets 813f.   | Lanczos lemma 504f.  |
| use of Fourier transform 812, 814<br>Van Cittert's method 813  | Lanczos method for gamma function 213  |
| Inverse quadratic interpolation 360, 402ff.  | Landen transformation 262<br>LAPACK 35   |
| Inverse response kernel, in Backus-Gilbert   |  |
| method 816f.   | Laplace's equation 252, 827 see also Poisson equation  |
| Inverse trigonometric function 262   | Las Vegas 631  |
| ISBN (International Standard Book Number)  | Latin square or hypercube 315  |
| checksum 901   | Laurent series 573   |
| Iterated integrals 161   | Lax method 837ff., 845, 854f.  |
| Iteration 8  | multidimensional 854f.   |
| functional 748   | Lax-Wendroff method 844ff.   |
| to improve solution of linear algebraic  | Leakage in power spectrum estimation 551,  |
| equations 55ff., 201   | 554f.  |

| Leakage width 554f.                               | Cholesky decomposition 96ff., 430, 462,          |
|---|--|
| Leapfrog method 842f.                             | 674  |
| Least squares filters see Savitzky-Golay filters  | complex 49f.                                     |
| Least squares fitting 650f., 657ff., 661ff.,      | computing $\mathbf{A}^{-1} \cdot \mathbf{B}$ 48  |
| 666ff., 671ff.                                    | conjugate gradient method 83ff., 606             |
| contrasted to general minimization prob-          | cyclic tridiagonal 74f.                          |
| lems 689  | direct methods 35, 71                            |
| degeneracies in 677, 679                          | Gauss-Jordan elimination 36ff.                   |
| Fourier components 577                            | Gaussian elimination 41f.                        |
| freezing parameters in 674, 705                   | Hilbert matrix 90                                |
| general linear case 671ff.                        | Hotelling's method 57, 606                       |
| Levenberg-Marquardt method 683ff., 825            | and integral equations 788ff., 792               |
| Lomb periodogram 577                              | iterative improvement 55ff., 201                 |
| as M-estimate for normal errors 701               | iterative methods 35, 83ff.                      |
| as maximum likelihood estimator 658               | large sets of 33                                 |
| as method for smoothing data 650f.                | least squares solution 62, 65f., 205, 676        |
| multidimensional 680                              | LU decomposition 43ff., 201, 393, 739,           |
| nonlinear 393, 681ff., 825                        | 792, 795, 810                                    |
| nonlinear, advanced methods 688                   | nonsingular 33                                   |
| normal equations 651, 672ff., 809f.               | overdetermined 34f., 205, 676, 806               |
| normal equations often singular 676, 679          | partitioned 77f.                                 |
| optimal (Wiener) filtering 547                    | QR decomposition 98f., 389, 393, 674             |
| QR method in 100, 674                             | row vs. column elimination 40f.                  |
| for rational Chebyshev approximation 205          | Schultz's method 57, 606                         |
| relation to linear correlation 636, 664           | Sherman-Morrison formula 73ff., 90               |
|   | singular 32, 61, 66, 205, 676                    |
| Savitzky-Golay filter as 650f.                    | singular value decomposition (SVD) 59ff.,        |
| singular value decomposition (SVD) 34f.,          | 205, 676ff., 806                                 |
| 59ff., 205, 676ff.                                | sparse 33, 51ff., 71ff., 739, 813                |
| skewed by outliers 659                            | summary of tasks 34                              |
| for spectral analysis 577                         | Toeplitz 90, 92ff., 201                          |
| standard (probable) errors on fitted parame-      | Vandermonde 90ff., 120                           |
| ters 673, 677                                     | wavelet solution 603ff., 791                     |
| weighted 658                                      | Woodbury formula 75ff., 90                       |
| see also Fitting                                  | see also Eigensystems                            |
| L'Ecuyer's long period random generator 280ff.    | Linear congruential random number generator      |
| Left eigenvalues or eigenvectors 458              | 276f.  |
| Legal matters xvi                                 | choice of constants for 284f.                    |
| Legendre elliptic integral see Elliptic integrals | Linear constraints 431                           |
| Legendre polynomials 252f.                        | Linear convergence 353, 400                      |
| fitting data to 680                               | Linear correlation (statistics) 636ff.           |
| recurrence relation 178                           | Linear dependency                                |
| shifted monic 159                                 | constructing orthonormal basis 66, 100           |
| see also Associated Legendre polynomials;         | of directions in N-dimensional space 415         |
| Spherical harmonics                               | in linear algebraic equations 32f.               |
| Lehmer-Schur algorithm 376                        | Linear equations see Differential equations; In- |
| Lemarie's wavelet 600                             | tegral equations; Linear algebraic equa-         |
| Lentz's method for continued fraction 171,        | tions  |
| 219   | Linear inversion method, constrained 808ff.      |
| Lepage, P. 319                                    | Linear prediction 564ff.                         |
| Leptokurtic distribution 612                      | characteristic polynomial 567                    |
| Levenberg-Marquardt algorithm 393, 683ff.,        | coefficients 564ff.                              |
| 825   | compared with regularization 810                 |
| advanced implementation 688                       | contrasted to polynomial extrapolation           |
| Levinson's method 92f.                            | 567  |
| Lewis, H.W. 284                                   | related to optimal filtering 565f.               |
| License information xvi                           | removal of bias in 570                           |
| Limbo 362   | stability 567                                    |
| Limit cycle, in Laguerre's method 372             | Linear predictive coding (LPC) 571f.             |
| Line minimization see Minimization, along a       | Linear programming 394, 430ff.                   |
| ray   | artificial variables 437                         |
| Line search see Minimization, along a ray         | auxiliary objective function 437                 |
| Linear algebraic equations 32ff.                  | basic variables 434                              |
| band diagonal 51ff.                               | composite simplex algorithm 443                  |
| biconjugate gradient method 84f.                  | constraints 431                                  |
| jugute gradient memou 011.                        |  |

| convergence criteria 439                       | how to compute 702f.                            |
|--|---|
| degenerate feasible vector 436                 | local 700ff.                                    |
| dual problem 443                               | see also Maximum likelihood estimate            |
| equality constraints 431                       | Machine accuracy 28f., 890                      |
| feasible basis vector 433f.                    | Macintosh, see Apple Macintosh                  |
| feasible vector 431                            | Maehly's procedure 370, 378                     |
| fundamental theorem 432f.                      | Magic 570, 570                                  |
| inequality constraints 431                     | in MEM image restoration 823                    |
| left-hand variables 434                        | in Padé approximation 201                       |
| nonbasic variables 434                         |   |
| normal form 433                                | Mantissa in floating point format 28, 890, 918  |
|  |   |
| objective function 431                         | Marginals 630                                   |
| optimal feasible vector 431                    | Marquardt method (least squares fitting) 683ff. |
| pivot element 435f.                            | 825   |
| primal-dual algorithm 443                      | Mass, center of 305ff.                          |
| primal problem 443                             | MasterCard checksum 901f.                       |
| reduction to normal form 436ff.                | Mathematical Center (Amsterdam) 360             |
| restricted normal form 433ff.                  | Matrix 33ff.                                    |
| revised simplex method 443                     | allocating and freeing 21f., 940ff.             |
| right-hand variables 434                       | approximation of 66f., 605f.                    |
| simplex method 408f., 430, 433ff., 439ff.      | band diagonal 50, 51ff., 71                     |
| slack variables 436                            | band triangular 71                              |
| tableau 434                                    | banded 35, 461                                  |
| vertex of simplex 433                          | bidiagonal 60                                   |
| Linear regression 661ff., 666ff.               | block diagonal 71, 762                          |
| see also Fitting                               | block triangular 71                             |
| Linear regularization 808ff.                   | block tridiagonal 71                            |
| LINPACK 35                                     | bordered 71                                     |
| Little-endian 302                              |   |
| Local extrapolation 715                        | characteristic polynomial 456, 475f.            |
| Local extremum 394, 445                        | Cholesky decomposition 96ff., 430, 462,         |
|  | 674   |
| Localization of roots see Bracketing           | column augmented 37                             |
| Logarithmic function 262                       | compatibility 940                               |
| Lomb periodogram method of spectral analysis   | complex 49f.                                    |
| 576f.  | condition number 61, 85                         |
| fast algorithm 581f.                           | curvature 682                                   |
| Loops 8  | cyclic banded 71                                |
| Lorentzian probability distribution 292, 701f. | cyclic tridiagonal 74f.                         |
| Low-pass filter 558, 650                       | defective 457, 482, 494                         |
| LP coefficients see Linear prediction          | of derivatives see Hessian matrix; Jacobian     |
| LPC (linear predictive coding) 571f.           | determinant                                     |
| LU decomposition 43ff., 56f., 59, 63, 71,      | design (fitting) 651, 671, 809                  |
| 104, 381, 673, 739                             | determinant of 34, 49                           |
| for $\mathbf{A}^{-1} \cdot \mathbf{B}$ 48      | diagonalization 459ff.                          |
| band diagonal matrix 51ff., 53f.               | elementary row and column operations 37         |
| complex equations 49f.                         | finite differencing of partial differential     |
| Crout's algorithm 44ff., 53                    | equations 830ff.                                |
| for integral equations 792, 795                | freeing a submatrix 23                          |
| for inverse iteration of eigenvectors 494      | •   |
| for inverse problems 810                       | Hermitian 457, 461, 481f.                       |
| for matrix determinant 49                      | Hermitian conjugate 457                         |
| for matrix inverse 48                          | Hessenberg 100, 460, 477, 482, 484f., 494       |
| for nonlinear sets of equations 381, 393       | Hessian see Hessian matrix                      |
| operation count 44, 48                         | hierarchically band diagonal 606                |
|  | Hilbert 90                                      |
| for Padé approximant 201                       | identity 34                                     |
| pivoting 45f.                                  | ill-conditioned 61, 63, 120                     |
| repeated backsubstitution 48, 54               | indexed storage of 78f.                         |
| solution of linear algebraic equations 48      | and integral equations 788, 792                 |
| solution of normal equations 673               | inverse 34, 36, 42, 48f., 73ff., 77f., 102ff.   |
| for Toeplitz matrix 94                         | inverse, approximate 57                         |
| Lucifer (encryption algorithm) 300             | inverse by Hotelling's method 57, 606           |
| lvector() utility 943                          | inverse by Schultz's method 57, 606             |
|  | inverse multiplied by a matrix 49               |
|  | iteration for inverse 57, 606                   |
| <b>M</b> -estimates 699ff.                     | Jacobi transformation 460, 463ff., 469          |
| ere confinates 0//11.                          | 300001 transformation 400, 40311., 409          |

| T 1: 700                                    |   |
|---|---|
| Jacobian 738                                | see also Linear prediction                      |
| lower triangular 43f., 96, 790              | Maximum likelihood estimate (M-estimates)       |
| multiplication denoted by dot 33            | 695, 699ff.                                     |
| norm 58                                     | and Bayes' Theorem 820                          |
| normal 457, 458                             | chi-square test 695                             |
| nullity 61                                  | defined 658                                     |
| nullspace 34, 61, 63, 456, 804              | how to compute 702f.                            |
| orthogonal 98, 457, 470, 594                | mean absolute deviation 701, 703                |
|   |   |
| orthogonal transformation 459, 470ff., 477  | relation to least squares 658                   |
| orthonormal basis 66, 100                   | Maxwell's equations 835                         |
| outer product denoted by $\otimes$ 73, 427  | Mean(s)   |
| partitioning for determinant 78             | of distribution 610f., 614                      |
| partitioning for inverse 77f.               | statistical differences between two 615ff.      |
| pattern multiply of sparse 81f.             | Mean absolute deviation of distribution 611,    |
| positive definite 35, 96, 674               | 701   |
| QR decomposition 98f., 389, 393, 674        | related to median 703                           |
| range 61                                    | Measurement errors 656                          |
| rank 61                                     | Median 329                                      |
| residual 57                                 | calculating 341                                 |
| row and column indices 33                   | of distribution 611, 614f.                      |
|   |   |
| row vs. column operations 40f.              | as L-estimate 699                               |
| self-adjoint 457                            | role in robust straight line fitting 703        |
| similarity transform 459ff., 463, 483, 485, | by selection 703                                |
| 488   | Median-of-three, in Quicksort 333               |
| singular 61, 63, 66, 456                    | MEM see Maximum entropy method (MEM)            |
| singular value decomposition 34f., 59ff.,   | Memory, allocating and freeing 19, 21f.,        |
| 806   | 940ff.  |
| sparse 33, 71ff., 78, 606, 739, 762, 813    | Merit function 656                              |
| special forms 35                            | in general linear least squares 671             |
| splitting in relaxation method 865f.        | for inverse problems 806                        |
| spread 817                                  | nonlinear models 681                            |
| square root of 430, 462                     | for straight line fitting 662, 703              |
| storage schemes in C 20f., 33f., 940ff.     | for straight line fitting, errors in both coor- |
| submatrix of 22, 945                        | dinates 666                                     |
|   |   |
| symmetric 35, 96, 457, 461, 469ff., 674,    | Mesh-drift instability 843f.                    |
| 793f.                                       | Mesokurtic distribution 612                     |
| threshold multiply of sparse 81ff.          | Method of regularization 808ff.                 |
| Toeplitz 90, 92ff., 201                     | Metropolis algorithm 445f.                      |
| transpose of sparse 80f.                    | Microsoft xvii                                  |
| triangular 460                              | Midpoint method see Modified midpoint method;   |
| tridiagonal 35, 50f., 71, 115, 156, 460,    | Semi-implicit midpoint rule                     |
| 461, 469ff., 475ff., 494, 848f., 862,       | Mikado, or Town of Titipu 720                   |
| 870f.                                       | Miller's algorithm 181, 234                     |
| tridiagonal with fringes 831                | Minimal solution of recurrence relation 179     |
| unitary 457                                 | Minimax polynomial 192, 204                     |
| updating 100, 389f.                         | Minimax rational function 204                   |
| upper triangular 43f., 98                   | Minimization 394ff.                             |
| Vandermonde 90ff., 120                      | along a ray 84, 384f., 396, 412f., 418f.,       |
| see also Eigensystems                       | • •   |
| ę ;   | 424, 425  |
| Matrix equations see Linear algebraic equa- | annealing, method of simulated 394f.,           |
| tions                                       | 444ff.  |
| matrix() utility 943f.                      | bracketing of minimum 397ff., 409               |
| Matterhorn 612                              | Brent's method 396, 402ff., 406, 666            |
| Maximization see Minimization               | Broyden-Fletcher-Goldfarb-Shanno algo-          |
| Maximum entropy method (MEM) 572ff.         | rithm 397, 426ff.                               |
| algorithms for image restoration 824f.      | chi-square 659ff., 681ff.                       |
| Bayesian 825f.                              | choice of methods 395ff.                        |
| Cornwell-Evans algorithm 825                | combinatorial 444                               |
| demystified 823                             | conjugate gradient method 396f., 420ff.,        |
| historic vs. Bayesian 825f.                 | 812f., 824                                      |
| image restoration 818ff.                    | convergence rate 400, 415f.                     |
| intrinsic correlation function (ICF) model  | Davidon-Fletcher-Powell algorithm 397,          |
| 826   | 426f.   |
| for inverse problems 818ff.                 | degenerate 804                                  |
| operation count 574                         | direction-set methods 396, 412ff.               |
| operation count 377                         | 370, 712II.                                     |

| downhill simplex method 396, 408ff.,          | and Kolmogorov-Smirnov statistic 627,                               |
|---|---|
| 451f., 702f.                                  | 646f.   |
| finding best-fit parameters 656               | partial differential equations 833                                  |
| Fletcher-Reeves algorithm 396f., 421ff.       | quasi-random sequences in 309ff.                                    |
| functional 804                                | quick and dirty 691f.   |
| global 394f., 451f., 656                      | recursive 316ff., 323ff.  |
| globally convergent multidimensional 425ff.   | significance of Lomb periodogram 578                                |
| golden section search 397ff., 403             | simulation of data 660, 689ff., 695                                 |
| ,   | stratified sampling 317f., 323                                      |
| multidimensional 395f., 408ff.                |   |
| in nonlinear model fitting 681f.              | Moon, calculate phases of 1f., 13f.                                 |
| Polak-Ribiere algorithm 396f., 422f.          | Mother functions 591  |
| Powell's method 396, 408, 412ff.              | Mother Nature 689, 691  |
| quasi-Newton methods 383, 397, 425ff.         | Moving average (MA) model 573                                       |
| and root finding 382                          | Moving window averaging 650   |
| scaling of variables 428                      | Mozart 8  |
| by searching smaller subspaces 824            | MS xvii   |
| steepest descent method 421, 813              | MS-DOS xii, 3   |
| termination criterion 398f., 410              | Muller's method 371, 379  |
| · · · · · · · · · · · · · · · · · · ·         | Multidimensional  |
| use in finding double roots 348               | confidence levels of fitting 694                                    |
| use for sparse linear systems 84ff.           | data, use of binning 629  |
| using derivatives 396f., 405ff.               | Fourier transform 521ff.  |
| variable metric methods 397, 425ff.           | Fourier transform, real data 525ff.                                 |
| see also Linear programming                   |   |
| Minimum residual method, for sparse system    | initial value problems 853ff.                                       |
| 85  | integrals 130, 161ff., 304ff., 316ff.                               |
| MINPACK 688                                   | interpolation 123ff.  |
| MIPS 894                                      | Kolmogorov-Smirnov test 645ff.                                      |
| Missing data problem 576                      | least squares fitting 680   |
| Mississippi River 446, 455                    | minimization 408ff., 412ff., 420ff.                                 |
| Mode of distribution 611, 615                 | Monte Carlo integration 304ff., 316ff.                              |
| Modeling of data see Fitting                  | normal (Gaussian) distribution 695                                  |
|   | optimization 395f.  |
| Model-trust region 393, 688                   | partial differential equations 853ff.                               |
| Modes, homogeneous, of recursive filters 561  | root finding 347ff., 365, 377, 379ff., 382,                         |
| Modified Bessel functions see Bessel func-    | 754, 757f., 761, 762  |
| tions   | search using quasi-random sequence 309                              |
| Modified Lentz's method, for continued frac-  | secant method 380, 389ff.   |
| tions 171                                     | wavelet transform 602   |
| Modified midpoint method 722f., 726           | Multigrid method 833, 871ff.  |
| Modified moments 158                          | avoid SOR 875   |
| Modula-2 7                                    |   |
| Modular arithmetic, without overflow 278,     | boundary conditions 877f.   |
| 281, 284                                      | choice of operators 877   |
| Modularization, in programs 6f.               | coarse-to-fine operator 873   |
| Modulus of linear congruential generator 276  | coarse-grid correction 873f.  |
| Moments                                       | cycle 874   |
|   | dual viewpoint 883  |
| of distribution 610ff.                        | fine-to-coarse operator 873   |
| filter that preserves 650                     | full approximation storage (FAS) algorithm                          |
| modified problem of 158                       | 882ff.  |
| problem of 90f.                               | full multigrid method (FMG) 872, 877f.                              |
| and quadrature formulas 799                   | full weighting 876  |
| semi-invariants 614                           | Gauss-Seidel relaxation 874f.                                       |
| Monic polynomial 149                          | half weighting 876  |
| Monotonicity constraint, in upwind differenc- | importance of adjoint operator 876                                  |
| ing 846                                       | injection operator 873  |
| Monte Carlo 162, 275                          | interpolation operator 873  |
| adaptive 316ff., 319ff.                       | line relaxation 875   |
| bootstrap method 691f.                        | local truncation error 883  |
| comparison of sampling methods 318f.          | Newton's rule 882, 884  |
| exploration of binary tree 300                |   |
| importance sampling 316f.                     | nonlinear equations 882ff.<br>nonlinear Gauss-Seidel relaxation 884 |
|   |   |
| integration 130, 162, 304ff., 316ff.          | odd-even ordering 875, 878  |
| integration, recursive 323ff.                 | operation count 871   |
| integration, using Sobol' sequence 313ff.     | prolongation operator 873   |
| integration, VEGAS algorithm 319ff.           | recursive nature 874  |
|   |   |

| relative truncation error 883   | equivalent bandwidth 554                                       |
|---|--|
| relaxation as smoothing operator 874  | fitting data which contains 653, 656                           |
| restriction operator 873  | model, for optimal filtering 548                               |
| speeding up FMG algorithm 881f.   | Nominal variable (statistics) 628                              |
| stopping criterion 884  | Nonexpansive projection operator 814                           |
| straight injection 876  | Non-interfering directions see Conjugate direc-                |
| symbol of operator 875f.  | tions  |
| use of Richardson extrapolation 878   | Nonlinear eigenvalue problems 462                              |
| V-cycle 874   | Nonlinear equations  |
| W-cycle 874   | finding roots of 347ff.  |
| zebra relaxation 875  | integral equations 790, 796                                    |
| Multiple precision arithmetic 915ff.  | in MEM inverse problems 822f.                                  |
| Multiplication complex 177  | multigrid method for elliptic PDEs 882ff.                      |
| Multiplication, complex 177 Multiplication, multiple precision 916, 918       | Nonlinear instability 840                                      |
| Multiplier of linear congruential generator                                   | Nonlinear programming 443                                      |
| 276   | Nonnegativity constraints 430f.                                |
| Multistep and multivalue methods (ODEs)                                       | Nonparametric statistics 639ff.                                |
| 747ff.  | Nonpolynomial complete (NP-complete) 445<br>Norm, of matrix 58 |
| see also Differential Equations; Predictor-                                   | •  |
| corrector methods   | Normal (Gaussian) distribution 275, 658, 687f., 807            |
| Multivariate normal distribution 695  | central limit theorem 658f.                                    |
| Murphy's Law 413  | deviates from 288f., 578                                       |
| Musical scores 5  | kurtosis of 612  |
|   | multivariate 695   |
| N. a as so are  | semi-invariants of 614   |
| <b>N</b> AG xvii, 35, 72, 212, 461  | tails compared to Poisson 659                                  |
| National Science Foundation (U.S.) xiii, xv                                   | two-dimensional (binormal) 637                                 |
| Natural cubic spline 115<br>Navier-Stokes equation 839, 840                   | variance of skewness of 612                                    |
| Needle, eye of (minimization) 410   | Normal equations (fitting) 34f., 651, 672ff.,                  |
| Negation, multiple precision 916  | 804, 809f.   |
| Negentropy 820, 904   | often are singular 676   |
| Nelder-Mead minimization method 396, 408ff.                                   | Normalization  |
| Nested iteration 877  | of Bessel functions 181  |
| Neumann boundary conditions 829, 849, 860,                                    | of floating-point representation 28, 890                       |
| 867   | of functions 149, 774  |
| Neutrino 645  | of modified Bessel functions 239                               |
| Neville's algorithm 108f., 111, 140, 188                                      | Notch filter 558, 562f.  |
| Newton-Cotes formulas 131ff., 147   | NP-complete problem 445  |
| open 132  | nr.h prototypes for Numerical Recipes 17,                      |
| Newton-Raphson method see Newton's rule                                       | 930<br>NRANGE 17, 030  |
| Newton's rule 149f., 185, 348, 362ff., 369,                                   | NRANSI macro 17, 930   |
| 371, 476  | NR_END macro, for offset arrays 941                            |
| with backtracking 384f.   | nrerror() utility 2, 942f.                                     |
| caution on use of numerical derivatives 365                                   | nrutil.c utility functions 2, 19, 21f., 940, 942ff.            |
| fractal domain of convergence 367f. globally convergent multidimensional 380, | nrutil.h prototypes for utilities 17, 27, 940ff.               |
| 383ff., 389, 757f., 761   | Null hypothesis 609  |
| for matrix inverse 57, 606  | Nullity 61   |
| in multidimensions 377, 379ff., 757f.,  | Nullspace 34, 61, 63, 456, 804                                 |
| 761, 762  | Number-theoretic transforms 509f.                              |
| in nonlinear multigrid 882, 884   | Numerical derivatives 186ff., 651                              |
| nonlinear Volterra equations 796  | Numerical integration see Quadrature                           |
| for reciprocal of number 919  | Numerical Recipes  |
| safe 366  | compatibility with First Edition 3f.                           |
| scaling of variables 389  | compilers tested 3   |
| singular Jacobian 393   | Example Book 3   |
| solving stiff ODEs 748  | how to get diskettes xvi, 996f.                                |
| for square root of number 921   | how to report bugs iv  |
| Niederreiter sequence 310   | license information xvi  |
| NL2SOL 688  | list of all 951ff.   |
| Noise<br>bursty 897   | machines tested 3 OEM information xvii                         |
| effect on maximum entropy method 574  | no warranty on xvi   |
| chect on maximum entropy method 3/4   | no wananty on Avi  |

| programming conventions 25ff.                                      | Operator  |
|--|---|
| programs by chapter and section xix                                | associativity, in C 25f.  |
| prototypes (nr.h) 17, 930  | overloading 7   |
| table of dependencies 951ff.                                       | precedence, in C 25f.   |
| table of prototypes 930  | splitting 832, 856f., 870   |
| as trademark xvii  | Optimal feasible vector 431   |
| utility functions 2, 940ff.  | Optimal (Wiener) filtering 542, 547ff., 565f.,                                |
| utility prototypes (nrutil.h) 17, 27,                              | 650   |
| 940ff.   | compared with regularization 810  |
| Numerical Recipes Software xi, xvii                                | Optimization see Minimization   |
| address and fax number xvii  | Ordinal variable (statistics) 628   |
| Nyquist frequency 500ff., 526, 550, 552, 576,                      | Ordinary differential equations see Differential                              |
| 578f.  | equations   |
| Nystrom method 791f., 797f.  | Orthogonal see Orthonormal functions; Or-                                     |
| product version 797  | thonormal polynomials   |
| product version ///  | Orthogonal transformation 459, 470ff., 477,                                   |
|  | 591   |
| <b>O</b> 1   | Orthonormal basis, constructing 66, 100                                       |
| Object extensibility 7   | Orthonormal functions 149, 252  |
| Objective function 431   | Orthonormal polynomials   |
| Object-oriented programming 7                                      | Chebyshev 151, 190ff.   |
| Oblateness parameter 773   | construct for arbitrary weight 157ff.   |
| Odd parity 896   | in Gauss-Hermite integration 153  |
| Odd-even ordering  | and Gaussian quadrature 149   |
| in Gauss-Seidel relaxation 875, 878                                | Gaussian weights from recurrence 156  |
| in successive over-relaxation (SOR) 868                            | Hermite 151   |
| OEM information xvii   | Jacobi 151  |
| One-sided power spectral density 498                               | Laguerre 151  |
| Operation count  | Legendre 151  |
| balancing 483 Bessel function evaluation 234f.                     | weight function $\log x$ 159  |
|  | Orthonormality 59f., 149, 470<br>Outer product of matrices (denoted by ⊗) 73, |
| bisection method 353   | Outer product of matrices (denoted by $\otimes$ ) 73,                         |
| Cholesky decomposition 97 coefficients of interpolating polynomial | Outgoing wave boundary conditions 829   |
| 120f.  | Outlier 611, 659, 662, 699, 702   |
| complex multiplication 104   | see also Robust estimation  |
| cubic spline interpolation 115                                     | Overcorrection 866  |
| evaluating polynomial 174f.  | Overflow 890  |
| fast Fourier transform (FFT) 504                                   | how to avoid in modulo multiplication   |
| Gauss-Jordan elimination 42, 48                                    | 278   |
| Gaussian elimination 42  | in complex arithmetic 177   |
| Givens reduction 470   | Overlap-add and overlap-save methods 543f.                                    |
| Householder reduction 474  | Overrelaxation parameter 866  |
| interpolation 106  | choice of 866f.   |
| inverse iteration 494  |   |
| iterative improvement 56   | <b>D</b> 1/   |
| Jacobi transformation 467  | Padé approximant 111, 200ff.  |
| Kendall's tau 643f.  | Parabolic interpolation 403   |
| linear congruential generator 277                                  | Parabolic partial differential equations 827,                                 |
| LU decomposition 44, 48  | 847ff.  |
| matrix inversion 104   | Parallel axis theorem 318   |
| matrix multiplication 103  | Parameters in fitting function 657f., 689ff.<br>Parity bit 896                |
| maximum entropy method 574   | Park and Miller minimal standard random gen-                                  |
| multidimensional minimization 420                                  | erator 278f.  |
| multigrid method 871   | Parseval's Theorem 498, 551   |
| multiplication 918   | discrete form 504   |
| polynomial evaluation 104, 174f.                                   | Partial differential equations 827ff.   |
| QL method 477, 480   | advective equation 835  |
| QR decomposition 98  | alternating-direction implicit method (ADI)                                   |
| QR method for Hessenberg matrices 490                              | 856, 870f.  |
| reduction to Hessenberg form 485                                   | amplification factor 837, 843   |
| selection by partitioning 341                                      | analyze/factorize/operate package 833   |
| sorting 329ff.   | artificial viscosity 840, 846   |
| Toeplitz matrix 90   | biconjugate gradient method 833   |
| Vandermonde matrix 90  | boundary conditions 828ff.  |

boundary value problems 828ff., 857f. Schrödinger equation 851ff. Cauchy problem 827f. second-order accuracy 842ff., 848f. caution on high-order methods 853f. shock 840, 846 Cayley's form 853 sparse matrices from 71 characteristics 827 spectral methods 833f. Chebyshev acceleration 868f. spectral radius 865ff., 871 classification of 827ff. stability vs. accuracy 839 comparison of rapid methods 863 stability vs. efficiency 830 conjugate gradient method 833 staggered grids 519, 861 Courant condition 838, 841, 843, 845 staggered leapfrog method 842f. Courant condition (multidimensional) 855 strongly implicit procedure 833 Crank-Nicolson method 848, 851, 853, successive over-relaxation (SOR) 866ff., 871, 875 time splitting 856f., 870 two-step Lax-Wendroff method 844ff. cyclic reduction (CR) method 857f., 861f. diffusion equation 827, 847ff., 855, 864 upwind differencing 841f., 846 variational methods 833 Dirichlet boundary conditions 829, 848, 859, 865, 867 elliptic, defined 827 varieties of error 840ff. error, varieties of 840ff. von Neumann stability analysis 836f., explicit vs. implicit differencing 836 839, 842, 849 FACR method 863 wave equation 827, 834f. finite difference method 830ff. see also Elliptic partial differential equafinite element methods 833f. tions; Finite difference equations (FDEs) Partial pivoting 38 flux-conservative initial value problems Partition-exchange 332, 341 forward Euler differencing 835f. Partitioned matrix, inverse of 77f. Forward Time Centered Space (FTCS) Party tricks 102ff., 174f. 836ff., 847ff., 852, 864 Parzen window 554 Fourier analysis and cyclic reduction (FACR) Pascal 16, 18, 20 Pascal, Numerical Recipes in xv, 1 857ff., 863 Gauss-Seidel method (relaxation) 864, Path integration, for function evaluation 208ff., 873ff., 884 Godunov's method 846 Pattern multiply of sparse matrices 81f. Helmholtz equation 861 PBCG (preconditioned biconjugate gradient hyperbolic 827, 834f. method) 85f., 833 implicit differencing 848 PC methods see Predictor-corrector methods incomplete Cholesky conjugate gradient PCGPACK 78 PDEs see Partial differential equations method (ICCG) 833 inhomogeneous boundary conditions 859f. Pearson's r 636ff. initial value problems 827f. PECE method 749 initial value problems, recommendations on Pentagon, symmetries of 902 847ff. Percentile 329 Jacobi's method (relaxation) 864f., 873 Period of linear congruential generator 276 Laplace's equation 827 Periodic boundary conditions 859, 867 Lax method 837ff., 845, 854f. Periodogram 550ff., 574 Lax method (multidimensional) 854f. Lomb's normalized 576f., 581f. matrix methods 833 variance of 552 mesh-drift instability 843f. Perl (programming language) xiii Monte Carlo methods 833 Perron's theorems, for convergence of recurmultidimensional initial value problems rence relations 180f. Perturbation methods for matrix inversion multigrid method 833, 871ff. 73ff. Neumann boundary conditions 829, 849, Peter Principle 337 860, 867 Phase error 840 nonlinear diffusion equation 851 Phase-locked loop 705 nonlinear instability 840 Phi statistic 631 numerical dissipation or viscosity 839 Phillips-Twomey method 808ff. operator splitting 832, 856f., 870 Pi, computation of 915ff. outgoing wave boundary conditions 829 Piecewise parabolic method (PPM) 846 parabolic 827, 847ff. Pincherle's theorem 181 periodic boundary conditions 859, 867 Pivot element 38, 41, 764 piecewise parabolic method (PPM) 846 in linear programming 435f. Poisson equation 827, 861 Pivoting 36, 38ff., 54, 73, 97 rapid (Fourier) methods 514ff., 833, 857ff. full 38 relaxation methods 832, 863ff. implicit 38, 46

| . 111 1 22 450   | 'II I'.' 1 260   |
|--|--|
| in LU decomposition 45f.   | ill-conditioned 369  |
| partial 38, 41, 46   | matrix method for roots 375  |
| and QR decomposition 99  | minimax 192, 204   |
| in reduction to Hessenberg form 485  | monic 149  |
| in relaxation method 764   | multiplication 175   |
| for tridiagonal systems 51   | operation count for 174f.  |
| Pixel 525, 603, 812, 820   | orthonormal 149, 190f.   |
| Planck's constant 851  | primitive modulo 2 296ff., 311f., 897  |
| Plane rotation see Givens reduction; Jacobi  | roots of 183ff., 369ff., 375   |
| transformation (or rotation)   | shifting of 198f.  |
| Platykurtic distribution 612   | stopping criterion in root finding 373   |
| Plotting of functions 349f.  | Port, serial data 899  |
| POCS (method of projection onto convex sets)   | Portability 2f., 16  |
| 814  | Portable random number generator see Ran-  |
| Poetry 5   | dom number generator   |
| Pointer  | Positive definite matrix, testing for 97   |
| to array 18  | Positivity constraints 431   |
| use for matrices 20, 33f., 940ff.  | Postal Service (U.S.), barcode 902   |
| Poisson equation 525, 827, 861   | PostScript xiii, xvii  |
| Poisson probability function   | Powell's method 396, 408, 412ff.   |
| cumulative 221   | Power (in a signal) 498f.  |
| deviates from 290, 293ff., 579   | Power series 165ff., 173f., 201  |
| semi-invariants of 614   | economization of 198ff.  |
| tails compared to Gaussian 659   | Padé approximant of 200ff.   |
| Poisson process 287, 291, 293  | Power spectral density <i>see</i> Fourier transform;   |
| Polak-Ribiere algorithm 396f., 422f.   | Spectral density   |
| Poles see Complex plane, poles in  | Power spectrum estimation <i>see</i> Fourier trans-  |
| Polishing of roots 365, 370f., 376f.   | form; Spectral density   |
| Polymorphism 7   | PPM (piecewise parabolic method) 846   |
| Polynomial interpolation 105, 108ff.   | Precedence of operators, in C 25f.   |
| Aitken's algorithm 108   | Precision, floating point 890  |
| in Bulirsch-Stoer method 728, 730f.  | Precision, multiple 915ff.   |
| coefficients for 120ff.  |  |
|  | Preconditioned biconjugate gradient method   |
| Lagrange's formula 91, 108f.   | (PBCG) 85f.  |
| multidimensional 123ff.  | Preconditioning, in conjugate gradient methods<br>833  |
| Neville's algorithm 108f., 111, 140, 188   | Predictor-corrector methods 708, 737, 747ff.   |
| pathology in determining coefficients for 120  | Adams-Bashforth-Moulton schemes 749  |
|  |  |
| in predictor-corrector method 748  | adaptive order methods 751   |
| smoothing filters 650f.  | compared to other methods 747f.  |
| see also Interpolation   | fallacy of multiple correction 748f.<br>with fixed number of iterations 749  |
| Polynomials 173ff.   |  |
| algebraic manipulations 175  | functional iteration vs. Newton's rule 749   |
| approximating modified Bessel functions  |  |
|  | multivalue compared with multistep 749f.   |
| 236  | multivalue compared with multistep 749f. starting and stopping 750, 751  |
| 236 approximation from Chebyshev coefficients  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.   |
| 236 approximation from Chebyshev coefficients 197  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  |
| 236 approximation from Chebyshev coefficients 197 AUTODIN-II 898   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f.,   |
| 236 approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f.   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897   |
| 236 approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f.  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806  Prize, \$1000 offered 281  Probability see Random number generator;  |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff.   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests  |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests Probability density, change of variables in  |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806  Prize, \$1000 offered 281  Probability see Random number generator; Statistical tests  Probability density, change of variables in 287ff.  |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f.   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806 Prize, \$1000 offered 281  Probability see Random number generator; Statistical tests  Probability density, change of variables in 287ff.  Process loss 554   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806 Prize, \$1000 offered 281  Probability see Random number generator; Statistical tests  Probability density, change of variables in 287ff.  Process loss 554  Product Nystrom method 797   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806  Prize, \$1000 offered 281  Probability see Random number generator; Statistical tests  Probability density, change of variables in 287ff.  Process loss 554  Product Nystrom method 797  Program(s)  |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173 evaluation of derivatives 173f.  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f.  Prime numbers 924f.  Primitive polynomials modulo 2 296ff., 311f., 897  Principal directions 414f.  Principal solution, of inverse problem 806  Prize, \$1000 offered 281  Probability see Random number generator; Statistical tests  Probability density, change of variables in 287ff.  Process loss 554  Product Nystrom method 797  Program(s)  as black boxes xiv, 5, 35, 60, 212, 348,                                |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173 evaluation of derivatives 173f. extrapolation in Bulirsch-Stoer method   | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests Probability density, change of variables in 287ff. Process loss 554 Product Nystrom method 797 Program(s) as black boxes xiv, 5, 35, 60, 212, 348, 413                                       |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173 evaluation of derivatives 173f. extrapolation in Bulirsch-Stoer method 728, 730f.  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests Probability density, change of variables in 287ff. Process loss 554 Product Nystrom method 797 Program(s) as black boxes xiv, 5, 35, 60, 212, 348, 413 dependencies 951ff.                   |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173 evaluation of derivatives 173f. extrapolation in Bulirsch-Stoer method 728, 730f. extrapolation in Romberg integration 140 | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests Probability density, change of variables in 287ff. Process loss 554 Product Nystrom method 797 Program(s) as black boxes xiv, 5, 35, 60, 212, 348, 413 dependencies 951ff. encapsulation 6f. |
| approximation from Chebyshev coefficients 197 AUTODIN-II 898 CCITT 897f. characteristic 375 characteristic, for digital filters 561, 567 characteristic, for eigenvalues of matrix 456, 475f. Chebyshev 190ff. CRC-16 898 deflation 369ff., 377 derivatives of 173f. division 91, 175, 369, 377 evaluation of 173 evaluation of derivatives 173f. extrapolation in Bulirsch-Stoer method 728, 730f.  | multivalue compared with multistep 749f. starting and stopping 750, 751 stepsize control 749f. Prime numbers 924f. Primitive polynomials modulo 2 296ff., 311f., 897 Principal directions 414f. Principal solution, of inverse problem 806 Prize, \$1000 offered 281 Probability see Random number generator; Statistical tests Probability density, change of variables in 287ff. Process loss 554 Product Nystrom method 797 Program(s) as black boxes xiv, 5, 35, 60, 212, 348, 413 dependencies 951ff.                   |

| organization 5ff.   | Monte Carlo 130, 162, 304ff., 316ff.  |
|---|---|
| recipes by chapter and section xix  | multidimensional 130, 161ff.  |
| typography of 11  | Newton-Cotes formulas 131ff., 147   |
| validation 2f.  | Newton-Cotes open formulas 132  |
| Projection onto convex sets (POCS) 814  | open formulas 131, 132f., 135f., 141  |
| Projection operator, nonexpansive 814   | related to differential equations 129   |
| Prolongation operator 873   | related to predictor-corrector methods 747f.  |
| Protocol, for communications 896  | Romberg integration 130, 140f., 143, 188,   |
| Prototypes in C 16f., 25, 930   | 723, 797  |
| PSD (power spectral density) see Fourier                                      | semi-open formulas 135f.  |
| transform; Spectral density   | Simpson's rule 132, 139, 143, 590, 791f.,   |
| Pseudo-random numbers 274ff.  | 797, 799  |
| Puns, particularly bad 173, 752, 755  | Simpson's three-eighths rule 132, 797,  |
| Pyramidal algorithm 594   | 799   |
| Pythagoreans 399  | singularity removal 144ff., 797f.<br>singularity removal, worked example 801<br>trapezoidal rule 131, 133, 136ff., 140, |
| <b>Q</b> L see Eigensystems   | 586, 590, 791f., 795<br>using FFTs 130  |
| QR see Eigensystems   | weight function $\log x$ 159  |
| QR decomposition 98f., 389, 393   | see also Integration of functions   |
| backsubstitution 98   | Quadrature mirror filter 592, 600   |
| and least squares 674   | Quantum mechanics, Uncertainty Principle  |
| operation count 98  | 607   |
| pivoting 99   | Quartile value 329  |
| updating 100, 389   | Quasi-Newton methods for minimization 397,  |
| use for orthonormal basis 66, 100   | 425ff.  |
| Quadratic convergence 57, 262, 358, 364f., 415f.,                             | Quasi-random sequence 309ff., 327, 889, 896<br>Halton's 309f.   |
| 427, 915  | for Monte Carlo integration 313ff., 319,  |
| equations 29, 183ff., 398, 464  | 327   |
| interpolation 360, 371  | Sobol's 311   |
| programming 443   | see also Random number generator  |
| Quadrature 129ff.   | Quicksort 329, 332ff., 338, 341   |
| adaptive 129, 196, 797  | Quotient-difference algorithm 170   |
| alternative extended Simpson's rule 134 arbitrary weight function 157ff., 797 | <b>C</b>  |
| automatic 160   |   |
| Bode's rule 132   | <b>R</b> -estimates 699f.   |
| change of variable in 144ff., 797   | Radioactive decay 287   |
| by Chebyshev fitting 130, 195   | Radix base for floating point arithmetic 483,   |
| classical formulas for 130ff.   | 890, 916, 922   |
| Clenshaw-Curtis 130, 196, 518f.   | Radix conversion 910, 914, 922  |
| closed formulas 131, 133f.  | Ramanujan's identity for $\pi$ 924  |
| and computer science 889  | RAND_MAX macro 275f., 277   |
| by cubic splines 130  | Random bits, generation of 296ff.   |
| error estimate in solution 793  | Random deviates 274ff.  |
| extended midpoint rule 135, 141f.   | binomial 295f.  |
| extended rules 133ff., 140, 795, 797, 799                                     | exponential 287f.   |
| extended Simpson's rule 134   | gamma distribution 290ff.   |
| Fourier integrals 584ff.  | Gaussian 275, 288f., 578, 807   |
| Fourier integrals, infinite range 590f.                                       | normal 275, 288f., 578  |
| Gauss-Chebyshev 151, 518f.  | Poisson 293ff., 579   |
| Gauss-Hermite 151, 798  | quasi-random sequences 309ff., 889, 896   |
| Gauss-Jacobi 151  | uniform 275ff.  |
| Gauss-Kronrod 160   | uniform integer 280, 283ff.   |
| Gauss-Laguerre 151, 798   | Random number generator 274ff.  |
| Gauss-Legendre 151, 792, 797  | bitwise operations 296ff.   |
| Gauss-Lobatto 160, 196, 518   | Box-Muller algorithm 289  |
| Gauss-Radau 160   | Data Encryption Standard 300ff.   |
| Gaussian integration 133, 147ff., 790,  | good choices for modulus, multiplier and  |
| 792, 797  | increment 284f.   |
| Gaussian integration, nonclassical weight                                     | for integer-valued probability distribution   |
| function 157ff., 797  | 293   |
| for improper integrals 141ff., 797f.<br>for integral equations 790f., 795     | integer vs. real implementation 283<br>L'Ecuyer's long period 280f.   |
| roi micgrai equations 1701., 175  | Licuyer a rong period 2001.   |

| linear congruential generator 276f.           | convergence 181                                |
|---|--|
| machine language 278                          | cosine function 178, 506                       |
| Minimal Standard, Park and Miller's 278f.     | dominant solution 179                          |
| nonrandomness of low-order bits 277           | exponential integrals 178                      |
| perfect 281                                   | gamma function 213                             |
| •   |  |
| planes, numbers lie on 277                    | generation of random bits 297f.                |
| portable 278ff.                               | Golden Mean 30                                 |
| primitive polynomials modulo 2 296ff.         | Legendre polynomials 178                       |
| pseudo-DES 300                                | minimal vs. dominant solution 179              |
| quasi-random sequences 309ff., 889, 896       | modified Bessel function 239                   |
| •   | Neville's 109, 188                             |
| quick and dirty 283ff.                        |  |
| quicker and dirtier 284f.                     | orthonormal polynomials 149                    |
| in Quicksort 333                              | Perron's theorems 180f.                        |
| random access to $n$ th number 303            | Pincherle's theorem 181                        |
| random bits 296ff.                            | polynomial interpolation 109, 189              |
| recommendations 285f.                         | primitive polynomials modulo 2 297f.           |
|   |  |
| rejection method 290ff.                       | random number generator 276                    |
| shuffling procedure 280, 281                  | rational function interpolation 111f.          |
| in simulated annealing method 445             | sequence of trig functions 178f.               |
| spectral test 284                             | sine function 178, 506                         |
| subtractive method 282                        | spherical harmonics 253                        |
| system-supplied 275ff.                        | stability of 30f., 179ff., 182f., 231, 239,    |
|   | •  |
| timings 285f.                                 | 253  |
| transformation method 287ff.                  | trig functions 579                             |
| trick for trigonometric functions 289         | weight of Gaussian quadrature 150f.            |
| Random numbers see Monte Carlo; Random        | Recursion, in multigrid method 874             |
| deviates                                      | Recursive Monte Carlo integration 316ff.       |
| Random walk 29                                | Recursive stratified sampling 323ff.           |
|   |  |
| RANDU, infamous routine 277                   | Red-black see Odd-even ordering                |
| Range 61, 63                                  | Reduction of variance in Monte Carlo integra-  |
| Rank (matrix) 61                              | tion 308, 316ff.                               |
| kernel of finite 794                          | References (explanation) 4                     |
| Rank (sorting) 329, 340f.                     | References (general bibliography) 926ff.       |
| Rank (statistics) 639ff., 699f.               | Reflection formula for gamma function 213      |
| · · · · · · · · · · · · · · · · · · ·         |  |
| Kendall's tau 642ff.                          | register storage class 25                      |
| Spearman correlation coefficient 640f.        | Regula falsi (false position) 354ff.           |
| sum squared differences of 640                | Regularity condition 784                       |
| Ratio variable (statistics) 628               | Regularization                                 |
| Rational Chebyshev approximation 204ff.       | compared with optimal filtering 810            |
| Rational function 105, 173ff., 200ff., 204ff. | constrained linear inversion method 808ff.     |
|   |  |
| approximation for Bessel functions 231f.      | of inverse problems 805ff.                     |
| approximation for continued fraction 170,     | linear 808ff.                                  |
| 217, 227                                      | nonlinear 822f.                                |
| Chebyshev approximation 204ff.                | objective criterion 811                        |
| evaluation of 176                             | Phillips-Twomey method 808ff.                  |
| extrapolation in Bulirsch-Stoer method        | Tikhonov-Miller 808ff.                         |
| 724ff., 731                                   | trade-off curve 808                            |
|   |  |
| interpolation and extrapolation using 105,    | two-dimensional 812                            |
| 111ff., 200ff., 204ff., 724ff., 731           | zeroth order 805ff.                            |
| minimax 204                                   | see also Inverse problems                      |
| as power spectrum estimate 573                | Regularizing operator 807                      |
| Realizable (causal) 559, 561                  | Rejection method for random number genera-     |
| Rearranging see Sorting                       | tor 290ff.                                     |
|   |  |
| Reciprocal, multiple precision 919            | Relaxation method                              |
| Record, in data file 338                      | for algebraically difficult sets 772           |
| Recurrence relation 178ff.                    | automated allocation of mesh points 783f.,     |
| associated Legendre polynomials 253           | 786  |
| Bessel function 178, 231, 241f.               | computation of spheroidal harmonics 772ff.     |
| binomial coefficients 215                     | for differential equations 754f., 762ff.       |
|   |  |
| Bulirsch-Stoer 111f.                          | elliptic partial differential equations 832f., |
| characteristic polynomial of tridiagonal      | 863ff.   |
| matrix 475                                    | example 772ff.                                 |
| Clenshaw's recurrence formula 181ff.          | Gauss-Seidel method 864, 873ff., 884           |
| and continued fraction 181                    | internal boundary conditions 784ff.            |
| continued fraction evaluation 170f.           | internal singular points 784ff.                |
|   | moniai singulai points /0411.                  |

| Jacobi's method 864f., 873                    | Newton's rule 149f., 185, 348, 362ff.,       |
|---|--|
| successive over-relaxation (SOR) 866ff.,      | 369, 371, 377, 379ff., 383f., 476, 749,      |
| 871, 875                                      | 757f., 762, 796, 882, 884, 919, 921          |
| see also Multigrid method                     | pathological cases 350f., 362ff., 369, 380   |
| Remes algorithms                              | polynomials 348, 369ff., 456                 |
| •   |  |
| exchange algorithm 560                        | in relaxation method 762                     |
| for minimax rational function 205             | Ridders' method 348, 356, 358                |
| Residual 57, 62, 85                           | root-polishing 365, 370f., 376ff., 378       |
| in multigrid method 872                       | safe Newton's rule 366                       |
| Resolution function, in Backus-Gilbert method | secant method 354ff., 365, 371, 406          |
| 816   | in shooting method 754, 757f.                |
| Response function 538                         | singular Jacobian in Newton's rule 393       |
|   |  |
| Restriction operator 873                      | stopping criterion for polynomials 373       |
| Reward, \$1000 offered 281                    | use of minimum finding 348                   |
| Richardson's deferred approach to the limit   | using derivatives 362ff.                     |
| 140, 143, 188, 708, 724ff., 733f., 796,       | zero suppression 379                         |
| 878   | see also Roots                               |
| see also Bulirsch-Stoer method                | Root polishing 365, 370, 376ff.              |
| Richtmyer artificial viscosity 846            | Roots  |
|   |  |
| Ridders' method, for numerical derivatives    | Chebyshev polynomials 190                    |
| 188   | cubic equations 184f.                        |
| Ridders' method, root finding 348, 356, 358   | multiple 348, 371ff.                         |
| Riemann shock problem 846                     | nonlinear equations 347ff.                   |
| Right eigenvalues and eigenvectors 458        | polynomials 348, 369ff., 456                 |
| Rise/fall time 554f.                          | quadratic equations 183f.                    |
| Robust estimation 659, 699ff., 705            | reflection in unit circle 567                |
|   |  |
| Andrew's sine 702                             | square, multiple precision 921               |
| average deviation 611                         | see also Root finding                        |
| double exponential errors 701                 | Rosenbrock method 737ff.                     |
| Kalman filtering 705                          | compared with semi-implicit extrapolation    |
| Lorentzian errors 701f.                       | 747  |
| mean absolute deviation 611                   | stepsize control 738                         |
| nonparametric correlation 639ff.              | Roundoff error 29, 889f.                     |
| •   |  |
| Tukey's biweight 702                          | bracketing a minimum 406                     |
| use of a priori covariances 705               | conjugate gradient method 833                |
| see also Statistical tests                    | eigensystems 465, 474, 476, 478, 483,        |
| Romberg integration 130, 140f., 143, 188,     | 485, 489                                     |
| 723, 797                                      | extended trapezoidal rule 138                |
| Root finding 149f., 347ff.                    | general linear least squares 674, 677        |
| advanced implementations of Newton's rule     | graceful 891                                 |
| 393   | hardware aspects 890                         |
|   |  |
| Bairstow's method 371, 377                    | Householder reduction 472                    |
| bisection 350, 353, 359ff., 366, 397, 476,    | IEEE standard 891                            |
| 703   | interpolation 107                            |
| bracketing of roots 348, 350ff., 360, 369,    | least squares fitting 664, 674               |
| 371, 376                                      | Levenberg-Marquardt method 685               |
| Brent's method 348, 356, 666                  | linear algebraic equations 32f., 36, 38, 55, |
| Broyden's method 380, 389ff., 393             | 64, 91                                       |
|   |  |
| compared with multidimensional minimiza-      | linear predictive coding (LPC) 571           |
| tion 382                                      | magnification of 29, 55                      |
| complex analytic functions 371                | maximum entropy method (MEM) 574             |
| in complex plane 210                          | measuring 890                                |
| convergence criteria 353, 381                 | multidimensional minimization 426, 430       |
| deflation of polynomials 369ff., 377          | multiple roots 369f.                         |
| without derivatives 361                       | numerical derivatives 186                    |
| double root 348                               | recurrence relations 179                     |
|   |  |
| eigenvalue methods 375                        | reduction to Hessenberg form 485             |
| false position 354ff.                         | series 170f.                                 |
| Jenkins-Traub method 376                      | straight line fitting 664                    |
| Laguerre's method 348, 371ff.                 | variance 613                                 |
| Lehmer-Schur algorithm 376                    | Row degeneracy 32                            |
| Maehly's procedure 370, 378                   | Row-indexed sparse storage 78f.              |
| matrix method 375                             | transpose 80f.                               |
|   |  |
| Muller's method 371, 379                      | Row operations on matrix 37, 40              |
| multiple roots 348                            | Row totals 630                               |
|   |  |

| RSS algorithm 323ff.                          | Bessel function $Y_{\nu}$ 242                       |
|---|---|
| RST properties (reflexive, symmetric, transi- | Bessel functions 166, 230                           |
| tive) 345                                     |   |
|   | cosine integral 257                                 |
| Runge-Kutta method 708f., 710ff., 738, 747    | divergent 167                                       |
| Cash-Karp parameters 716f.                    | economization 198ff., 201                           |
| embedded 715f., 738                           | Euler's transformation 166ff.                       |
| high-order 711                                | exponential integral 222, 224                       |
| quality control 728                           | Fresnel integral 255                                |
| stepsize control 714ff.                       | hypergeometric 208, 271                             |
| •   |   |
| Run-length encoding 909                       | incomplete beta function 227                        |
| Rybicki, G.B. 91f., 120, 151, 259, 528, 581,  | incomplete gamma function 217                       |
| 606   | Laurent 573   |
|   | relation to continued fractions 169f.               |
| •   | roundoff error in 170f.                             |
| Sampling                                      | sine and cosine integrals 257                       |
| importance 316f.                              | e e   |
| Latin square or hypercube 315                 | sine function 166                                   |
| recursive stratified 323ff.                   | Taylor 362, 414, 708, 715, 763, 767                 |
| stratified 317f.                              | transformation of 166ff.                            |
|   | van Wijngaarden's algorithm 167                     |
| uneven or irregular 576, 654                  | Shaft encoder 894f.                                 |
| Sampling theorem 501, 550                     | Shakespeare 8                                       |
| for numerical approximation 606ff.            | •   |
| Sande-Tukey FFT algorithm 509                 | Shampine's Rosenbrock parameters 738                |
| Savitzky-Golay filters                        | Shell algorithm (Shell's sort) 330ff.               |
| for data smoothing 650ff.                     | Sherman-Morrison formula 73ff., 90, 389             |
| for numerical derivatives 189, 651            | Shifting of eigenvalues 456, 477f., 486f.           |
|   | Shock wave 840, 846                                 |
| Scallop loss 554                              | Shooting method                                     |
| Schrage's algorithm 278                       | computation of spheroidal harmonics 781             |
| Schrödinger equation 851ff.                   |   |
| Schultz's method for matrix inverse 57, 606   | for differential equations 754, 757ff.,             |
| SDLC checksum 898                             | 779f., 781  |
| Searching                                     | for difficult cases 760                             |
| with correlated values 117f.                  | example 779f., 781                                  |
| an ordered table 117f.                        | interior fitting point 760                          |
|   | Shuffling to improve random number generator        |
| selection 341ff.                              | 280f.   |
| Secant method 348, 354ff., 365, 371, 406      | Sidelobe fall-off 554                               |
| Broyden's method 389ff.                       |   |
| multidimensional (Broyden's) 380, 389ff.      | Sidelobe level 554                                  |
| Second Euler-Maclaurin summation formula      | Signal, bandwidth limited 501                       |
| 142   | Significance (numerical) 28                         |
| Second order differential equations 732f.     | Significance (statistical) 615f.                    |
| Seed of random number generator 275           | one- vs. two-sided 638                              |
|   | peak in Lomb periodogram 577                        |
| Selection 329, 341ff.                         | of 2-d K-S test 646f.                               |
| find $m$ largest elements 344                 |   |
| heap algorithm 344                            | two-tailed 619                                      |
| for median 703                                | Similarity transform 459ff., 463, 483, 485,         |
| operation count 341f.                         | 488   |
| by partition-exchange 341                     | Simplex   |
| without rearrangement 342                     | defined 408f.                                       |
| timings 344                                   | method in linear programming 396, 408f.,            |
|   | 430, 433ff., 439ff.                                 |
| use to find median 614f.                      |   |
| Semi-implicit Euler method 737, 743           | method of Nelder and Mead 396, 408ff.,              |
| Semi-implicit extrapolation method 737, 743   | 451f., 702f.  |
| compared with Rosenbrock method 747           | use in simulated annealing 451f.                    |
| stepsize control 744                          | Simpson's rule 130ff., 134, 139, 143, 590,          |
| Semi-implicit midpoint rule 743               | 791f., 796, 797                                     |
| Semi-invariants of a distribution 614         | Simpson's three-eighths rule 132, 797, 799          |
| Sentinel, in Quicksort 333, 341               | Simulated annealing <i>see</i> Annealing, method of |
|   |   |
| Separable kernel 794                          | simulated   |
| Separation of variables 252                   | Simulation see Monte Carlo                          |
| Serial data port 899                          | Sine function                                       |
| Series 165ff.                                 | evaluated from $tan(\theta/2)$ 179                  |
| accelerating convergence of 166ff.            | recurrence 178                                      |
| alternating 166f.                             | series 166  |
| asymptotic 167                                | Sine integral 255, 257ff.                           |
|   |   |
| Bessel function $K_{\nu}$ 247                 | continued fraction 257                              |

| series 257   | relaxation method for boundary value prob-                                    |
|--|---|
| see also Cosine integral                           | lems 762  |
| Sine transform see Fast Fourier transform          | row-indexed storage 78f.  |
| (FFT); Fourier transform                           | wavelet transform 591, 606  |
| Singleton's algorithm for FFT 532                  | see also Matrix Spearman rank-order coefficient 640f., 699f.                  |
| Singular value decomposition (SVD) 33, 34f., 59ff. | Special functions <i>see</i> Function   |
| approximation of matrices 66f.                     | Spectal functions see Function Spectral analysis see Fourier transform; Peri- |
| backsubstitution 64                                | odogram   |
| and bases for nullspace and range 61               | Spectral density 548  |
| confidence levels from 698                         | and data windowing 553ff.   |
| covariance matrix 698                              | figures of merit for data windows 554f.                                       |
| fewer equations than unknowns 65                   | normalization conventions 550   |
| for inverse problems 806                           | one-sided PSD 498   |
| and least squares 62, 65f., 205, 674, 676ff.       | periodogram 550ff., 574   |
| in minimization 416                                | power spectral density (PSD) 498f.  |
| more equations than unknowns 65f.                  | power spectral density per unit time 499                                      |
| and rational Chebyshev approximation               | power spectrum estimation by FFT 549ff.                                       |
| 205  | power spectrum estimation by MEM 572ff  |
| of square matrix 61ff.                             | two-sided PSD 499   |
| use for ill-conditioned matrices 63f., 66,         | variance reduction in spectral estimation                                     |
| 456  | 552   |
| use for orthonormal basis 66, 100                  | Spectral lines, how to smooth 650   |
| Singularities                                      | Spectral methods for partial differential equa-                               |
| of hypergeometric function 209, 271                | tions 833f.   |
| in integral equations 797ff.                       | Spectral radius 865ff., 871   |
| in integral equations, worked example 801          | Spectral test for random number generator                                     |
| in integrands 141ff., 797f.                        | 284   |
| removal in numerical integration 144ff.,           | Spectrum see Fourier transform  |
| 797f.  | Spherical Bessel functions 240  |
| Singularity, subtraction of the 798                | routine for 251   |
| SIPSOL 833   | Spherical harmonics 252f.   |
| Skewness of distribution 612, 614                  | orthogonality 252   |
| Smoothing, importance in multigrid method          | routine for 254   |
| 874  | stable recurrence for 253   |
| Smoothing of data 120, 650ff.                      | table of 253  |
| in integral equations 790                          | see also Associated Legendre polynomials                                      |
| sn function 269                                    | Spheroidal harmonics 772ff., 779f., 781                                       |
| Snyder, N.L. xii                                   | boundary conditions 774   |
| Sobol's quasi-random sequence 311                  | normalization 774   |
| Sonata 8   | routine for 777ff., 780f., 781f.  |
| Sonnet 8   | Spline 106  |
| Sorting 329ff.                                     | cubic 113ff.  |
| bubble sort cautioned against 330                  | gives tridiagonal system 115  |
| compared to selection 341                          | natural 115   |
| covariance matrix 675, 687                         | operation count 115   |
| eigenvectors 468f.                                 | two-dimensional (bicubic) 127f.   |
| Heapsort 329, 336f., 344                           | Spread matrix 817   |
| index table 329, 338                               | Spread spectrum 300   |
| operation count 329ff.                             | Square root, complex 177f. Square root, multiple precision 921                |
| Quicksort 329, 332ff., 338, 341                    | Square window 553   |
| rank table 329, 340f.                              | Squaring, macro in C 27   |
| ranking 338  | Stability 30f.  |
| Shell's method 330ff.                              | of Clenshaw's recurrence 182f.  |
| straight insertion 330f., 468                      | Courant condition 838, 841ff., 845, 855                                       |
| SPARC or SPARCstation xvii, 3                      | diffusion equation 849  |
| Sparse linear equations 33, 71ff., 739             | of Gauss-Jordan elimination 36, 38  |
| band diagonal 51ff.                                | of implicit differencing 735f., 849   |
| biconjugate gradient method 84f., 606              | mesh-drift in PDEs 843f.  |
| indexed storage 78f.                               | nonlinear 840, 846  |
| in inverse problems 813                            | partial differential equations 829, 836f.                                     |
| minimum residual method 85                         | of polynomial deflation 370   |
| named patterns 71, 831                             | in quadrature solution of Volterra equation                                   |
| partial differential equations 831ff.              | 796   |

| of recurrence relations 179ff., 182f., 231, | Student's t, for correlation 637               |
|---|--|
| 239, 253                                    | Student's t, paired samples 618                |
| and stiff differential equations 735f.      | Student's t, Spearman rank-order coefficient   |
| von Neumann analysis for PDEs 836f.,        | 640  |
| 839, 842, 849                               | Student's t, unequal variances 617             |
| see also Accuracy                           | sum squared difference of ranks 640f.          |
| Stabilized Kolmogorov-Smirnov test 626f.    | Tukey's trimean 699                            |
|   |  |
| Stabilizing functional 807                  | two-dimensional 645ff.                         |
| Staggered leapfrog method 842f.             | variance 609ff., 613, 618                      |
| Standard deviation                          | Wilcoxon 699                                   |
| of a distribution 611                       | see also Error; Robust estimation              |
| of Fisher's z 637                           | STDC macro 17, 930                             |
| of linear correlation coefficient 636       | Steak, without sizzle 818                      |
| of sum squared difference of ranks 641      | Steed's method                                 |
| Standard (probable) errors 616, 662, 667,   | Bessel functions 240ff., 246                   |
| 673, 677, 689                               | continued fractions 170f.                      |
| Statement labels 8                          |  |
|   | Steepest descent method 421                    |
| Statistical error 659                       | in inverse problems 813                        |
| Statistical tests 609ff.                    | Step   |
| Anderson-Darling 626f.                      | doubling 136, 715                              |
| average deviation 611                       | tripling 143                                   |
| bootstrap method 691f.                      | Stieltjes, procedure of 157                    |
| chi-square 620f., 630ff.                    | Stiff equations 709, 734ff.                    |
| contingency coefficient C 631               | Kaps-Rentrop method 737                        |
| contingency tables 628ff., 644              | methods compared 747                           |
| correlation 609f.                           | predictor-corrector method 737                 |
| Cramer's V 631                              | r.h.s. independent of $x = 736$                |
| difference of distributions 620ff.          | 1  |
|   | Rosenbrock method 737ff.                       |
| difference of means 615ff.                  | scaling of variables 737                       |
| difference of variances 617, 619            | semi-implicit extrapolation method 737         |
| entropy measures of association 632ff.      | semi-implicit midpoint rule 743                |
| F-test 617, 619                             | Stiff functions 106, 406                       |
| Fisher's z-transformation 637f.             | Stirling's approximation 213, 821              |
| general paradigm 609                        | Stoermer's rule 732f.                          |
| Kendall's tau 640, 642ff.                   | Stopping criterion, in multigrid method 884    |
| Kolmogorov-Smirnov 620, 623ff., 645ff.,     | Stopping criterion, in polynomial root finding |
| 699   | 373  |
| Kuiper's statistic 627                      | Storage  |
| kurtosis 612, 614                           | band diagonal matrix 52                        |
| L-estimates 699                             | scheme for matrix in C 20f., 33f., 940f.       |
|   |  |
| linear correlation coefficient 636ff.       | sparse matrices 78f.                           |
| M-estimates 699ff.                          | Straight injection 876                         |
| mean 609ff., 614, 615ff.                    | Straight insertion 330f., 468                  |
| measures of association 610, 628ff.         | Straight line fitting 661ff., 673f.            |
| measures of central tendency 610ff.         | errors in both coordinates 666ff.              |
| median 611, 699                             | robust estimation 703                          |
| mode 611                                    | Strassen's fast matrix algorithms 102ff.       |
| moments 610ff., 614                         | Stratified sampling, Monte Carlo 317f., 323    |
| nonparametric correlation 639ff.            | Strongly implicit procedure (SIPSOL) 833       |
| Pearson's r 636ff.                          | Structured programming 5ff.                    |
| for periodic signal 577f.                   | Student's probability distribution 226, 228    |
| phi statistic 631                           | Student's t-test                               |
| R-estimates 699f.                           | for correlation 637                            |
|   |  |
| rank correlation 639ff.                     | for difference of ranks 641                    |
| robust 611, 640, 699ff.                     | for difference of means 616                    |
| semi-invariants 614                         | for difference of means (paired samples)       |
| for shift vs. for spread 626f.              | 618  |
| significance 615f.                          | for difference of means (unequal variances)    |
| significance, one- vs. two-sided 619, 638   | 617  |
| skewness 612, 614                           | Spearman rank-order coefficient 640            |
| Spearman rank-order coefficient 640f.,      |  |
|   | Sturmian sequence 475f.                        |
| 6991.                                       | Sturmian sequence 475f.                        |
| 699f.<br>standard deviation 611             | submatrix() utility 945                        |
| standard deviation 611                      | submatrix() utility 945<br>Submatrix           |
|   | submatrix() utility 945                        |

| Sub-random sequences <i>see</i> Quasi-random sequence Subtraction, multiple precision 916 Subtractive method for random number generator 282 Successive over-relaxation (SOR) 866ff., 871 bad in multigrid method 875 | Trigonometric functions, linear sequences 178f. functions, recurrence relation 178, 579 functions, $\tan(\theta/2)$ as minimal 179 interpolation 105 solution of cubic equation 184f. Truncation error 30, 406, 715, 889f. |
|---|--|
| Chebyshev acceleration 868f.  | in multigrid method 883  |
| choice of overrelaxation parameter 866f. Sum squared difference of ranks 640  | in numerical derivatives 186 Tukey's biweight 702  |
| Sums see Series   | Tukey's trimean 699  |
| Sun xvii, 894   | Turbo Pascal (Borland) 7<br>Twin errors 902  |
| SPARCstation xvii, 3<br>Supernova 1987A 645   | Two-dimensional see Multidimensional   |
| SVD see Singular value decomposition (SVD)  | Two-dimensional K–S test 645ff.  |
| switch structure 14   | Two-pass algorithm for variance 613 Two-point boundary value problems 708,   |
| Symbol, of operator 875f.<br>Synthetic division 91, 174, 369, 377   | 753ff.   |
| Systematic errors 659   | automated allocation of mesh points 783f., 786   |
| <b>-</b>  | boundary conditions 753ff., 757, 760, 779f.  |
| Tangent function, continued fraction 169  | difficult cases 760  |
| Taylor series 186, 362, 414, 708, 715, 750,   | eigenvalue problem for differential equations 756, 772ff., 779, 781  |
| 763, 767  | free boundary problem 756, 785   |
| Test programs 3 TEX xiii  | grid (mesh) points 754f., 762, 783f., 786 internal boundary conditions 784ff.  |
| Thermodynamics, analogy for simulated an-   | internal singular points 784ff.  |
| nealing 444f.   | linear requires no iteration 759   |
| Threshold multiply of sparse matrices 81ff.  Tides 568  | multiple shooting 762 problems reducible to standard form 756  |
| Tikhonov-Miller regularization 808ff.   | regularity condition 784   |
| Time domain 496 Time splitting 856f., 870   | relaxation method 754f., 762ff. relaxation method, example of 772ff.   |
| Toeplitz matrix 90, 92ff., 201  | shooting to a fitting point 760ff.   |
| LU decomposition 94   | shooting method 754, 757ff., 779f., 781  |
| new, fast algorithms 95f.<br>nonsymmetric 93ff.   | shooting method, example of 779f., 781 singular endpoints 760, 773, 780  |
| Tongue twisters 341   | see also Elliptic partial differential equa-   |
| Torus 305ff., 313ff.  | tions  |
| Trade-off curve 804, 818 Trademarks xvii  | Two-sided exponential error distribution 701 Two-sided power spectral density 499  |
| Transformation  | Two-step Lax-Wendroff method 844ff.  |
| Gauss 262   | Hemory   |
| Landen 262 method for random number generator 287ff.  | ULTRIX xvii, 3<br>Uncertainty coefficient 634  |
| Transforms, number theoretic 509f.  | Uncertainty principle 607  |
| Transport error 840   | Underflow, in IEEE arithmetic 891<br>Underrelaxation 866   |
| Transpose of sparse matrix 80f.<br>Trapezoidal rule 131, 133, 136ff., 140, 586,   | Uniform deviates <i>see</i> Random deviates, uni-  |
| 590, 791f., 795   | form   |
| Traveling salesman problem 445ff.   | Unit-offset array 18, 940f. Unitary (function) 852f.   |
| Tridiagonal matrix 50f., 66, 156, 460f., 494 in alternating-direction implicit method   | Unitary (matrix) see Matrix  |
| (ADI) 870f.   | UNIX xii, xvii, 3, 16, 285, 303, 894   |
| from cubic spline 115 cyclic 74f.   | Upper Hessenberg matrix see Hessenberg matrix  |
| in cyclic reduction 862   | Upwind differencing 841f., 846   |
| eigenvalues 475ff.  | U.S. Postal Service barcode 902<br>Utility functions   |
| with fringes 831 from operator splitting 870f.  | complex.c 23f., 948ff.   |
| reduction of symmetric matrix to 469ff., 476  | nrutil.c 2, 19, 21f., 940, 942ff.  |
| see also Matrix   | <b>V</b> -cycle 874  |

| Validation of Numerical Recipes procedures                      | fast solution of linear equations 603ff.                |
|---|---|
| 2f.<br>Valley, long or narrow 410, 413, 416                     | filters 599f.<br>and Fourier domain 599f.               |
| Van Cittert's method 813  | image processing 603                                    |
| Van Wijngaarden-Dekker-Brent method see                         | for integral equations 791                              |
| Brent's method  | inverse 594   |
| Vandermonde matrix 90ff., 120                                   | Lemarie's wavelet 600                                   |
| Variable length code 903  | of linear operator 603ff.                               |
| Variable metric method 397, 425ff.                              | mother-function coefficient 594                         |
| compared to conjugate gradient method                           | mother functions 591                                    |
| 425f.   | multidimensional 602                                    |
| Variable step-size integration 129, 141, 709,                   | nonsmoothness of wavelets 598f.                         |
| 713, 725ff., 733f., 738, 744, 749f.                             | pyramidal algorithm 594<br>quadrature mirror filter 592 |
| Variance(s) of distribution 609ff., 614, 617, 619               | smooth information 593                                  |
| pooled 616  | truncation 601f.  |
| reduction of (in Monte Carlo) 308, 316ff.                       | wavelet filter coefficient 592, 594                     |
| statistical differences between two 615                         | wavelets 591, 598ff.                                    |
| two-pass algorithm for computing 613                            | Wavelets see Wavelet transform                          |
| see also Covariance   | Weber function 210                                      |
| Variational methods, partial differential equa-                 | Weighted Kolmogorov-Smirnov test 626f.                  |
| tions 833   | Weighted least-squares fitting see Least squares        |
| VAX xvii, 285, 303  | fitting Weighting, full vs. half in multigrid 876       |
| Vector <i>see</i> Array<br>Vectors, representation in C 18      | Weights for Gaussian quadrature 147ff., 797             |
| vectors, representation in C 18                                 | nonclassical weight function 157ff., 797                |
| VEGAS algorithm for Monte Carlo 319ff.                          | Welch window 554  |
| Verhoeff's algorithm for checksums 902                          | while iteration 12                                      |
| Viète's formulas for cubic roots 184f.                          | Wiener filtering 542, 547ff., 565f., 650                |
| Virus, computer 897   | compared to regularization 810                          |
| Viscosity   | Wiener-Khinchin theorem 498, 566, 574                   |
| artificial 840, 846   | Wilcoxon test 699                                       |
| numerical 839, 840, 846   | Window function<br>Bartlett 554                         |
| VMS xvii  | flat-topped 555   |
| void (parameter type list) 17<br>Volterra equations 789f.       | Hamming 554   |
| adaptive stepsize control 797                                   | Hann 554  |
| analogy with ODEs 794f.   | Parzen 554  |
| block-by-block method 797                                       | square 553  |
| first kind 790, 795   | Welch 554   |
| nonlinear 790, 796  | Winograd Fourier transform algorithms 509               |
| second kind 790, 794f.  | Woodbury formula 75ff., 90                              |
| unstable quadrature 796   | Wordlength 28   |
| von Neumann-Richtmyer artificial viscosity                      | Wraparound order for storing spectrum 507               |
| 846   | problem in convolution 540                              |
| von Neumann stability analysis for PDEs 836f.,<br>839, 842, 849 | Wronskian, of Bessel functions 240, 246                 |
| Vowellish (coding example) 904f., 910                           |   |
| vowemsn (count example) 5041., 510                              | V   |
|   | <b>X</b> .25 protocol 898                               |
| <b>W</b> -cycle 874   | XMODEM checksum 897                                     |
| Warranty, disclaimer of xvi                                     | X-ray diffraction pattern, processing of 814            |
| Wave equation 252, 827, 834f.                                   |   |
| Wavelet transform 591ff.  | <b>Y</b> ale Sparse Matrix Package 72, 78               |
| appearance of wavelets 598f.                                    |   |
| approximation condition of order $p$ 592f.                      | 7   |
| coefficient values 594, 596                                     | Z-transform 561, 567, 572                               |
| contrasted with Fourier transform 591f.,                        | Z-transformation, Fisher's 637f.<br>Zealots 823         |
| Daubechies wavelet filter coefficients 592ff                    | Zebra relaxation 875                                    |
| 596, 598, 601, 605  | Zero contours 379f.                                     |
| detail information 593  | Zero-offset array 18                                    |
| discrete wavelet transform (DWT) 594f.                          | Zeroth-order regularization 805ff.                      |
| DWT (discrete wavelet transform) 594f.                          | Zip code, barcode for 902                               |
| eliminating wrap-around 594f.                                   | Ziv-Lempel compression 903                              |
|   |   |