


2.1. An equilateral triangular lamina of 35mm side lies with one of its edges on HP such that the surface of the lamina is inclined to HP at 60°. The edge on which it rests is inclined to VP at 60°. Draw the projections.




2.2. A triangular lamina of 35mm side rests on one of its corners on VP such that the median passing through the corner on which it rests is inclined at 30° to HP and 45° to VP. Draw its projections.




2.3. A 30°-60° setsquare of 60mm longest side is so kept such that the longest side is in HP, making an angle of 30° with VP. The set square itself is inclined at 45° to HP. Draw the projections of the setsquare.




2.4. A square lamina of 30mm side rests on one of its sides on HP. The lamina makes 30° to HP and the side on which it rests makes 45° to VP. Draw its projections.




2.5. A square plate of 40mm sides rests on HP such that one of the diagonals is inclined at 30° to HP and 45° to VP. Draw its projections.




2.6. A rectangular lamina of sides 25mm x 35mm rests on HP on one of its longer edges. The lamina is tilted about the edge on which it rests till its plane surface is inclined to HP at 45°. The edge on which it rests is inclined at 30° to VP. Draw the projections of the lamina.




2.7. A rectangular lamina of 35mm x 20mm rests on HP on one of its shorter edges. The lamina is rotated about the edge on which it rests till it appears as a square in the top view. The edge on which the lamina rests is inclined 30° to VP. Draw its projections and find its inclination to HP.




2.8. A pentagonal lamina of edges 25mm is resting on HP with one of its sides such that the surface makes an angle of 60° with HP. The edge on which it rests is inclined at 45° to VP. Draw its projections.




2.9. A pentagonal lamina having edges 25mm is placed on one of its corner on HP such that the perpendicular bisector of the edge passing through the corner on which the lamina rests is inclined at 30° to HP and 45° to VP. Draw the top and front views of the lamina.




2.10. A pentagonal lamina having edges 25mm is placed on one of its corners on HP such that the surface makes an angle 30° with HP and perpendicular bisector of the edge passing through the corner on which the lamina rests appears to be inclined at 45° to VP. Draw the top and front views of the lamina.




2.11. A hexagonal lamina of edges 25mm is resting on HP with one of its sides such that the surface makes an angle of 60° with HP. The edge on which it rests is inclined at 45° to VP. Draw its projections.




2.12. A hexagonal lamina of sides 25mm is resting with one of its corners in VP and its surface inclined at an angle of 30° with VP. The diagonal passing through that corner which is in VP is inclined at 45° to HP. Draw the projections of the lamina.



2.13. A hexagonal lamina of sides 25mm is resting with one of its corners in VP and its surface inclined at an angle of 30° with VP. The diagonal passing through that corner which is in VP appears to be inclined at 45° to HP. Draw the projections of the lamina.



2.14. Draw the projections of a circular plane of negligible thickness of 50mm diameter resting on HP on a point A on the circumference, with its plane inclined at 45° to HP and the top view of the diameter passing through the resting point makes 60° with VP.



2.15. A circular lamina of 50mm diameter rests on HP such that one of its diameters is inclined at 30°to VP and 45° to HP. Draw its top and front views in this position.

