

Introduction to Neural Network Intelligence



Contents

- What is NNI?
- Creating an experiment
- Viewing results
- Debugging

What is NNI?

- Toolkit - automate Feature Engineering, Neural Architecture Search, **Hyperparameter Tuning** and Model Compression
- Supports a range of frameworks and libraries
- Variety of search and optimization algorithms
- Runs on Linux, macOS and Windows



Creating an Experiment

- Trial code = experiment.py

```
+ import nni

def main(args):
    # load data
    train_loader = torch.utils.data.DataLoader(datasets.MNIST(...), batch_size=args['batch_size'], shuffle=True)
    test_loader = torch.tuils.data.DataLoader(datasets.MNIST(...), batch_size=1000, shuffle=True)
    # build model
    model = Net(hidden_size=args['hidden_size'])
    optimizer = optim.SGD(model.parameters(), lr=args['lr'], momentum=args['momentum'])
    # train
    for epoch in range(10):
        train(args, model, device, train_loader, optimizer, epoch)
        test_acc = test(args, model, device, test_loader)
-         print(test_acc)
+         nni.report_intermediate_result(test_acc)
-         print('final accuracy:', test_acc)
+         nni.report_final_result(test_acc)

if __name__ == '__main__':
-     params = {'batch_size': 32, 'hidden_size': 128, 'lr': 0.001, 'momentum': 0.5}
+     params = nni.get_next_parameter()
    main(params)
```



Code source: <https://nni.readthedocs.io/en/latest/Tutorial/QuickStart.html>

Creating an Experiment

- Define the search space = example_config.yml

```
searchSpace:  
  batch_size:  
    _type: choice  
    _value: [16, 32, 64, 128]  
  hidden_size:  
    _type: choice  
    _value: [128, 256, 512, 1024]  
  lr:  
    _type: choice  
    _value: [0.0001, 0.001, 0.01, 0.1]  
  momentum:  
    _type: uniform  
    _value: [0, 1]
```

<https://nni.readthedocs.io/en/latest/Tutorial/SearchSpaceSpec.html>

Code source: <https://nni.readthedocs.io/en/latest/Tutorial/QuickStart.html>



Creating an Experiment

- Define the experiment = example_config.yml

```
experimentName: experiment          # An optional name to distinguish the experiments
trialCommand: python3 experiment.py # NOTE: change "python3" to "python" if you are using Windows
trialConcurrency: 2                 # Run 2 trials concurrently
maxTrialNumber: 10                  # Generate at most 10 trials
maxExperimentDuration: 1h           # Stop generating trials after 1 hour
tuner:                              # Configure the tuning algorithm
  name: TPE
  classArgs:
    optimize_mode: maximize         # Algorithm specific arguments
trainingService:                    # Configure the training platform
  platform: local
```

https://nni.readthedocs.io/en/latest/builtin_tuner.html

https://nni.readthedocs.io/en/latest/reference/experiment_config.html#local-mode



Code source: <https://nni.readthedocs.io/en/latest/Tutorial/QuickStart.html>

Creating an Experiment

- Run the experiment

```
nnictl create --config ~/config_experiment.yml
```

```
INFO: Starting restful server...
```

```
INFO: Successfully started Restful server!
```

```
INFO: Setting local config...
```

```
INFO: Successfully set local config!
```

```
INFO: Starting experiment...
```

```
INFO: Successfully started experiment!
```

```
-----  
The experiment id is egchD4qy
```

```
The Web UI urls are: [Your IP]:8080  
-----
```




Overview Trials detail

10 Auto refresh

Experiment summary

About

All experiments

Experiment

Name
EXPERIMENT

Status
RUNNING

Start time
2/25/2022, 12:18:14 AM

ID
zlg6rk8f

Best metric
407.000000

End time
N/A

Duration

12h 48m 21s / 1080 m

Max duration
1080 min

Trial numbers

544 / 8000

Running
2

Succeeded
518

Stopped
0

Max trial No.
8000

Failed
24

Waiting
0

Concurrency
2

Log directory
C:\Users\maddy\nni-experiments\zlg6rk8f


Training platform
local

Trial command
python exp_MCTD0Baseline_long.py

Tuner
Anneal

Top trials

Max Min Display top 10



	Trial No.	ID	Duration	Status	Default metric
>	503	UsLIH	3m 10s	SUCCEEDED	407
>	528	cUe8j	3m 27s	SUCCEEDED	411
>	473	oARoN	3m 12s	SUCCEEDED	426
>	357	XqhMs	3m 22s	SUCCEEDED	429
>	513	kMmzC	3m 28s	SUCCEEDED	430
>	157	vWgZP	2m 57s	SUCCEEDED	436
>	281	q3JmQ	3m 3s	SUCCEEDED	438
>	216	YkTOX	3m 10s	SUCCEEDED	448
>	338	n4FAn	3m 18s	SUCCEEDED	452
>	103	y6Z8o	3m 12s	SUCCEEDED	453

Search space


Config

Log files



Default metric Hyper-parameter Duration Intermediate result

Optimization curve



Trial jobs

Filter Search

Add/Remove columns Compare TensorBoard

Trial No.	ID	Duration	Status	Default metric	Operation
> 0	BHtaR	4m 15s	FAILED	--	
> 1	w1HBj	4m 8s	FAILED	--	
> 2	wTBX0	3m 23s	SUCCEEDED	1132 (FINAL)	
> 3	wMyCi	3m 28s	FAILED	--	
> 4	ZZeU8	3m 45s	FAILED	--	
> 5	vZcvi	3m 28s	SUCCEEDED	1607 (FINAL)	

Debugging

- View from the Web UI

```
cmd.exe : Traceback (most recent call last):
At C:\Users\maddy\nni-experiments\0895xe6j\trials\QJREF\run.ps1:11 char:1
+ cmd.exe /c python experiment.py 1>C:\Users\maddy\nni-experiments\0895 ...
+ ~~~~~
+ CategoryInfo          : NotSpecified: (Traceback (most recent call last)::String) [], RemoteException
+ FullyQualifiedErrorId : NativeCommandError

File "experiment.py", line 22, in <module>
    main(params)
File "experiment.py", line 18, in main
    nni.report_final_result(test_los)
NameError: name 'test_los' is not defined
```

fault metric

78603 (LATEST)

- Locate log files:

- Default: C:\Users\USERNAME\nni-experiments
- Navigate to trial folder
- Open stderr file in a text-viewer (i.e. notepad) to view any error messages



Thank you!

Links and References

- nnSpider emoticons:
<https://github.com/microsoft/nni/tree/v2.5/docs/img/emoicons>
- NNI website: <https://nni.readthedocs.io/en/latest/index.html>
- NNI github: <https://github.com/microsoft/nni/tree/master>
- Code examples were copied from NNI website
<https://nni.readthedocs.io/en/latest/Tutorial/QuickStart.html>

