
Stay safe, friends. Learn to code from home. Use our free 2,000 hour curriculum.

21 JANUARY 2019 / #PROGRAMMING

How to implement a Binary Search Algorithm in Java without recursion

$$mid = \left| \frac{low + high}{2} \right|$$



by javinpaul

An Iterative implementation of the popular binary search algorithm to find an element in a sorted array.

.

structure articles on my blog, but this one is the first one here. In this article, we'll examine popular <u>fundamental algorithms for interviews</u>.

Yes, you guessed it right: you need to implement a **binary search** in Java, and you need to write both iterative and recursive binary search algorithms.

In computer science, a binary search, or half-interval search, is a **divide and conquer algorithm** that locates the position of an item in a <u>sorted array</u>. Binary searching works by comparing an input value to the middle element of the array.

The comparison determines whether the element equals the input, is less than the input, or is greater than the input.

When the element being compared equals the input, the search stops and typically returns the position of the element.


If the element is not equal to the input, then a comparison is made to determine whether the input is less than or greater than the element.

Depending on the result, the <u>algorithm</u> then starts over again, but only searching the top or a bottom subset of the array's elements.

If the input is not located within the <u>array</u>, the algorithm will usually output a unique value indicating this like -1 or just throw a <u>RuntimeException</u> in Java like NoValueFoundException.


Binary search algorithms typically halve the number of items to check with each successive iteration, thus locating the given item (or determining its absence) in logarithmic time.

algorithms, then you can also join a course like **Data Structures and Algorithms: Deep Dive Using Java** to learn fundamental algorithms.



If Java is not your choice of language, you can find more recommendations for JavaScript and Python in this <u>list of algorithms</u> courses.

Btw, if you prefer books, I suggest you read a comprehensive algorithm book like <u>Introduction to Algorithms</u> by Thomas H. Cormen.



Here is some sample code which shows the logic of **iterative binary** search in Java:

Iterative binary search

```
int begin = 0;
int last = array.Length - 1;
int mid = 0;

while (begin <= last) {
    mid = (begin + last) / 2;
    if (array[mid] < x) {
        begin = mid + 1;
    }
    else if (array[mid] > x) {
        last = mid - 1;
    }
    else {
        return mid;
    }
}

return -1;
```

Part #1 Initialize pointers

Part #2 Search

algorithm is implemented recursively. Also, an interesting fact to know about binary search implementation in Java is that Joshua Bloch, author of the famous <u>Effective Java</u> book, wrote the binary search in "java.util.Arrays".

```
import java.util.Arrays;import java.util.Scanner;
/** * Java program to implement Binary Search. We have implemented
public class IterativeBinarySearch {
  public static void main(String args[]) {    int[] list = new int|
   binarySearch(list, 12);
                              System.out.printf("Binary Search %d
   binarySearch(list, 43); list = new int[]{123, 243, 331, 129{
```

```
binarySearch(list, 331);
                                System.out.printf("Binary Search %
   // Using Core Java API and Collection framework // Preconditic
   // Search an element
                          int index = Arrays.binarySearch(list, 3)
}
/** * Perform a binary Search in Sorted Array in Java * @param inpu
public static void binarySearch(int[] input, int number) {int first
while (first <= last) { if (input[middle] < number) { first = mic</pre>
```

```
System.out.printf(number + " found at location %d %n", middle);brea
middle = (first + last) / 2;
}
if (first > last) { System.out.println(number + " is not present :
}
}
OutputBinary Search 12 in integer array [12, 23, 31, 43]12 found at
```

That's all about how to implement binary search using recursion in

algorithms you learn in your computer science class.

The binary search tree data structure takes advantage of this algorithm and arranges data in a hierarchical structure so that you can search any node in O(logN) time.

Though, you must remember that in order to use binary search, you need a sorted list or array, so you also need to consider the cost of sorting when you consider using binary search algorithm in the real world.

Further Learning

Data Structures and Algorithms: Deep Dive Using Java
Algorithms and Data Structures — Part 1 and 2
Data Structures in Java 9 by Heinz Kabutz
10 Algorithms books for Interviews
10 Data Structure and Algorithm Courses for Interviews
5 Free Courses to Learn Data Structure and Algorithms

Other Data Structure and Algorithms tutorials you may like

- How to implement Quicksort algorithm in place in Java? (<u>tutorial</u>)
- How to implement Binary Search Tree in Java? (solution)
- How to implement Quicksort algorithm without recursion? (tutorial)
- How to implement Insertion sort algorithm in Java? (<u>tutorial</u>)
- How to implement Bubble sort algorithm in Java? (tutorial)

Comparison based sorting algorithm? (answer)

- How to implement Bucket Sort in Java? (tutorial)
- How to implement a Binary Search Algorithm without recursion in Java? (<u>tutorial</u>)
- 50+ Data Structure and Algorithms Courses for Programmers (questions)

Thanks for reading this article. If you like this article then please share with your friends and colleagues. If you have any suggestion or feedback then please drop a comment.

P.S. — If you are serious about improving your Algorithms skills, I think the <u>Data</u> <u>Structures and Algorithms: Deep Dive</u> <u>Using Java</u> is the best one to start with.

If this article was helpful, tweet it.

Learn to code for free. freeCodeCamp's open source curriculum has helped more than 40,000 people get jobs as developers.

Get started

freeCodeCamp is a donor-supported tax-exempt 501(c)(3) nonprofit organization (United States Federal Tax Identification Number: 82-0779546)

Our mission: to help people learn to code for free. We accomplish this by creating thousands of videos,

Donations to freeCodeCamp go toward our education initiatives, and help pay for servers, services, and staff.

You can make a tax-deductible donation here.

Our Nonprofit	Trending Guides
About	2019 Web Developer Roadmap
Alumni Network	Python Tutorial
Open Source	CSS Flexbox Guide
Shop	JavaScript Tutorial
Support	Python Example
Sponsors	HTML Tutorial
Academic Honesty	Linux Command Line Guide
Code of Conduct	JavaScript Example
Privacy Policy	Git Tutorial
Terms of Service	React Tutorial
Copyright Policy	Java Tutorial
	Linux Tutorial
	CSS Tutorial
	jQuery Example
	SQL Tutorial
	CSS Example
	React Example
	Angular Tutorial
	Bootstrap Example
	How to Set Up SSH Keys
	WordPress Tutorial