React Project: Rimbun.id


Written by:
Made Arya Astawa (2415101006)

COMPUTER SCIENCE STUDY PROGRAM
FACULTY OF ENGINEERING AND VOCATIONAL STUDIES
GANESHA UNIVERSITY OF EDUCATION
2026

1. React Installation

The project was created by running the command npm create vite@latest my-app -- --template react. This command generates a new React project using Vite as the build tool. Vite provides a fast and efficient development environment for building web applications.


After creating the project, the folder and file structure was displayed to understand the organization of the React application. The structure includes the src folder for application source code, the public folder for static assets, and configuration files such as package.json and vite.config.js.



The vite.config.js file is used to configure Vite. In this project, the React plugin is included to support React development and JSX processing.



The development server was started to view the initial website in a browser. This step ensured that the React project was created successfully and that the application could run before further development.



The command npm install react-router-dom was executed to install React Router DOM. This library enables navigation between different pages without reloading the entire website. It is used to connect pages such as Home, Catalog, and About.

```
C:\Users\ACER\Downloads\FrontEnd with React\my-app>npm install react-router-dom

added 4 packages, and audited 105 packages in 5s

29 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```

2. Git Initialization

The command git init was executed to initialize a local Git repository. Git helps track code changes and manage different versions of the project during development.

```
C:\Users\ACER\Downloads\FrontEnd with React\my-app>git init
Initialized empty Git repository in C:/Users/ACER/Downloads/FrontEnd with React/my-app/.git/
```

3. TailwindCSS Installation

The command npm install -D tailwindcss@3 postcss autoprefixer was used to install Tailwind CSS version 3, PostCSS, and Autoprefixer as development dependencies. Tailwind CSS simplifies website styling through utility classes, while PostCSS and Autoprefixer help process CSS and add necessary vendor prefixes.



The tailwind.config.js file is used to specify which project files Tailwind CSS should scan for utility classes. This configuration ensures that the CSS classes used in React components are included in the generated stylesheet.




The index.css file is used to include Tailwind CSS directives and define global styles for the application. Meanwhile, App.css can contain additional styles for specific components or sections of the website when needed.






The App.jsx file serves as the main application component. It organizes the primary website interface and connects other components, including page layouts and routing through React Router DOM.




After configuring the project and CSS files, the website was launched again to review its temporary appearance. This step involved checking the colors, layout, typography, and responsiveness before proceeding with further development.



4. Components, Layouts, and Pages

/index.html





/src/components/Navbar.jsx



/src/components/Sidebar.jsx



/src/layouts/AdminLayout.jsx



```jsx
import { Outlet } from "react-router-dom";
import Sidebar from "../components/Sidebar";
import { useState } from "react";

export default function AdminLayout() {
  const [sidebarOpen, setSidebarOpen] = useState(false);

  return (
    <div className="min-h-screen flex bg-green-50">
      <Sidebar sidebarOpen={sidebarOpen} setSidebarOpen={setSidebarOpen} />


      <div className="flex-1 min-w-0 flex flex-col">
        {/* Mobile Header */}
        <header className="md:hidden h-16 bg-white border-b flex items-center px-4">
          <button onClick={() => setSidebarOpen(true)} className="p-2 rounded-lg hover:bg-green-50 text-green-700">
            ☰
          </button>

          <div className="ml-3 flex items-center gap-2">
            <span>🌿</span>
            <h1 className="font-semibold text-gray-800">Rimbun.id Admin</h1>
          </div>
        </header>

        {/* Main Content */}
        <main className="flex-1 p-4 sm:p-6 overflow-y-auto">
          <Outlet />
        </main>

        {/* Footer */}
        <footer className="bg-white border-t px-4 py-4 text-center text-sm text-gray-500">© 2026 Rimbun.id Admin – v1.0.0</footer>
      </div>
    </div>
  );
}
```

/src/layouts/MainLayout.jsx



```jsx
import { Outlet } from "react-router-dom";
import Navbar from "../components/Navbar";

export default function MainLayout() {
  return (
    <div className="min-h-screen flex flex-col bg-green-50/40">
      <Navbar />

      {/* Search & Filter */}
      <section className="bg-white border-b">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-4">
          <div className="flex flex-col md:flex-row gap-3">
            <div className="flex-1">
              <input
                type="text"
                placeholder="Cari tanaman..."
                className="w-full px-4 py-2.5 border border-gray-300
                rounded-lg focus:outline-none focus:ring-2
                focus:ring-green-500"
              />
            </div>

            <select
              className="w-full md:w-56 px-4 py-2.5 border
              border-gray-300 rounded-lg bg-white
              focus:outline-none focus:ring-2 focus:ring-green-500"
            >
              <option>Semua Kategori</option>
              <option>Tanaman Indoor</option>
              <option>Sukulen</option>
              <option>Tanaman Outdoor</option>
              <option>Pot Tanaman</option>
            </select>
          </div>
        </div>
      </section>

      {/* Content */}
      <main className="flex-1">
        <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-6">
          <Outlet />
        </div>
      </main>

      {/* Footer */}
      <footer classNameName="bg-green-900 text-green-100">
        <div classNameName="max-w-7xl mx-auto px-4 py-5 text-center text-sm">© 2026 Rimbun.id – Toko Tanaman Online</div>
      </footer>
    </div>
  );
}
```

/src/pages/adminpages/AdminPage.jsx



```jsx
export default function AboutPage() {
  return (
    <div>
      <div classNameName="mb-6">
        <h1 classNameName="text-2xl sm:text-3xl font-bold text-gray-800">About Rimbun.id</h1>

        <p classNameName="text-gray-500 mt-1">Informasi mengenai aplikasi toko.</p>
      </div>

      <div classNameName="bg-white border rounded-xl p-6">
        <div classNameName="flex items-center gap-3">
          <div classNameName="w-12 h-12 rounded-full bg-green-100 flex items-center justify-center text-2xl">🌿</div>

          <div>
            <h2 classNameName="font-semibold text-lg">Rimbun.id Toko Online</h2>

            <p classNameName="text-sm text-gray-500">Toko Tanaman Online</p>
          </div>
        </div>

        <p classNameName="text-gray-600 mt-5 leading-relaxed">Rimbun.id adalah toko tanaman sederhana yang menyediakan berbagai pilihan tanaman untuk rumah, ruang kerja, dan lingkungan s


        <div classNameName="grid grid-cols-1 sm:grid-cols-2 gap-4 mt-6">
          <div classNameName="bg-green-50 rounded-lg p-4">
            <p classNameName="text-sm text-gray-500">Version</p>

            <p classNameName="font-semibold text-green-700 mt-1">1.0.0</p>
          </div>

          <div classNameName="bg-green-50 rounded-lg p-4">
            <p classNameName="text-sm text-gray-500">Technology</p>

            <p classNameName="font-semibold text-green-700 mt-1">React + Tailwind CSS</p>
          </div>
        </div>
      </div>
    </div>
  );
}
```

/src/pages/adminpages/AdminDashboard.jsx




/src/pages/frontpages/Cart.jsx



/src/pages/frontpages/Checkout.jsx



/src/pages/frontpages/Dashboard.jsx



/src/pages/frontpages/ProductDetail.jsx



/src/App.jsx




/src/main.jsx




5. Results

After creating the components, pages, and layouts, the plant e-commerce website was developed with a natural green color scheme. The modular code structure makes it easier to manage the interface, navigate between pages, and add future features such as product search and a shopping cart.




Rimbun.id
Toko Tanaman Online
Produk
Keranjang
Checkout
Admin
Cari tanaman...
Semua Kategori
Keranjang
Tanaman yang akan Anda beli.
Monstera Deliciosa
Tanaman Indoor
Rp150.000
Jumlah
1
Total
Rp150.000
Lanjut Checkout


Rimbun.id
Toko Tanaman Online
Produk
Keranjang
Checkout
Admin
Cari tanaman...
Semua Kategori
Checkout
Lengkapi informasi untuk menyelesaikan pesanan.
Informasi Pengiriman
Nama Lengkap
Masukkan nama lengkap
Nomor Telepon
Alamat
Masukkan alamat lengkap
Ringkasan Pesanan
Monstera Deliciosa
Rp150.000
Total
Rp150.000
Buat Pesanan


Dashboard

GitHub Repository: https://github.com/madearyaastawa/rimbun

Online Pages: https://rimbun-id.vercel.app/

The GitHub Repository contains the source code and project files, while Online Pages provides access to the deployed website through a web browser.