

pi_BAUER

June 12, 2021

```
[1]: #
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#

import sys
from random import random
from operator import add

from pyspark.sql import SparkSession

if __name__ == "__main__":
    """
        Usage: pi [partitions]
    """
    spark = SparkSession\
        .builder\
        .appName("PythonPi")\
        .getOrCreate()

    # set partitions = 2 per classmates on Teams
    partitions = 2
    n = 100000 * partitions
```

```
def f(_):
    x = random() * 2 - 1
    y = random() * 2 - 1
    return 1 if x ** 2 + y ** 2 <= 1 else 0

count = spark.sparkContext.parallelize(range(1, n + 1), partitions).map(f).
↪reduce(add)
print("Pi is roughly %f" % (4.0 * count / n))

spark.stop()
```

Pi is roughly 3.148600

[]: