


PRACTICA NO 1

1.A Design and implement algorithms to encrypt and decrypt messages using classical substitution techniques

CLI OUTPUT:




```
IDLE Shell 3.14.6
Python 3.14.6 (tags/v3.14.6:c63aec6, Jun 10 2026, 10:26:10) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.

>>> ===== RESTART: C:/T090_MADESH/CYBER SECURITY/T090_PRACTICAL1.py =====
T090_MADESH SIVAKUMAR
Enter the message: HELLO MADESH
Enter the shift value: 5
Encrypted Message: MJQQT RFIJXM
Decrypted Message: HELLO MADESH
>>> |
```

GUI OUTPUT:

ENCRYPT



```
IDLE Shell 3.14.6
Python 3.14.6 (tags/v3.14.6:c63aec6, Jun 10 2026, 10:26:10) [MSC v.1944 64 bit (AMD64)] on win32
Enter "help" below or click "Help" above for more information.

>>> ===== RESTART: C:/T090_MADESH/CYBER SECURITY/T090_PRACTICAL1.py =====
T090_MADESH SIVAKUMAR
Enter the message: HELLO MADESH
Enter the shift value: 5
Encrypted Message: MJQQT RFIJXM
Decrypted Message: HELLO MADESH
>>> |
```

Classical Substitution Cipher (Caesar Cipher)


Enter Message: HELLO MADESH

Shift Value: 5

Encrypt Decrypt Clear


Result: MJQQT RFIJXM

DECRYPT




1. B Design and implement algorithms to encrypt and decrypt messages using transposition techniques.

CLI OUTPUT:



GUI OUTPUT:

ENCRYPT



DECRYPT

