


SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

Practical 2: Working with Data Sources and Data Preparation in Tableau

Step A: Connecting to Different Data Sources 1. Launch the Tableau Desktop application.



2. Locate the blue Connect control panel on the far-left section of the start page.




Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

3. Under the To a File sub-header, click on Text File (Tableau classifies .csv spreadsheet extensions as flat text files).

4. Navigate through your file directory, select Orders.csv, and click Open.



Step B: Creating Data Extracts vs. Live Connections

1. Once the dataset populates the main staging view, navigate to the top-right corner of the Data Source interface.
2. Locate the connection mode toggle section.
3. Switch the active selection from Live over to Extract.

SUBJECT NAME: Data Visualization with Tableau

File

Data

Server

Window

Help

Home

←

→

↺

↻

Connections

Orders

Files

☐ Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

8 fields 99441 rows

100 rows

Name

Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
ABC	Order Id	▼	order_id
ABC	Customer Id	▼	custo...
ABC	Order Status	▼	order_...
📅	Order Purchase Timestamp	▼	order_...

Orders.csv

ABC

Orders.csv

Order Id

91116032517d91c1180ea2bd...

ABC

Orders.csv

Customer Id

cbee3180303b43f3365aab...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

16-07-2017 09:50:00

📅

Orders.csv

Order Approv

16-07-2017 10

ABC

Orders.csv

Order Id

f5299daf77d8dc1c9630692...

ABC

Orders.csv

Customer Id

7ec3f2352e9adb554e27488...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

25-11-2017 13:50:00

📅

Orders.csv

Order Approv

28-11-2017 15

ABC

Orders.csv

Order Id

28c89c82267d381a04c5221...

ABC

Orders.csv

Customer Id

32f6a59402a367c36b5eSec...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

20-04-2017 21:43:00

📅

Orders.csv

Order Approv

25-04-2017 0

ABC

Orders.csv

Order Id

460b01de438f2781234032...

ABC

Orders.csv

Customer Id

d47c0794209143430f8bf4...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

22-06-2018 11:57:00

📅

Orders.csv

Order Approv

23-06-2018 0

ABC

Orders.csv

Order Id

24940d1052df86d9e24f16e...

ABC

Orders.csv

Customer Id

dde3f6a475d39044e793c94...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

01-05-2017 13:31:00

📅

Orders.csv

Order Approv

01-05-2017 13

ABC

Orders.csv

Order Id

9863811d92f6ae6fdc407813...

ABC

Orders.csv

Customer Id

894344399c9fdb69219284f...

ABC

Orders.csv

Order Status

delivered

📅

Orders.csv

Order Purchase Timestamp

16-05-2018 13:53:00

📅

Orders.csv

Order Approv

16-05-2018 15

ABC

Orders.csv

Order Id

779078ac80552fa400b11c2...

ABC

Orders.csv

Customer Id

f58381c572cc8569de2841f...

ABC

Orders.csv

Order Status

unavailable

📅

Orders.csv

Order Purchase Timestamp

13-06-2017 21:11:00

📅

Orders.csv

Order Approv


13-06-2017 21

Go to Worksheet

Data Source

Sheet 1

4. Click on the Sheet 1 navigation tab located at the bottom-left corner of the workspace screen.
5. A system dialog save window will immediately appear. Name the local snapshot file `Ecommerce_Extract` and click Save.





Step C: Managing Operational Metadata

1. Navigate to the blank workspace canvas on Sheet 1 and view the left-hand side Data Pane.
2. Rename a Field: Locate the dimensional attribute field labeled `order_status` or Order Status. Right-click the field name, select Rename, type in Status, and hit Enter.

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau




3. Hide a Field: Locate an internal tracking string variable that will not be used in visual reporting, such as customer. Right-click the field name and select Hide.


Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



4. Change a Data Type: Locate the operational timestamp column labeled `order_purchase_timestamp`. Click directly on the data type icon (which may incorrectly display as text ABC or a calendar date) positioned immediately to the left of the field name. Select Date & Time from the context dropdown menu to force proper structural recognition (Note: It may by default selected to Date and Time).




Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau

Step D: Performing Relational Joins on Multiple Tables

1. Click the Data Source tab positioned at the bottom-left corner of the window to return to the data schema designer.



2. In the top staging canvas area, locate the rectangular Orders.csv database block.



Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

3. Double-click directly on the Orders.csv block. This action drills down through the logical relationship layer and enters the Physical Layer canvas space.

The screenshot shows the Tableau Public interface with the 'Orders.csv' data source selected. The left pane shows the 'Files' section with a list of CSV files including 'Orders.csv'. The main canvas displays the 'Orders.csv' data source with a table view showing columns: Order Id, Customer Id, Status, Order Purchase Timestamp, and Order Approv. The table contains 10 rows of data.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
e481f51c8dc54678b7cc4913...	9ef432eb6251297304e7618...	delivered	02-10-2017 10:56:00	02-10-2017 11
53c8db2fc8bc7dce0b6741e21...	b0830fb4747af6c6d20dea0b...	delivered	24-07-2018 20:41:00	26-07-2018 0
47770eb9100c2d0c44946d...	41ce2a54c0b03bf3443c3d9...	delivered	08-08-2018 08:38:00	08-08-2018 C
949d5b44dbf5de918fe9c16f...	f88197465ea7920adcdbe73...	delivered	18-11-2017 19:28:00	18-11-2017 19:
ad21c59c0840e6cb83a9ceb...	8ab97904e6daea8866dbdbc...	delivered	13-02-2018 21:18:00	13-02-2018 2:
a4591c265e18c1dcee52889...	503740e9ca751ccdda7ba28e...	delivered	09-07-2017 21:57:00	09-07-2017 2:
136cce7faa42fdb2cedf53dc...	ed0271e0b7da060a3937965...	invoiced	11-04-2017 12:22:00	13-04-2017 15

4. From the left-hand files listing pane, click and drag the Order Payments.csv file, dropping it directly next to the active Orders.csv block. A traditional Venn diagram icon link will snap open between them.

SUBJECT NAME: Data Visualization with Tableau

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

☐ Use Data Interpreter
 Data Interpreter might be able to clean your Text file workbook.

- Categories.csv
- Customers.csv
- Geolocation.csv
- Order Items.csv
- Order Payments.csv
- Orders.csv
- Products.csv
- Reviews.csv
- Sellers.csv

New Union

New Table Extension

Orders

Filters

0 | Add

Orders.csv is made of 2 tables.

Orders.csv

Order Payments.csv

Orders.csv

13 fields 103886 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
ABC	Order Id	Order...	order_id
ABC	Customer Id	Order...	custo...
ABC	Status	Order...	order_...
	Order Purchase Timestamp	Order...	order_...

ABC Orders.csv	ABC Orders.csv	ABC Orders.csv	ABC Orders.csv	ABC Orders.csv
Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe4747f...	87b01be0c7f4ec17eafbf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c749611bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 2
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd485553265a2cc3d0f1972...	f5b0f4b5e6d149124be59ff0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

Data Source

Ecommerce_Extract

- Click directly on the Venn diagram icon to open the Join configuration properties box.

Tableau Public - Book1

File Data Window Help

Connections +

Orders ▼

Files

☐ Use Data Interpreter

Data Interpreter might be able to clean your Text file workbook.

Categories.csv

Customers.csv

Geolocation.csv

Order Items.csv

Order Payments.csv

Orders.csv

Products.csv

Reviews.csv

Sellers.csv

New Union

New Table Extension

Orders

Orders.csv is made of 2 tables. ⓘ

Orders.csv ▼ Join Order Payments.csv ▼

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 13 fields 103886 rows

100 rows

Name	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv
Description	No description available.	Order Id	Customer Id	Status	Order Purchase Timestamp
Fields					
Type	Field Name	Phys...	Rem...		
ABC	Order Id	▼	Order...		
ABC	Customer Id	▼	Order...		
ABC	Status	▼	Order...		
ABC	Order Purchase Timestamp	▼	Order...		

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approv
ec72b3cb886591a30fe47417...	87b01be0c714ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15
17b3a989f0a87769c633d0e...	bd3bd5c749611bd76518b9c9...	delivered	06-05-2018 17:48:00	07-05-2018 0
c2ce0c4ec171c536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 1
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 2
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0
ecd485553265a2cc3d9f972...	f5b0f4b5e6d149124be59ff0f...	delivered	11-01-2018 19:20:00	11-01-2018 19
9abb69f7d612a77a80d6f154...	95c167be33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01

0 Data Source Ecommerce_Extract

- Under the data grid coupling properties, select order_id as the matching data key column drop-down for both the left and right tables (Note: in some case Tableau automatically selects the Order Id).

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders

Filters
0 | Add

Orders.csv is made of 2 tables.

Orders.csv Order Payments.csv

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 13 fields 103886 rows

100 rows

Name	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv
Description	No description available.				
Fields					
Type	Field Name	Phys...	Rem...		
Order Id	Order Id	Order...	order_id		
Customer Id	Customer Id	Order...	custo...		
Status	Status	Order...	order_...		
Order Purchase Timestamp	Order Purchase Timestamp	Order...	order_...		

Data Source Commerce_Extract

7. Toggle Join Configurations:

o Click Inner: Observe the underlying data preview window at the bottom. The rows instantly filter to show only records that contain both an order entry and a corresponding transaction payment receipt.

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union
New Table Extension

Orders

Filters
0 | Add

Orders.csv is made of 2 tables.

Orders.csv Order Payments.csv

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 13 fields 103886 rows

100 rows

Name	Orders.csv	Orders.csv	Orders.csv	Orders.csv	Orders.csv
Description	No description available.				
Fields					
Type	Field Name	Phys...	Rem...		
Order Id	Order Id	Order...	order_id		
Customer Id	Customer Id	Order...	custo...		
Status	Status	Order...	order_...		
Order Purchase Timestamp	Order Purchase Timestamp	Order...	order_...		

Data Source Commerce_Extract

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

o Click Left: Notice the view updates to safely preserve 100% of the root rows coming from Orders.csv, leaving payment parameter cells completely empty if an order has no matching payment record.

Tableau Public - Book1

File Data Window Help

Connections

Orders

Files

Use Data Interpreter
Data Interpreter might be able to clean your Text file workbook.

Categories.csv
Customers.csv
Geolocation.csv
Order Items.csv
Order Payments.csv
Orders.csv
Products.csv
Reviews.csv
Sellers.csv

New Union

New Table Extension

Orders

Filters
0 | Add

Orders.csv is made of 2 tables.

Orders.csv Order Payments.csv

Join

Inner Left Right Full Outer

Data Source Order Payments.csv

Order Id = order id (Order ...)

Add new join clause

Orders.csv 13 fields 103887 rows

100 rows

Name Orders.csv

Description

No description available.

Fields

Type	Field Name	Phys...	Rem...
Abc	Order Id	Order...	order_id
Abc	Customer Id	Order...	custo...
Abc	Status	Order...	order_...
Abc	Order Purchase Timestamp	Order...	order_...

Abc Orders.csv Order Id	Abc Orders.csv Customer Id	Abc Orders.csv Status	Abc Orders.csv Order Purchase Timestamp	Abc Orders.csv Order Approv
ec72b3cb886591a30fe47417...	87b01be0c74ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15...
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 0...
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcbal41...	delivered	05-02-2018 16:41:00	06-02-2018 1...
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 2...
8145c63f6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 0...
ecd48553265a2cc3dd972...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19...
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 0...

Data Source Ecommerce_Extract

Step E: Applying Data Blending Between Independent Sources

1. Create a brand new blank workspace sheet by clicking on the New Worksheet icon (the chart block containing a \$\$ symbol) positioned at the bottom navigation tab area. This opens Sheet 2.
2. Ensure your joined Orders dataset connection is highlighted at the top left of the Data Pane. Drag the newly modified Status dimension field and drop it onto the Rows shelf. A blue checkmark will appear on the source, designating it as the Primary data pipeline.

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

The screenshot displays the Tableau Public interface. The top window shows the 'Orders' data source, which is a blend of 'Orders.csv' and 'Order Payments.csv'. A join dialog box is open, showing the relationship between 'Order Id' in 'Orders.csv' and 'order id (Order ...)' in 'Order Payments.csv'. The bottom window shows a worksheet named 'Sheet 2' with a table of data. The table has columns for 'Status' and 'Order Id'. The 'Status' column is filtered to show 'approved', 'canceled', 'created', 'delivered', 'invoiced', 'processing', 'shipped', and 'unavailable'. The 'Order Id' column is filtered to show '9abb697d6f2a77fa80d6f154...'.


Status	Order Id
approved	9abb697d6f2a77fa80d6f154...
canceled	9abb697d6f2a77fa80d6f154...
created	9abb697d6f2a77fa80d6f154...
delivered	9abb697d6f2a77fa80d6f154...
invoiced	9abb697d6f2a77fa80d6f154...
processing	9abb697d6f2a77fa80d6f154...
shipped	9abb697d6f2a77fa80d6f154...
unavailable	9abb697d6f2a77fa80d6f154...

3. Move your mouse to the top application menu bar and click Data > Edit Blend Relationships. If the Option is grayed out as shown in the snapshot, click the New Data Source Option


Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



After Clicking new data source you are directed to blue menu window select text file to add the Customers.csv file.




Name: MADESH SIVAKUMAR
Roll no: T090


SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

After adding the CSV file get back to sheet 2 and recheck the Edit Blend Relationship Option and click on it



4. Set the Primary data source field box to your active Orders connection, and map the Secondary data source block to the independent Customers dataset file.



Name: MADESH SIVAKUMAR
Roll no: T090

SUBJECT NAME: Data Visualization with Tableau

The screenshot shows the Tableau Desktop interface. The main window displays 'Sheet 2' with a table of status data. The 'Blend Relationships' dialog box is open, showing the relationship between the primary data source 'Customers' and the secondary data sources 'Customer ID' and 'Customer City'. The 'Custom' radio button is selected for the secondary data source.

Tableau Desktop Interface:

- Menu Bar:** File, Data, Worksheet, Dashboard, Story, Analysis, Map, Format, Server, Window, Help.
- Toolbar:** Navigation and formatting tools.
- Left Panel:**
 - Data:** Customers, Orders.
 - Tables:** Customer City, Customer Id, Customer State, Customer Unique Id, Customer Zip Code Prefix, Measure Names.
 - Measures:** Customers.csv (Count), Latitude (generated), Longitude (generated), Measure Values.
- Right Panel:** Columns, Rows, Marks, Filters.

Blend Relationships Dialog Box:

- Title:** Blend Relationships
- Primary data source:** Customers
- Secondary data source:** Customer ID, Customer City
- Blend type:** Custom (selected)
- Buttons:** Add..., Edit..., Remove, OK, Cancel.

Now Navigate Back to data source and change the connection to “LIVE” from “EXTRACT”

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Tableau Public - Book1

File Data Window Help

Connections: Orders

Files: Use Data Interpreter, Categories.csv, Customers.csv, Geolocation.csv, Order Items.csv, Order Payments.csv, Orders.csv, Products.csv, Reviews.csv, Sellers.csv

Orders.csv: 13 fields 103887 rows

Name	Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe474f7...	87b01be0c7f4ec1eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00	
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00	
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00	
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00	
8145c63ff6601f1c1aa707a32...	ce8c6f80008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00	
ecc485553265a2cc3dd9f72...	f5b0f4b5e6d149124be59f0f...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00	
9abb69f7d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00	

Now Go Back to any to the Sheet 2 and right click on the Data Pane's empty space and click on "Show Hidden Fields"

Tableau Public - Book1

File Data Worksheet Dashboard Story Analysis Map Format Server Window Help

Standard

Show Me

Data: Orders

Tables: Order Payments.csv, Orders.csv

Order Payments.csv: order id (Order Payment...), Payment Type

Orders.csv: Order Approved At, Order Delivered Carrier..., Order Delivered Custom..., Order Estimated C..., Order Id, Order Purchase Ti..., Status

Measure Names: Order Payments.csv, Order Payments.csv, Order Payments.csv, Order Payments.csv, Order Payments.csv

Measure Values: Order Payments.csv, Order Payments.csv, Order Payments.csv, Order Payments.csv, Order Payments.csv


Context Menu: Create Calculated Field..., Create Parameter..., Create Folder (use group by folder), Group by Folder, Group by Data Source Table, Sort by Name, Sort by Data Source Order, Hide All Unused Fields, Show Hidden Fields, Expand All, Collapse All

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


After Clicking it the Customer Id comes back into the data pane and make sure you click the “eye button” next to it marked in bellow provided snapshot




Now go back to Edit Blend Relationship option and after clicking it you may see both Customer Id in Left and Right, After that click on Custom it changes from automatic to custom and click Ok

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Now, go back to the top-left section of your Data Pane and click directly on the separate Customers dataset tracking label. An orange chain link icon will now appear locked together immediately next to the customer_id field.




Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau


At the start you may not see the orange tick on the Customer database for that click on the unlinked chain next to the customer id on the data pane after clicking the orange tick appear as shown in the snapshot



Click and drag the customer_state dimension variable out from this secondary dataset list and drop it onto the Columns shelf.


SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Step F: Implementing Multi-Tiered Filters

1. Open a clean worksheet. Drag the quantitative measure field `payment_value` onto the Rows shelf and place the categorical dimension `payment_type` onto the Columns shelf.



2. Dimension Filter: From your Data Pane list, drag the categorical string attribute `payment_type` and drop it onto the empty Filters shelf positioned immediately above the



Name: MADESH SIVAKUMAR

Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

Marks card layout. Uncheck the box for not_defined, check the boxes for credit_card and boleto, and click OK.





3. Measure Filter: Drag the quantitative numeric variable payment_value out from the measures list and drop it directly onto the Filters shelf. Select All Values in the prompt window, click Next, select the At Least option condition, type in 50 to screen out

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

microtransactions(it will be at 0.1 at by default Change it by clicking on it and typing 50 on it), and click OK.





Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

4. Date Filter: Drag the calendar configuration time variable `order_purchase_timestamp` and drop it onto the Filters shelf. Select Years or Relative Date from the prompt configuration layout page to isolate the visualization into specific historical reporting boundaries



Step G: Optimizing Dashboard Performance

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau

1. Extract Filters: Navigate back to the main Data Source configuration workspace screen. Look immediately below the selected Extract radio dial selection button in the upper-right area and click the small Edit link. Click Add, select the categorical field Status, choose to check delivered exclusively, and click OK. Tableau will purge all canceled or unfulfilled order rows from the local extract file entirely.

The screenshot shows the Tableau Data Source configuration for 'Orders.csv'. The 'Fields' list on the left includes Order Id, Customer Id, Status, and Order Purchase Timestamp. The preview table on the right displays the data for these fields.

Order Id	Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe474f7...	87b01be0c7f4ec17eafabf5f1...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	bd3bd5c7496111bd76518b9c...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17fc536b85fb336...	4505e98fe9949c3bcba1d41...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	65e1faa1535d1b4ca089fd7b...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	ce8c6f8008f07e4aa7aa7898...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd48553265a2cc3dd972...	f5b0f4b5e6d149124be59ff0f...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb697d6f2af7fa80d6f154...	95c167eb33c376680b37d4e...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

The screenshot shows the same Tableau Data Source configuration for 'Orders.csv', but with the 'Edit Data Source Filters' dialog box open. The dialog box has a table with columns 'Filter', 'Scope', and 'Details'. The 'Status' field is selected in the 'Filter' column, and the 'Scope' is set to 'Exclusively'. The 'Details' column is empty.

Filter	Scope	Details
Status	Exclusively	

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



The screenshot displays the Tableau Desktop interface with the 'Orders (2)' data source selected. The 'Add Filter' dialog box is open, showing a list of fields to be added to the view. The 'Status' field is highlighted. The main view shows a table of order data with columns for Customer Id, Status, Order Purchase Timestamp, and Order Approved At.

Customer Id	Status	Order Purchase Timestamp	Order Approved At
ec72b3cb886591a30fe4747...	delivered	11-02-2017 15:12:00	11-02-2017 15:22:00
17b3a989f0a87769c633d0e...	delivered	06-05-2018 17:48:00	07-05-2018 09:13:00
c2ce0c4ec17c536b85fb336...	delivered	05-02-2018 16:41:00	06-02-2018 13:47:00
7254ba1421bac35de5d5da6...	delivered	07-10-2016 22:46:00	07-10-2016 22:59:00
8145c63ff6601f1c1aa707a32...	delivered	01-08-2017 15:37:00	02-08-2017 07:15:00
ecd485553265a2cc3ddf972...	delivered	11-01-2018 19:20:00	11-01-2018 19:27:00
9abb69f7d6f2af7fa80d6f154...	delivered	19-01-2018 01:43:00	19-01-2018 01:55:00

Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE


SUBJECT NAME: Data Visualization with Tableau



Name: MADESH SIVAKUMAR
Roll no: T090

SHETH L.U.J AND SIR M.V. COLLEGE

SUBJECT NAME: Data Visualization with Tableau



Name: MADESH SIVAKUMAR
Roll no: T090