
The Burrow / master blueprint

Master assembly plan / fixed footprints, public route graph and three canal crossings

PLAN / NORTH UP



GRAPHIC SCALE

0 — 100 m

600 x 440 m planning envelope

Origin: Sunwell (0, 0, 0)

AREA / DRAWING INDEX


01 Sunwell Market
02 Common House & Tables
03 Hearth Terraces
04 Garden Terraces
05 Spring House
06 Waterhouse
07 Gorilla White Workshop
08 Training Court
09 Records House
10 Storehouse & Trading Court
11 Care House
12 East Bridge
13 Inner Arrival Court
14 East Gate
15 Service Walk & Gate Relay
16 Makers' Room & Archive

- Fixed footprint
- Public circulation graph
- Separate utility race
- Bridge / detailed anchor

Every detail sheet plugs into this map. Rock texture may vary; anchors and compass directions do not.

East precinct / connected assembly

BRW-12 + BRW-13 + BRW-14 + BRW-15 / one continuous interior sequence



CONTINUOUS ROUTE

Gate Lane -> East Bridge -> Inner Arrival Court -> west vestibule mouth. All visible pilot ground stays inside.

FIXED PLANES

Bridge landings: x=164 and x=176. Vestibule mouth: x=270. Closed exterior leaves: x=294.

RELAY ACCESS

Walk anchor (270,-26,0). Return to (270,0,0), then approach (282,-6,0). Cabinet center is (282,-8.5,1.2).

NO FALSE CONNECTION

The south vestibule wall is solid. The gold access route goes around its western end; it never cuts through the wall.


EXISTING BYPASS

C03 at y=-90 remains available when East Bridge is closed for maintenance. This creates no fourth crossing.

Sunwell Market

BRW-01 / area plan and connection schedule / fixed world anchor (0, 0, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 10 m


LOCAL (0,0) = WORLD ANCHOR

X = 0 + local x | Y = 0 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 84 x 64 m

PURPOSE

The civic center: daily exchange, news and informal decisions.

CONNECTIONS

East: BRW-12 via Gate Lane. South: BRW-02. West: BRW-07 / BRW-16. North: BRW-C02 then BRW-04.

PORTAL SCHEDULE / WORLD XYZ

P1 E / 8 m
(42, 0, 0)

P2 S / 6 m
(0, -32, 0)

P3 W / 6 m
(-42, 0, 0)


P4 N / 6 m
(0, 32, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Common House & Tables

BRW-02 / area plan and connection schedule / fixed world anchor (-5, -58, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 — 10 m

LOCAL (0,0) = WORLD ANCHOR

X = -5 + local x | Y = -58 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 50 x 28 m

PURPOSE

A communal kitchen, shared meal room and meeting place open to the market.

CONNECTIONS

North to BRW-01. West service approach to BRW-11. South neighborhood approach to BRW-03. East delivery route to BRW-10.

PORTAL SCHEDULE / WORLD XYZ

P1 N / 3 m
(-5, -44, 0)

P2 W / 2 m
(-30, -62, 0)

P3 S / 2 m
(16, -72, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Hearth Terraces

BRW-03 / area plan and connection schedule / fixed world anchor (-30, -132, 12) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 — 20 m


LOCAL (0,0) = WORLD ANCHOR

X = -30 + local x | Y = -132 + local y

Baseline Z = 12 m | No rotation or mirroring

Tier bands show neighborhood allocation. Unseen private rooms stay unassigned. Ramp approaches are on BP-00.

POSITION IN THE WORLD



FOOTPRINT 140 x 52 m

PURPOSE

The principal residential neighborhood, built into the southern rock.

CONNECTIONS

Public galleries connect to the western ramp and home_low stair route. The exact Madger / Snow entry remains (-80, -132, +12).

PORTAL SCHEDULE / WORLD XYZ


P1 W / 2 m
(-80, -132, 12)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Garden Terraces

BRW-04 / area plan and connection schedule / fixed world anchor (0, 135, 12) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 — 20 m


LOCAL (0,0) = WORLD ANCHOR

X = 0 + local x | Y = 135 + local y

Baseline Z = 12 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 160 x 62 m

PURPOSE

North terraces for produce, plant starts and shared learning.

CONNECTIONS

South stair via BRW-C02. West cart ramp connects +0 / +6 / +12 / +18 landings and BRW-05. Terrace paths never cross planted beds.

PORTAL SCHEDULE / WORLD XYZ

P1 S / 3 m
(0, 104, 6)


P2 W / 4 m
(-80, 135, 12)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Spring House

BRW-05 / area plan and connection schedule / fixed world anchor (-160, 150, 18) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m

LOCAL (0,0) = WORLD ANCHOR

X = -160 + local x | Y = 150 + local y

Baseline Z = 18 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 32 x 24 m

PURPOSE

Protected source, settling tanks and the start of separate water systems.

CONNECTIONS

South inspection entry (-160, 138, +18) joins the upper garden ramp. Water exits into the enclosed headrace; no public tunnel.

PORTAL SCHEDULE / WORLD XYZ


P1 S / 2 m
(-160, 138, 18)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Waterhouse

BRW-06 / area plan and connection schedule / fixed world anchor (-185, 65, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m


LOCAL (0,0) = WORLD ANCHOR

X = -185 + local x | Y = 65 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 40 x 30 m

PURPOSE

Water-driven power and maintenance beside the western wheelrace.

CONNECTIONS

South approach to BRW-07. West equipment access. East wheel interfaces with the existing race; no pedestrian crossing is added.

PORTAL SCHEDULE / WORLD XYZ

P1 S / 3 m
(-185, 50, 0)


P2 W / 4 m
(-205, 65, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Gorilla White's Workshop

BRW-07 / area plan and connection schedule / fixed world anchor (-185, 18, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m


LOCAL (0,0) = WORLD ANCHOR

X = -185 + local x | Y = 18 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 44 x 30 m

PURPOSE

A public repair workshop where Gorilla White works alongside other craftspeople.

CONNECTIONS

East court to works_junction and BRW-01. North service route to BRW-06. South walk to BRW-08.

PORTAL SCHEDULE / WORLD XYZ

P1 E / 5 m
(-163, 18, 0)

P2 N / 2 m
(-185, 33, 0)


P3 S / 2 m
(-173, 3, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Training Court

BRW-08 / area plan and connection schedule / fixed world anchor (-182, -73, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 — 10 m

LOCAL (0,0) = WORLD ANCHOR

X = -182 + local x | Y = -73 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 58 x 42 m

PURPOSE

A safe, open practice yard with marked soil lanes and rescue exercises.

CONNECTIONS

East entrance to the lower walk. North equipment route to BRW-07. West emergency threshold BRW-X01 remains closed.

PORTAL SCHEDULE / WORLD XYZ

P1 E / 6 m
(-153, -73, 0)


P2 N / 4 m
(-182, -52, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Records House

BRW-09 / area plan and connection schedule / fixed world anchor (62, 42, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m


LOCAL (0,0) = WORLD ANCHOR

X = 62 + local x | Y = 42 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 38 x 28 m

PURPOSE

Bot's workroom, local records and the room where evidence is compared.

CONNECTIONS

South entrance to market_e. East maintenance door stays local. Cable links serve local records; no physical control of the gate bar.

PORTAL SCHEDULE / WORLD XYZ

P1 S / 2.4 m
(62, 28, 0)


P2 E / 2 m
(81, 42, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Storehouse & Trading Court

BRW-10 / area plan and connection schedule / fixed world anchor (104, -40, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 — 10 m


LOCAL (0,0) = WORLD ANCHOR

X = 104 + local x | Y = -40 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 52 x 38 m

PURPOSE

Dry staples, tools and an interior receiving yard.

CONNECTIONS

East receiving court to Gate Lane. North staff approach to lane_e. West inventory exit to the common-house delivery route.

PORTAL SCHEDULE / WORLD XYZ

P1 E / 5 m
(130, -40, 0)

P2 N / 2 m
(104, -21, 0)


P3 W / 2 m
(78, -40, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Care House

BRW-11 / area plan and connection schedule / fixed world anchor (-86, -68, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m

LOCAL (0,0) = WORLD ANCHOR

X = -86 + local x | Y = -68 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 30 x 24 m

PURPOSE

A quiet neighborhood clinic and recovery space.

CONNECTIONS

North reception from the public walk. West service exit. Quiet south rooms remain private; no shortcut through patient space.

PORTAL SCHEDULE / WORLD XYZ

P1 N / 2.4 m
(-86, -56, 0)


P2 W / 2 m
(-101, -64, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

East Bridge

BRW-12 / area plan and connection schedule / fixed world anchor (170, 0, 0) m

PLAN / LOCAL METRES / NORTH UP




LOCAL (0,0) = WORLD ANCHOR

X = 170 + local x | Y = 0 + local y

Baseline Z = 0 m | No rotation or mirroring

Deck: 12 x 4.5 m. Canal: 6 m. Three reopening pennants. Water below path at this crossing: 2.2 m.

POSITION IN THE WORLD



FOOTPRINT 12 x 4.5 m

PURPOSE

The main public crossing between Gate Lane and the interior arrival court.

CONNECTIONS

West landing (164, 0, 0); east landing (176, 0, 0). C03 at y=-90 provides the existing maintenance bypass.

PORTAL SCHEDULE / WORLD XYZ

P1 W / 4.5 m
(164, 0, 0)


P2 E / 4.5 m
(176, 0, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Inner Arrival Court

BRW-13 / area plan and connection schedule / fixed world anchor (225, 0, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 10 m


LOCAL (0,0) = WORLD ANCHOR

X = 225 + local x | Y = 0 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 72 x 52 m

PURPOSE

An internal handoff space between East Bridge and the closed gate vestibule.

CONNECTIONS

West to BRW-12. East to BRW-14 mouth at x=270. South to BRW-15 and BRW-C03. No exterior view in Episode 1.

PORTAL SCHEDULE / WORLD XYZ

P1 W / 8 m
(189, 0, 0)

P2 E / 8 m
(261, 0, 0)


P3 S / 5 m
(245, -26, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

East Gate

BRW-14 / area plan and connection schedule / fixed world anchor (282, 0, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m

LOCAL (0,0) = WORLD ANCHOR

X = 282 + local x | Y = 0 + local y

Baseline Z = 0 m | No rotation or mirroring

South cabinet fixed. East leaf plane closed. Physical crossbar and electronic record remain independent.

POSITION IN THE WORLD



FOOTPRINT 24 x 18 m

PURPOSE

A recessed gate vestibule and the main public threshold at the east rock wall.

CONNECTIONS

Enter from west at x=270. Exterior leaf plane x=294 stays closed in shown pilot scenes. Relay is on the SOUTH wall.

PORTAL SCHEDULE / WORLD XYZ

P1 W / 12 m
(270, 0, 0)


P2 CLOSED LEAVES
(294, 0, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Service Walk & Gate Relay

BRW-15 / area plan and connection schedule / fixed world anchor (270, -26, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m

LOCAL (0,0) = WORLD ANCHOR

X = 270 + local x | Y = -26 + local y

Baseline Z = 0 m | No rotation or mirroring

This footprint is the walk. Cabinet R-E01 is separately anchored inside BRW-14; see BP-17 for the joined plan.

POSITION IN THE WORLD



FOOTPRINT 34 x 14 m

PURPOSE

Public maintenance access along the inner south side of the gate.

CONNECTIONS

Return north to gate_mouth (270, 0, 0), then inside to the cabinet. The walk and cabinet are two parts of one location record.

PORTAL SCHEDULE / WORLD XYZ

P1 W / 4 m
(253, -26, 0)


P2 N / 3 m
(270, -19, 0)

Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Makers' Room & Archive

BRW-16 / area plan and connection schedule / fixed world anchor (-66, 16, 0) m

PLAN / LOCAL METRES / NORTH UP



GRAPHIC SCALE

0 5 m

LOCAL (0,0) = WORLD ANCHOR

X = -66 + local x | Y = 16 + local y

Baseline Z = 0 m | No rotation or mirroring

Solid lines: shell / fixed anchor. Dashed: planning or functional zone. Green: access. Gold: critical anchor.

POSITION IN THE WORLD



FOOTPRINT 38 x 22 m

PURPOSE

A shared studio, reading room and record of community projects.

CONNECTIONS

South public entrance to the market / west lane. West service exit. Archive and Creator Studio share this one footprint.

PORTAL SCHEDULE / WORLD XYZ

P1 S / 2.4 m
(-66, 5, 0)

P2 W / 2 m
(-85, 16, 0)


Shell subdivisions and portal widths are authored in this issue. Existing footprint and named anchors are inherited unchanged.

Three crossings / fixed connections

Crossing register / true plan geometry and fixed landing coordinates

BRW-C01

East Bridge



Span 12 m | clear width 4.5 m


LANDINGS / WORLD XYZ

(164, 0, 0) / (176, 0, 0)

PALE TIMBER

BRW-C02

Garden Crossing



Span 12 m | clear width 4 m


LANDINGS / WORLD XYZ

(0, 56, 0) / (0, 68, 0)

FLAT LIMESTONE SLAB

BRW-C03

Service Crossing



Span 12 m | clear width 4 m

LANDINGS / WORLD XYZ

(164, -90, 0) / (176, -90, 0)

FLAT LIMESTONE SLAB


DECK / WATER RELATIONSHIP AT EAST BRIDGE



These are the only canal crossings. Garden Crossing runs north-south; the other two run east-west. Sluice hardware, rails and decorations cannot become extra bridges.

Systems that support daily life

Fixed watercourse plus functional network / utility branch routing is reserved, not fabricated



GRAPHIC SCALE

0 100 m

FLOW: SPRING -> WHEEL -> CANAL -> OUTLET

Open canal width 6 m; first headrace segments enclosed.

WATER / FIXED ALIGNMENT

The plotted race is copied from canon point-for-point. Covered potable tanks supply a separate buried pipe system.

POWER / LOCAL CONTROL

Waterhouse generation is supplemented by roof solar and local batteries. Separate electrical isolation from mechanical water flow.

RECORDS / LOCAL LINKS

Records House compares reports and offline evidence. The gate relay records observations; it cannot move the manual bar.

WASTE / SEPARATE SYSTEM

Sealed collection follows service corridors toward the southeast treatment threshold. Detailed pipe sizes and branch alignments remain unassigned.

BURROWING / EXCLUSION

Only authored soil volumes permit digging. Keep foundations, stone, protected planting, cables and pipe corridors outside those volumes.

DESIGN BOUNDARY

Do not read this network as engineered services. This issue fixes interfaces and story logic; later system sheets must add surveyed production routes.

How the Madger world grows

Assembly contract / every new area gets a measured plan and a declared connection

01 LOCK THE EXISTING WORLD

The Burrow is the first district. Keep its 16 anchors, three crossings, north direction and elevation datum unchanged. New stories add events; new districts attach to documented thresholds.

02 BUILD AN AREA PACKET

IDENTITY	Stable ID, name, parent district, first appearance.
GEOMETRY	World origin, footprint, rotation, elevation, plan and section.
CONNECTIONS	Portal IDs, coordinates, width, level and adjoining portal.
SYSTEMS	Walk / cart routes, water, power, data and manual fallbacks.
CONTINUITY	Materials, sightlines, soil volumes and event-state overlays.

03 CHECK THE JOIN BEFORE USE

Shared portals must match world position, elevation and orientation. Check reachable routes, collision, sightlines and scene transitions. Publish the area packet before using it in a story, game or image.

RESERVED WORLD CONNECTIONS

BRW-X01 / West emergency door

(-240, -95, 0) m

Fixed closed threshold; inspected emergency provision. Route beyond it remains unassigned and offscreen.

BRW-X02 / Southeast treatment/service access

(210, -145, -3) m

Fixed service threshold; not a free public tunnel or an Episode 1 adventure route.

BRW-X03 / East exterior threshold

(294, 0, 0) m

Fixed boundary; exterior roads/lands to be added later without moving the gate.

VERSIONING AND SOURCE OF TRUTH

This atlas is Blueprint Issue 01, an additive production drawing set based on World Bible v1.0.0. Footprints and anchors are inherited; new partitions, zone layouts and portal widths are authored here.

Exterior lands remain unassigned. Existing Expedition courses keep their layouts until connection sheets establish where they join this world.