

{ "nodes": [{ "id": "Computer Vision", "group": "Domain", "category": "Academic Field", "rec": "Review literature cross-sections to find multi-disciplinary opportunities." }, { "id": "Natural Language Processing", "group": "Domain", "category": "Academic Field", "rec": "Review literature cross-sections to find multi-disciplinary opportunities." }, { "id": "Geometric Deep Learning", "group": "Domain", "category": "Academic Field", "rec": "Review literature cross-sections to find multi-disciplinary opportunities." }, { "id": "Transformer Architectures", "group": "Methodology", "category": "Core Algorithm", "rec": "Lab deployment vector: Isolate this framework to benchmark operational runtime bottlenecks." }, { "id": "Convolutional Neural Networks", "group": "Methodology", "category": "Core Algorithm", "rec": "Lab deployment vector: Isolate this framework to benchmark operational runtime bottlenecks." }, { "id": "Graph Neural Networks", "group": "Methodology", "category": "Core Algorithm", "rec": "Lab deployment vector: Isolate this framework to benchmark operational runtime bottlenecks." }, { "id": "Contrastive Learning", "group": "Methodology", "category": "Core Algorithm", "rec": "Lab deployment vector: Isolate this framework to benchmark operational runtime bottlenecks." }, { "id": "Dr_Y_Bengio", "group": "Author", "category": "Principal Investigator", "rec": "Analyze h-index and structural degree co-authorship paths to optimize grant sourcing." }, { "id": "Dr_G_Hinton", "group": "Author", "category": "Principal Investigator", "rec": "Analyze h-index and structural degree co-authorship paths to optimize grant sourcing." }, { "id": "Dr_Y_LeCun", "group": "Author", "category": "Principal Investigator", "rec": "Analyze h-index and structural degree co-authorship paths to optimize grant sourcing." }, { "id": "Dr_A_Vaswani", "group": "Author", "category": "Principal Investigator", "rec": "Analyze h-index and structural degree co-authorship paths to optimize grant sourcing." }, { "id": "Dr_J_Leskevicius", "group": "Author", "category": "Principal Investigator", "rec": "Analyze h-index and structural degree co-authorship paths to optimize grant sourcing." }, { "id": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "ViT-Scale: Scaling Vision Transformers for Dense Prediction", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Masked Autoencoders Are Scalable Vision Visualizers", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "NeRF-Graph: Neural Radiance Fields on Graph Topologies", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Cross-Modal Vector Alignment in Generative Vision Spaces", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Attention-Driven Object Detection in High-Resolution Imagery", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Unsupervised Visual Representation via Contrastive Residuals", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "group": "Paper", "category": "Published under Computer Vision", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "GPT-Next: Autoregressive Language Modeling at Scale", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Contrastive Sentence Embeddings via Semantic

Invariance", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Long-Short Sequence Parsing via Linear Attention Windows", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Text-Graph Recurrent Transformers for Structured Document Analysis", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Exploring the Limits of Self-Supervised Machine Translation", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Dependency-Parsing Convolutions for Low-Resource Languages", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Token-Free Language Representations via Character-Level Processing", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Evaluating Prompt Calibration Metrics in LLM Quantization", "group": "Paper", "category": "Published under Natural Language Processing", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Graph Attention Networks with Multi-Head Structural Alignment", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Graph Convolutions Meet Vision Transformers: A Unified Review", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Inductive Representation Learning on Large-Scale Social Webs", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Contrastive Node Clustering via Graph Diffusion Wavelets", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Deep Generative Models for Graph Structure Deconvolution", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }, { "id": "Scalable Graph Neural Architecture Search via Gradient Descent", "group": "Paper", "category": "Published under Geometric Deep Learning", "rec": "Literature Mapping Blueprint: Verify citation weights to evaluate the foundational novelty of this work." }], "links": [{ "source": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Dr_A_Vaswani", "target": "Long-Short Sequence Parsing via Linear Attention Windows", "label": "AUTHORED" }, { "source": "Token-Free Language Representations via Character-Level Processing", "target": "Long-Short Sequence Parsing via Linear Attention Windows", "label": "CITES" }, { "source": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "target": "Convolutional Neural Networks", "label": "UTILIZED" }, { "source": "Graph Convolutions Meet

Vision Transformers: A Unified Review", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Cross-Modal Vector Alignment in Generative Vision Spaces", "target": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "label": "CITES" }, { "source": "Scalable Graph Neural Architecture Search via Gradient Descent", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Dr_A_Vaswani", "target": "ViT-Scale: Scaling Vision Transformers for Dense Prediction", "label": "AUTHORED" }, { "source": "GPT-Next: Autoregressive Language Modeling at Scale", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Graph Attention Networks with Multi-Head Structural Alignment", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Graph Attention Networks with Multi-Head Structural Alignment", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "target": "Convolutional Neural Networks", "label": "UTILIZED" }, { "source": "Text-Graph Recurrent Transformers for Structured Document Analysis", "target": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "label": "CITES" }, { "source": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "target": "Text-Graph Recurrent Transformers for Structured Document Analysis", "label": "CITES" }, { "source": "Contrastive Node Clustering via Graph Diffusion Wavelets", "target": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "label": "CITES" }, { "source": "Text-Graph Recurrent Transformers for Structured Document Analysis", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "Dr_Y_LeCun", "target": "Dependency-Parsing Convolutions for Low-Resource Languages", "label": "AUTHORED" }, { "source": "Dr_Y_Bengio", "target": "Exploring the Limits of Self-Supervised Machine Translation", "label": "AUTHORED" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Exploring the Limits of Self-Supervised Machine Translation", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Dr_Y_LeCun", "target": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "label": "AUTHORED" }, { "source": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Evaluating Prompt Calibration Metrics in LLM Quantization", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Contrastive Sentence Embeddings via Semantic Invariance", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Dr_J_Leskevicius", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "AUTHORED" }, { "source": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "target": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "label": "CITES" }, { "source": "Cross-Modal Vector Alignment in Generative Vision Spaces", "target": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "label": "CITES" }, { "source": "Evaluating Prompt Calibration Metrics in LLM Quantization", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Dependency-Parsing Convolutions for Low-Resource Languages", "target": "Text-Graph Recurrent Transformers for Structured Document Analysis", "label": "CITES" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "target": "Convolutional Neural Networks", "label": "UTILIZED" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "NeRF-Graph: Neural Radiance Fields on Graph Topologies", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "target": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "label": "CITES" }, { "source": "Dr_Y_Bengio", "target": "Contrastive Sentence Embeddings via Semantic Invariance", "label": "AUTHORED" }, { "source": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Deep

Generative Models for Graph Structure Deconvolution", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "target": "Exploring the Limits of Self-Supervised Machine Translation", "label": "CITES" }, { "source": "Dr_J_Leskevici", "target": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "label": "AUTHORED" }, { "source": "Deep Generative Models for Graph Structure Deconvolution", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Dr_A_Vaswani", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "AUTHORED" }, { "source": "Contrastive Node Clustering via Graph Diffusion Wavelets", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Dr_G_Hinton", "target": "Unsupervised Visual Representation via Contrastive Residuals", "label": "AUTHORED" }, { "source": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "target": "Graph Attention Networks with Multi-Head Structural Alignment", "label": "CITES" }, { "source": "Graph Convolutions Meet Vision Transformers: A Unified Review", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "Dr_Y_LeCun", "target": "Masked Autoencoders Are Scalable Vision Visualizers", "label": "AUTHORED" }, { "source": "Contrastive Node Clustering via Graph Diffusion Wavelets", "target": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "label": "CITES" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "Graph Convolutions Meet Vision Transformers: A Unified Review", "label": "CITES" }, { "source": "Scalable Graph Neural Architecture Search via Gradient Descent", "target": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "label": "CITES" }, { "source": "Unsupervised Visual Representation via Contrastive Residuals", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Unsupervised Visual Representation via Contrastive Residuals", "target": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "label": "CITES" }, { "source": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Dr_Y_Bengio", "target": "Token-Free Language Representations via Character-Level Processing", "label": "AUTHORED" }, { "source": "Dependency-Parsing Convolutions for Low-Resource Languages", "target": "Convolutional Neural Networks", "label": "UTILIZED" }, { "source": "Dr_J_Leskevici", "target": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "label": "AUTHORED" }, { "source": "Dependency-Parsing Convolutions for Low-Resource Languages", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Text-Graph Recurrent Transformers for Structured Document Analysis", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "Real-Time Semantic Segmentation via Dilated Spatial Kernels", "target": "Masked Autoencoders Are Scalable Vision Visualizers", "label": "CITES" }, { "source": "Masked Autoencoders Are Scalable Vision Visualizers", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "target": "Masked Autoencoders Are Scalable Vision Visualizers", "label": "CITES" }, { "source": "Unsupervised Visual Representation via Contrastive Residuals", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Dr_G_Hinton", "target": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "label": "AUTHORED" }, { "source": "Dr_Y_Bengio", "target": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "label": "AUTHORED" }, { "source": "Text-Graph Recurrent Transformers for Structured Document Analysis", "target": "Contrastive Sentence Embeddings via Semantic Invariance", "label": "CITES" }, { "source": "Token-Free Language Representations via Character-Level Processing", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Token-Free Language Representations via Character-Level Processing", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "target": "Unsupervised Visual Representation via Contrastive Residuals", "label": "CITES" }, { "source": "Long-Short Sequence Parsing via Linear Attention Windows", "target": "GPT-Next: Autoregressive Language Modeling

at Scale", "label": "CITES" }, { "source": "Masked Autoencoders Are Scalable Vision Visualizers", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "target": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "label": "CITES" }, { "source": "Dr_Y_LeCun", "target": "Graph Convolutions Meet Vision Transformers: A Unified Review", "label": "AUTHORED" }, { "source": "Graph Convolutions Meet Vision Transformers: A Unified Review", "target": "Graph Attention Networks with Multi-Head Structural Alignment", "label": "CITES" }, { "source": "Dr_Y_Bengio", "target": "Scalable Graph Neural Architecture Search via Gradient Descent", "label": "AUTHORED" }, { "source": "Dr_G_Hinton", "target": "Contrastive Node Clustering via Graph Diffusion Wavelets", "label": "AUTHORED" }, { "source": "Contrastive Sentence Embeddings via Semantic Invariance", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Attention-Driven Object Detection in High-Resolution Imagery", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Attention-Driven Object Detection in High-Resolution Imagery", "target": "NeRF-Graph: Neural Radiance Fields on Graph Topologies", "label": "CITES" }, { "source": "ViT-Scale: Scaling Vision Transformers for Dense Prediction", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Graph Attention Networks with Multi-Head Structural Alignment", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Dependency-Parsing Convolutions for Low-Resource Languages", "target": "Long-Short Sequence Parsing via Linear Attention Windows", "label": "CITES" }, { "source": "Dr_J_Leskovec", "target": "Inductive Representation Learning on Large-Scale Social Webs", "label": "AUTHORED" }, { "source": "Exploring the Limits of Self-Supervised Machine Translation", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Text-Graph Recurrent Transformers for Structured Document Analysis", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Contrastive Sentence Embeddings via Semantic Invariance", "target": "GPT-Next: Autoregressive Language Modeling at Scale", "label": "CITES" }, { "source": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "target": "Exploring the Limits of Self-Supervised Machine Translation", "label": "CITES" }, { "source": "Dr_J_Leskovec", "target": "NeRF-Graph: Neural Radiance Fields on Graph Topologies", "label": "AUTHORED" }, { "source": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Unsupervised Visual Representation via Contrastive Residuals", "target": "Cross-Modal Vector Alignment in Generative Vision Spaces", "label": "CITES" }, { "source": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "target": "Unsupervised Visual Representation via Contrastive Residuals", "label": "CITES" }, { "source": "Attention-Driven Object Detection in High-Resolution Imagery", "target": "ViT-Scale: Scaling Vision Transformers for Dense Prediction", "label": "CITES" }, { "source": "Evaluating Prompt Calibration Metrics in LLM Quantization", "target": "Exploring the Limits of Self-Supervised Machine Translation", "label": "CITES" }, { "source": "Evaluating Prompt Calibration Metrics in LLM Quantization", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Deep Generative Models for Graph Structure Deconvolution", "target": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "label": "CITES" }, { "source": "Dr_G_Hinton", "target": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "label": "AUTHORED" }, { "source": "Graph Attention Networks with Multi-Head Structural Alignment", "target": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "label": "CITES" }, { "source": "Attention-Driven Object Detection in High-Resolution Imagery", "target": "Masked Autoencoders Are Scalable Vision Visualizers", "label": "CITES" }, { "source": "Dr_G_Hinton", "target": "Cross-Modal Vector Alignment in Generative Vision Spaces", "label": "AUTHORED" }, { "source": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "target": "Contrastive Sentence Embeddings via Semantic Invariance", "label": "CITES" }, { "source": "Long-Short Sequence Parsing via Linear Attention Windows", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "GPT-Next: Autoregressive Language Modeling at Scale", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Dr_Y_LeCun", "target": "Deep Generative Models for Graph Structure

Deconvolution", "label": "AUTHORED" }, { "source": "Deep Generative Models for Graph Structure Deconvolution", "target": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "label": "CITES" }, { "source": "Deep Generative Models for Graph Structure Deconvolution", "target": "Convolutional Neural Networks", "label": "UTILIZED" }, { "source": "NeRF-Graph: Neural Radiance Fields on Graph Topologies", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Token-Free Language Representations via Character-Level Processing", "target": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "label": "CITES" }, { "source": "Contrastive Node Clustering via Graph Diffusion Wavelets", "target": "Geometric Deep Learning", "label": "BELONGS_TO" }, { "source": "GPT-Next: Autoregressive Language Modeling at Scale", "target": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "label": "CITES" }, { "source": "Exploring the Limits of Self-Supervised Machine Translation", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Scalable Graph Neural Architecture Search via Gradient Descent", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "Graph Convolutions Meet Vision Transformers: A Unified Review", "target": "Self-Supervised Graph Contrastive Learning via Subgraph Masking", "label": "CITES" }, { "source": "Graph Convolutions Meet Vision Transformers: A Unified Review", "target": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "label": "CITES" }, { "source": "Dr_A_Vaswani", "target": "Attention-Driven Object Detection in High-Resolution Imagery", "label": "AUTHORED" }, { "source": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Scalable Graph Neural Architecture Search via Gradient Descent", "target": "Contrastive Node Clustering via Graph Diffusion Wavelets", "label": "CITES" }, { "source": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Inductive Representation Learning on Large-Scale Social Webs", "target": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "label": "CITES" }, { "source": "Deep Generative Models for Graph Structure Deconvolution", "target": "Masked Autoencoders Are Scalable Vision Visualizers", "label": "CITES" }, { "source": "Dr_Y_Bengio", "target": "Evaluating Prompt Calibration Metrics in LLM Quantization", "label": "AUTHORED" }, { "source": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "Geometry-Aware Convolutions for 3D Point Cloud Processing", "target": "SimCLR-V3: Contrastive Frameworks for Self-Supervised Vision", "label": "CITES" }, { "source": "Contrastive Sentence Embeddings via Semantic Invariance", "target": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "label": "CITES" }, { "source": "Cross-Modal Vector Alignment in Generative Vision Spaces", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "ViT-Scale: Scaling Vision Transformers for Dense Prediction", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "Dr_J_Leskovec", "target": "Retrieval-Augmented Transformers for Dynamic Knowledge Graphs", "label": "AUTHORED" }, { "source": "Long-Short Sequence Parsing via Linear Attention Windows", "target": "Transformer Architectures", "label": "UTILIZED" }, { "source": "GCN-V2: Scalable Graph Convolutional Networks via Node Sampling", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "Dr_A_Vaswani", "target": "Graph Attention Networks with Multi-Head Structural Alignment", "label": "AUTHORED" }, { "source": "Dr_A_Vaswani", "target": "BERT-Large: Pre-training of Deep Bidirectional Transformers", "label": "AUTHORED" }, { "source": "Cross-Modal Vector Alignment in Generative Vision Spaces", "target": "Contrastive Learning", "label": "UTILIZED" }, { "source": "Attention-Driven Object Detection in High-Resolution Imagery", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Dr_Y_LeCun", "target": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "label": "AUTHORED" }, { "source": "Token-Free Language Representations via Character-Level Processing", "target": "Natural Language Processing", "label": "BELONGS_TO" }, { "source": "Temporal Graph Networks for Dynamic Relational Interaction Stream", "target": "Graph Convolutions Meet Vision Transformers: A Unified Review", "label": "CITES" }, { "source": "Message-Passing Frameworks for Heterogeneous Molecular Topologies", "target": "Graph Neural Networks", "label": "UTILIZED" }, { "source": "ResNet-3D: Residual Grids for Spatial Volumetric Analysis", "target": "Computer Vision", "label": "BELONGS_TO" }, { "source": "Dr_J_Leskovec", "target": "Text-Graph Recurrent Transformers for Structured Document Analysis", "label": "AUTHORED" }] }