Status	Finished
Started	Monday, 26 October 2026, 3:09 PM
Completed	Monday, 26 October 2026, 3:24 PM
Duration	14 mins 55 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 5

b. Invalid Synatx,Error

c. 4 ✓

d. A

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.

b) Items are accessed by their position in a dictionary.

c) A dictionary can contain any object type except another dictionary.

d) Dictionaries can be nested to any depth.

e) Dictionaries are mutable.

f) Dictionaries are accessed by key.

a. b,c

b. a,b

c. c,d,e

d. d,e,f ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

- a. Immutable ✓
- b. antique
- c. integers
- d. Mutable

Question **4**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

- a. dictionary
- b. string
- c. list ✓
- d. tuple

Question **5**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Janice', 'Emily', 'John']
- b. ['Janice', 'Emily', 'John', 'Eleanor']
- c. ['Janice', 'John', 'Erik']
- d. ['Emily', 'John', 'Erik'] ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Suppose d = {"john":40, "peter":45}, to delete the entry for "john" what command do we use?

a. d.delete("john")
b. del d("john":40)
c. d.delete("john":40)
d. del d["john"] ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A dictionary can have two same values with different keys. ✓
c. A dictionary can have two same keys with different values.
d. A python, a dictionary can neither have two same keys nor two same values.

Question **8**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.values)
b. print(A.get)
c. print(A.Items) ✓
d. print(A.keys)

Question **9**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

a. value
b. pair item
c. item ✓
d. paired value

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )

b. None of the mentioned

c. L = [ ]

d. D = { } ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. pop( )

b. del

c. delete( )

d. clear( ) ✓

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. b and d

b. a and b ✓

c. a and c

d. c and d

Question **13**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False

b. True ✓

Question **14**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

- a. len(d) ✓
- b. d.len()
- c. size(d)
- d. d.size()

Question **15**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

- a. mutable
- b. unique ✓
- c. integers
- d. antique