

Exp No: 3

Building Corporate Risk Register & Risk Taxonomy

Aim

To establish a structured business risk framework in Eramba by configuring risk classifications, the risk calculation method, a risk appetite threshold, and supporting threat and vulnerability records, and then creating a business risk for analysis.

Procedure

1. Open Risk Management and select Business Risks.
2. Open Business Risks → Settings and review the available classification types.
3. Create a Technology risk-category classification and an Occasional likelihood classification for the riskanalysis.
4. Configure the Single Matrix - Addition calculation method using Likelihood and Impact.
5. Create the Standard Risk Tolerance threshold.
6. Add the Cloud Service Disruption threat and associate it with the IT Service asset type.
7. Add the Insufficient Service Monitoring vulnerability and associate it with the IT Service asset type.
8. Create the Cloud Service Availability Risk and complete its business unit, threat, vulnerability, andclassification fields.
9. Open the completed risk and verify the calculated score and threshold.

Output

The risk taxonomy and supporting risk-analysis configuration were established in Eramba, and a business risk was created with the configured classifications, threat, vulnerability, and calculated score.




Fig 3.1 - Risk Classification Types




Fig 3.2 - Risk Classifications List




Fig 3.3 - Risk Calculation Method




Fig 3.4 - Risk Appetite Threshold Configuration




Fig 3.5 - Business Risk Threats




Fig 3.6 - Business Risk Vulnerabilities

[illegible]

Fig 3.7 - Final Business Risk Details

Result

The corporate risk register and risk taxonomy were successfully established in Eramba. The final business risk shows the configured business unit, threat, vulnerability, risk classification, calculated score, threshold, and treatment information, completing Experiment 3.