RAJALAKSHMI ENGINEERING COLLEGE

RAJALAKSHMI NAGAR, THANDALAM - 602 105



CS23221 PYTHON PROGRAMMING LAB

Laboratory Observation Note Book

Name: Madhan kumar.B

Year/Branch/Section: 1-year/CSE(CS)

Register No: 2116231901028

Semester: 2nd Semester

Academic Year: 2023 - 2024

INDEX

Reg. No: 2116231901028 Name: Madhan kumar.B

Year: 1 year Branch: CSE(CS) Sec: A

S. No.	Date	Title	Page No.	Teacher's Signature / Remarks
]	Introducti	on to python-Variables-Datatypes-Input/O	utput-Fo	ormatting
1.1	12.03.24	Converting Input Strings	8	
1.2	12.03.24	Gross salary	10	
1.3	12.03.24	Square Root	11	
1.4	12.03.24	Gain percent	12	
1.5	12.03.24	Deposits	14	
1.6	12.03.24	Carpenter	16	
	i	Operators in Python		
2.1	06.04.24	Widgets and Gizmos	19	
2.2	06.04.24	Doll Sings	20	
2.3	06.04.24	Birthday party	22	
2.4	06.04.24	Hamming Weight	24	
2.5	06.04.24	Compound Interest	25	

2.6	06.04.24	Eligible to donate blood	26
2.7	06.04.24	C or D	28
2.8	06.04.24	Troy Battle	30
2.9	06.04.24	Tax and Tip	32
2.10	2.10 06.04.24 Return last digit of the given number		34
		Selection Structures in Python	
3.1	12.04.24	Admission eligibility	37
3.2	12.04.24	Classifying triangles	40
3.3	12.04.24	Electricity Bill	42
3.4	12.04.24	IN/OUT	45
3.5	12.04.24	Vowel or Constant	47
3.6	12.04.24	Leap Year	49
3.7	12.04.24	Month name to Days	52
3.8	12.04.24	Pythagorean triple	54
3.9	12.04.24	Second Last Digit	56
3.10	12.04.24	Chinese Zodiac	58
	A	lgorithmic Approach: Iteration Control St	ructures
4.1	13.04.24	Factors of a Number	61
4.2	13.04.24	Non-Repeated Digits Count	63
4.3	13.04.24	Prime Checking	64
4.4	13.04.24	Next Perfect Square	66
4.5	13.04.24	Nth Fibonacci	67
4.6	13.04.24	Disarium Number	69
4.7	13.04.24	Sum of Series	70
4.8	13.04.24	Unique Digits Count	72
4.9	13.04.24	Product of single digits	73
4.10	13.04.24	Perfect Square After adding One	75
		Strings in Python	,
5.1	17.04.24	Count chars	78
	1		

5.2	17.04.24	Decompress the String	79
5.3	17.04.24	First N Common Characters	80
5.4	17.04.24	Remove Characters	82
5.5	17.04.24	Remove Palindrome Words	84
5.6	17.04.24	Return Second Word in Uppercase	85
5.7	17.04.24	Reverse String	87
5.8	17.04.24	String characters balance Test	88
5.9	17.04.24	Unique Names	89
5.10	17.04.24	Username Domain Extension	90
	ļ	List in Python	
6.1	04.05.24	Monotonic array	93
6.2	04.05.24	Check pair with difference k.	96
6.3	04.05.24	Count Elements	98
6.4	04.05.24	Distinct Elements in an Array	101
6.5	04.05.24	Element Insertion	104
6.6	04.05.24	Find the Factor	107
6.7	04.05.24	Merge list	111
6.8	04.05.24	Merge Two Sorted Arrays Without	114
		Duplication	
6.9	04.05.24	Print Element Location	117
6.10	04.05.24	Strictly increasing	124
		Tuples & Set	
7.1	18.05.24	Binary String	126
7.2	18.05.24	Check Pair	131
7.3	18.05.24	DNA Sequence	133
7.4	18.05.24	Print repeated no	136
7.5	18.05.24	Remove repeated	138
7.6	18.05.24	malfunctioning keyboard	141
7.7	18.05.24	American keyboard	143
		Dictionary	

.1	25.05.24	Uncommon Words	145	
8.2	25.05.24	4 Sort Dictionary By Values Summation 149		
8.3	25.05.24	.24 Winner Of Election 151		
8.4	25.05.24	Student Record	154	
8.5	25.05.24	Scramble Score	156	
		Functions		
9.1	01.06.24	Abundant Number	158	
9.2	01.06.24	Automorphic number or not	161	
9.3	01.06.24	Check Product of Digits	166	
9.4	01.06.24	Christmas Discount	169	
9.5	01.06.24	Coin Change	170	
9.6	01.06.24	Difference Sum	171	
9.7	01.06.24	Ugly number	172	
9.7	01.06.24	Ugly number Searching & Sorting	172	
9.7	01.06.24		172	
		Searching & Sorting		
10.1	01.06.24	Searching & Sorting Merge Sort	173	
10.1 10.2	01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort	173	
10.1 10.2 10.3	01.06.24 01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element	173 174 175	
10.1 10.2 10.3 10.4	01.06.24 01.06.24 01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search	173 174 175 176	
10.1 10.2 10.3 10.4	01.06.24 01.06.24 01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers	173 174 175 176	
10.1 10.2 10.3 10.4 10.5	01.06.24 01.06.24 01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers Exception Handling	173 174 175 176 177	
10.1 10.2 10.3 10.4 10.5	01.06.24 01.06.24 01.06.24 01.06.24 01.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers Exception Handling Exception Handling-1	173 174 175 176 177	
10.1 10.2 10.3 10.4 10.5	01.06.24 01.06.24 01.06.24 01.06.24 01.06.24 02.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers Exception Handling Exception Handling-1 Exception Handling-2	173 174 175 176 177	
10.1 10.2 10.3 10.4 10.5 11.1 11.2 11.3	01.06.24 01.06.24 01.06.24 01.06.24 01.06.24 02.06.24 02.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers Exception Handling Exception Handling-1 Exception Handling-2 Exception Handling-3	173 174 175 176 177 178 180 181	
10.1 10.2 10.3 10.4 10.5 11.1 11.2 11.3 11.4	01.06.24 01.06.24 01.06.24 01.06.24 01.06.24 02.06.24 02.06.24 02.06.24	Searching & Sorting Merge Sort Bubble Sort Peak Element Binary Search Frequency of Numbers Exception Handling Exception Handling-1 Exception Handling-3 Exception Handling-4	173 174 175 176 177 178 180 181 183	

12.2	07.06.24	Calculating average	190	
12.3	07.06.24	Using dictionary	191	
12.4	07.06.24	Power of four	193	
12.5	07.06.24	Determining the total revenue	195	

01 - Introduction to Python-Variables-Datatypes Input/Output-Formatting

Ex. No: 1.1 Date: 12.03.24

Register No.: 231901028 Name: Madhan kumar.B

Converting Input Strings

Write a program to convert strings to an integer and float and display its type.

Sample Input:

10

10.9

Sample Output:

10,<class 'int'>

10.9,<class 'float'>

For example:

Input	Result
10	10, <class 'int'=""></class>
10.9	10.9, <class 'float'=""></class>

Program:

```
a=int(input())
print(a,end=",")
print(type(a))
b=float(input())
print(round(b,1),end=",")
print(type(b)
```

	Input	Expected	Got	
~	10 10.9	10, <class 'int'=""> 10.9,<class 'float'=""></class></class>	10, <class 'int'=""> 10.9,<class 'float'=""></class></class>	~
~	12 12.5	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	12, <class 'int'=""> 12.5,<class 'float'=""></class></class>	~
~	89 7.56	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	89, <class 'int'=""> 7.6,<class 'float'=""></class></class>	~
~	55000 56.2	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	55000, <class 'int'=""> 56.2,<class 'float'=""></class></class>	~
~	2541 2541.679	2541, <class 'int'=""> 2541.7, <class 'float'=""></class></class>	2541, <class 'int'=""> 2541.7,<class 'float'=""></class></class>	~

Ex. No: 1.2 Date: 12.03.24

Register No.: 231901028 Name: Madhan kumar.B

Gross Salary

Ramesh's basic salary is input through the keyboard. His dearness allowance is 40% of his basic salary, and his house rent allowance is 20% of his basic salary. Write a program to calculate his gross salary.

Sample Input:

10000

Sample Output:

16000

For example:

Inpu t	Result
10000	16000

Program:

a=int(input())

b=a*0.6

print(round(a+b))

	Input	Expected	Got	
~	10000	16000	16000	~
~	20000	32000	32000	~
~	28000	44800	44800	~
~	5000	8000	8000	~

Ex. No. :1.3 Date: 12.03.24

Register No.: 231901028 Name: Madhan kumar.B

Square Root

Write a simple python program to find the square root of a given floating point number. The output should be displayed with 3 decimal places.

Sample Input:

8.00

Sample Output:

2.828

For example:

Inpu t	Result
14.00	3.742

Program:

import math

a=float(input())

b=math.sqrt(a)

print(format(b,".3f"))

	Input	Expected	Got	
~	8.00	2.828	2.828	~
~	14.00	3.742	3.742	~
~	4.00	2.000	2.000	~
~	487	22.068	22.068	~

Ex. No.: 1.4 Date: 12.03.24

Register No.: 231901028 Name: Madhan kumar.B

Gain percent

Alfred buys an old scooter for Rs. X and spends Rs. Y on its repairs. If he sells the scooter for Rs. Z (Z>X+Y). Write a program to help Alfred to find his gain percent. Get all the above-mentioned values through the keyboard and find the gain percent.

Input Format:

The first line contains the Rs X

The second line contains Rs Y

The third line contains Rs Z

Sample Input:

10000

250

15000

Sample Output:

46.34 is the gain percent.

For example:

Input	Result
45500	30.43 is the gain percent.
500	
60000	

Program:

a=int(input())

b=int(input())

c=int(input())

d=a+b

e=c-d

f=(e/d)*100

print(format(f,".2f"),"is the gain percent.")

	Input	Expected	Got	
~	10000 250 15000	46.34 is the gain percent.	46.34 is the gain percent.	~
~	45500 500 60000	30.43 is the gain percent.	30.43 is the gain percent.	~
~	5000 0 7000	40.00 is the gain percent.	40.00 is the gain percent.	~
~	12500 5000 18000	2.86 is the gain percent.	2.86 is the gain percent.	~

Ex. No.: 1.5 Date: 12.03.24

Register No.: 231901028 Name: Madhan kumar.B

Deposits

In many jurisdictions, a small deposit is added to drink containers to encourage people to recycle them. In one particular jurisdiction, drink containers holding one liter or less have a \$0.10 deposit and drink containers holding more than one liter have a \$0.25 deposit. Write a program that reads the number of containers of each size(less and more) from the user. Your program should continue by computing and displaying the refund that will be received for returning those containers. Format

the output so that it includes a dollar sign and always displays exactly two decimal places.

Sample Input

10

20

Sample Output

Your total refund will be \$6.00.

For example:

Input	Result
20	Your total refund will be \$7.00.
20	

Program:

```
a=int(input())
```

b=int(input())

c=a*0.1+b*0.25

print("Your total refund will be \$",format(c,".2f"),".",sep="")

	Input	Expected	Got	
~	20 20	Your total refund will be \$7.00.	Your total refund will be \$7.00.	~
~	11 22	Your total refund will be \$6.60.	Your total refund will be \$6.60.	~
~	123 200	Your total refund will be \$62.30.	Your total refund will be \$62.30.	~
~	76 38	Your total refund will be \$17.10.	Your total refund will be \$17.10.	~

Ex. No.: 1.6 Date: 12.03.24 Register No.: 231901028 Name: Madhan kumar.B

Carpenter

Justin is a carpenter who works on an hourly basis. He works in a company where he is paid Rs 50 for an hour on weekdays and Rs 80 for an hour on weekends. He works 10 hrs more on weekdays than weekends. If the salary paid for him is given, write a program to find the number of hours he has worked on weekdays and weekends.

Hint:

If the final result(hrs) are in -ve convert that to +ve using abs() function The abs() function returns the absolute value of the given number.

number = -20
absolute_number = abs(number)
print(absolute_number)
Output: 20

Sample Input:

450

Sample Output:

weekdays 10.38 weekend 0.38

For example:

Input	Result
450	weekdays 10.38
	weekend 0.38

Program:

```
a=int(input())
b=((500-a)/130)
b=abs(b)
c=b+10
print("weekdays",format(c,".2f"))
print("weekend",format(b,".2f"))
```

	Input	Expected	Got	
~	450	weekdays 10.38 weekend 0.38	weekdays 10.38 weekend 0.38	~
~	500	weekdays 10.00 weekend 0.00	weekdays 10.00 weekend 0.00	~
~	10000	weekdays 83.08 weekend 73.08	weekdays 83.08 weekend 73.08	~
~	6789	weekdays 58.38 weekend 48.38	weekdays 58.38 weekend 48.38	~

02- Operators in Python