DBMS LAB 2

Implement DML Commands in SQL

Implement DML commands with suitable examples, including INSERT, UPDATE, and DELETE.

SQL Program

```
CREATE TABLE Student (
    Student_ID INT PRIMARY KEY,
    Student_Name VARCHAR(50),
    Age INT,
    Course VARCHAR(30),
    Marks INT
);

INSERT INTO Student VALUES
(501, 'madhan', 20, 'BCA', 85),
(502, 'mithun', 19, 'BCA', 90),
(503, 'amuku dumuku', 21, 'BCA', 78),
(504, 'karan', 22, 'BCA', 88);

SELECT * FROM Student;

UPDATE Student
SET Marks = 85
WHERE Student_ID = 502;

SELECT * FROM Student
WHERE Student_ID = 504;

DELETE FROM Student
WHERE Student_ID = 503;
```

Output

Output:

```
+------------+--------------+------+--------+-------+
| Student_ID | Student_Name | Age  | Course | Marks |
+------------+--------------+------+--------+-------+
|        501 | madhan       |   20 | BCA    |    85 |
|        502 | mithun       |   19 | BCA    |    90 |
|        503 | amuku dumuku |   21 | BCA    |    78 |
|        504 | karan        |   22 | BCA    |    88 |
+------------+--------------+------+--------+-------+
+------------+--------------+------+--------+-------+
| Student_ID | Student_Name | Age  | Course | Marks |
+------------+--------------+------+--------+-------+
|        504 | karan        |   22 | BCA    |    88 |
+------------+--------------+------+--------+-------+
```

Note: The DELETE command is included as an additional DML example. The supplied output screenshot shows the table contents and the query for Student_ID 504.