


Project Design Phase-II Data Flow Diagram & User Stories

Date	30 September 2026
Team ID	91002338
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks


Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

Level 0 (context diagram)



Level 1 (script-controlled ACL flow)



User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Administrator	User and Role Management	USN-1	As an administrator, I can create users so that each team member can be tested against the ACLs.	Users are listed in the user table and can be impersonated	High	Sprint-1

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Administrator	User and Role Management	USN-2	As an administrator, I can create roles and assign them to users.	Each role is shown on the user's record	High	Sprint-1
Administrator	Table Creation	USN-3	As an administrator, I can create a custom table with a field that decides who may access each record.	Table and field exist and records can be saved	High	Sprint-1
Administrator	ACL - Read	USN-4	As an administrator, I can create a Read ACL with a script that checks the field value, so users see only permitted records.	Authorised user sees matching records; restricted user sees none	High	Sprint-2
Administrator	ACL - Create	USN-5	As an administrator, I can create a Create ACL with a script, so only permitted users can add records.	Authorised user can create a record; others are blocked	High	Sprint-2
Administrator	ACL - Write	USN-6	As an administrator, I can create a Write ACL with a script, so only permitted users can edit records.	Authorised user can edit a record; others are blocked	High	Sprint-2
Administrator	ACL - Delete	USN-7	As an administrator, I can create a Delete ACL with a script, so only permitted users can delete records.	Authorised user can delete a record; others are blocked	Medium	Sprint-3
Authorised User	Record Access	USN-8	As an authorised user, I can view, create and edit records whose field value matches my access.	I can work with matching records without errors	High	Sprint-2
Restricted User	Record Access	USN-9	As a restricted user, I cannot open, edit or delete records outside my access.	Other records are hidden or the action is denied	High	Sprint-2
Tester / Team Lead	Verification and Outcome	USN-10	As a tester, I can impersonate each user and confirm that Read, Create, Write and Delete behave as expected.	Result recorded for every role and operation	Medium	Sprint-3