

EVIDENCE PACK

Query Outputs & Screenshots

Data Catalog & Metadata Management on Snowflake

Avidia Bank Take-Home | September 2026

Evidence Coverage Summary

This pack is rearranged to follow the take-home blocks rather than the order in which commands happened to be run. The screenshots below are the evidence currently present in the supplied document.

Specification block	Evidence included in this pack
0 - Setup and data	Setup, RAW stage/load/validation, STAGING generation, MARTS/dbt deployment, vendor dictionary, sealed-list artifact
1 - Metadata foundation	Tag privileges, metadata setup, applied governance tag output
2 - Classification and protection	Custom classifier/profile, classification validation, sensitive-policy gap report
3 - Trust: six quality checks	DQ setup and persisted DQ result output
4 - Lineage	Lineage setup and lineage query output
5 - Catalog experience	Certification output, catalog output, seven-word scorecard query output
Appendix - Deployment verification	Final dbt CI, dbt CD and Streamlit CI/CD screenshots

BLOCK 0

Setup and data

0.1 Snowflake environment and core objects

```
snow sql -c avidia -f setup/00_run_setup.sql
```

Evidence purpose: Shows the setup script executing and the created Snowflake environment; the companion object-browser screenshot shows the RAW banking tables available after setup.




Figure 0.1 - Setup script execution output.




Figure 0.2 - RAW.BANKING tables visible in Snowflake after setup.

0.2 Upload synthetic source files to the Snowflake stage

```
./scripts/upload_raw_to_stage.sh
```

Evidence purpose: Shows the source CSV files present in the stage and the upload verification output.




Figure 0.3 - RAW source files uploaded and verified in the stage.

0.3 Load and validate RAW data

```
snow sql -c avidia -f setup/08_load_raw.sql
snow sql -c avidia -f setup/09_validate_raw.sql
```

Evidence purpose: Shows RAW loading/validation output and a visible data preview proving rows are available in the RAW layer.

TABLE_NAME	FILE_NAME	LAST_LOAD_TIME	STATUS	ROW_COUNT	ROW_PARSED	ERROR_COUNT	FIRST_ERROR_MESSAGE
GL_CONTROL_TOTAL	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/gl_control_total/gl_control_total.csv	2026-09-22 00:30:16.836000-07:00	LOADED	30	30	0	None
TRANSACTIONS	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/transactions/transaction.csv	2026-09-22 00:30:14.924000-07:00	LOADED	150000	150000	0	None
LOAN_COLLATERAL	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/loan_collateral/loan_collateral.csv	2026-09-22 00:30:14.271000-07:00	LOADED	1500	1500	0	None
LOAN	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/loan/loan.csv	2026-09-22 00:30:13.594000-07:00	LOADED	1500	1500	0	None
CARD	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/card/card.csv	2026-09-22 00:30:12.374000-07:00	LOADED	5000	5000	0	None
ACCOUNT_DAILY_BALANCE	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/account_daily_balance/account_daily_balance.csv	2026-09-22 00:30:10.822000-07:00	LOADED	240000	240000	0	None
ACCOUNT	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/account/account.csv	2026-09-22 00:30:10.222000-07:00	LOADED	8000	8000	0	None
CUSTOMER	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/customer/customer.csv	2026-09-22 00:30:07.673000-07:00	LOADED	5000	5000	0	None
PRODUCT	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/product/product.csv	2026-09-22 00:30:06.473000-07:00	LOADED	15	15	0	None
OFFICER	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/officer/officer.csv	2026-09-22 00:30:04.264000-07:00	LOADED	100	100	0	None
BRANCH	stageszz193e6a55-8a7a-4a03-8325-0685e268badc/branch/branch.csv	2026-09-22 00:30:02.630000-07:00	LOADED	10	10	0	None

Figure 0.4 - RAW load/validation query output.

Catalog explorer F10264 > RAW > BANKING > ACCOUNT

ACCOUNT

Overview **Preview** Data quality Lineage Access Copy history

100 rows 133ms

	ACCOUNT_ID	ACCOUNT_NUMBER	CUSTOMER_ID	PRODUCT_ID	BRANCH_ID	OPEN_DATE	CLOSE_DATE	ACCOUNT_STATUS	CURRENCY
1	AC00001	108169000000048	CU00169	PR006	BR003	2019-03-30	null	ACTIVE	INR
2	AC00002	108898000000087	CU00230	PR001	BR008	2022-05-14	null	DORMANT	INR
3	AC00003	970228000000003	CU00850	PR005	BR005	2018-01-04	null	ACTIVE	INR
4	AC00004	396917000000004	CU01893	PR001	BR003	2022-03-24	null	ACTIVE	INR
5	AC00005	877404000000005	CU02988	PR001	BR008	2019-12-02	2024-10-25	CLOSED	INR
6	AC00006	314338000000006	CU03176	PR009	BR007	2019-05-02	null	ACTIVE	INR
7	AC00007	648477000000007	CU04538	PR005	BR003	2024-06-20	2026-08-23	CLOSED	INR
8	AC00008	147789000000008	CU04103	PR007	BR005	2023-04-02	null	ACTIVE	INR
9	AC00009	661923000000009	CU00816	PR003	BR003	2019-10-28	2024-04-15	CLOSED	INR
10	AC00010	954155000000010	CU01649	PR009	BR004	2020-07-26	null	ACTIVE	INR
11	AC00011	675441000000011	CU01217	PR003	BR002	2018-10-16	2023-04-11	CLOSED	INR
12	AC00012	601939000000012	CU00598	PR001	BR003	2021-09-07	2025-01-19	CLOSED	INR

Figure 0.5 - RAW.ACCOUNT data preview after loading.

0.4 Generate and verify STAGING

```
snow sql -c avidia -f transformations/staging/00_run_staging.sql
```

Evidence purpose: Shows STAGING generation validation followed by a STG_ACCOUNT preview, demonstrating that validated/typed staging data is available.

STAGING_CUSTOMERS	COUNT_MISMATCHES	MISSING_KEYS	DUPLICATE_KEY_GROUPS	MISSING_SOURCE_KEYS	HIDDEN_SENSITIVE_MISMATCHES	INCOMPLETE_AUDIT_ROWS	RAW_TO_STAGING_STATUS
5000	0	0	0	0	0	0	PASS - RAW TO STAGING COMPLETE

Figure 0.6 - STAGING generation/validation summary.

Catalog explorer F10264 > ANALYTICS > STAGING > STG_ACCOUNT

STG_ACCOUNT

Standardized deposit account data derived from RAW.BANKING.ACCOUNT

Overview **Preview** Data quality Lineage Access Copy history

100 rows 154ms

	ACCOUNT_ID	ACCOUNT_NUMBER	CUSTOMER_ID	PRODUCT_ID	BRANCH_ID	OPEN_DATE	CLOSE_DATE	ACCOUNT_STATUS	CURRENCY
1	AC00001	108169000000048	CU00169	PR006	BR007	2019-03-30	null	ACTIVE	INR
2	AC00002	972281000000002	CU04451	PR007	BR003	2022-05-14	null	DORMANT	INR
3	AC00003	970228000000003	CU00850	PR005	BR005	2018-01-04	null	ACTIVE	INR
4	AC00004	396917000000004	CU01893	PR001	BR003	2022-03-24	null	ACTIVE	INR
5	AC00005	877404000000005	CU02988	PR001	BR008	2019-12-02	2024-10-25	CLOSED	INR
6	AC00006	314338000000006	CU03176	PR009	BR007	2019-05-02	null	ACTIVE	INR
7	AC00007	648477000000007	CU04538	PR005	BR003	2024-06-20	2026-08-23	CLOSED	INR
8	AC00008	147789000000008	CU04103	PR007	BR005	2023-04-02	null	ACTIVE	INR
9	AC00009	661923000000009	CU00816	PR003	BR003	2019-10-28	2024-04-15	CLOSED	INR
10	AC00010	954155000000010	CU01649	PR009	BR004	2020-07-26	null	ACTIVE	INR
11	AC00011	675441000000011	CU01217	PR003	BR002	2018-10-16	2023-04-11	CLOSED	INR
12	AC00012	601939000000012	CU00598	PR001	BR003	2021-09-07	2025-01-19	CLOSED	INR
13	AC00013	354120000000013	CU04664	PR009	BR010	2019-06-27	null	ACTIVE	INR

Figure 0.7 - STG_ACCOUNT data preview.

0.5 Prepare and run dbt MARTS deployment

```
snow sql -c avidia -f dbt_setup/01_permissions.sql
snow sql -c avidia -f dbt_setup/02_prepare_dbt_deployment.sql
snow sql -c svc_pipeline -q "EXECUTE DBT PROJECT ANALYTICS.DBT_PROJECTS.AVIDIA_BANK_DBT ARGS = 'build
--target prod';"
```

Evidence purpose: Shows dbt permissions/preparation, successful CI/CD workflow runs, and the final dbt build execution output for the MARTS layer.

```
madhavkhanna@Madhavs-MacBook-Pro ~/Projects/banking-data-governance main ✚ snow sql -c avidia -f dbt_setup/01_permissions.sql
GRANT SELECT
ON ALL VIEWS IN SCHEMA ANALYTICS.STAGING
TO ROLE SVC_PIPELINE_ROLE;

status
-----
Statement executed successfully. 0 objects affected.

GRANT SELECT
ON FUTURE VIEWS IN SCHEMA ANALYTICS.STAGING
TO ROLE SVC_PIPELINE_ROLE;

status
-----
Statement executed successfully.
```

Figure 0.8 - dbt permissions setup output.

created_on	privilege	granted_on	name	granted_to	grantee_name	grant_option	granted_by
2026-09-19 09:35:25.144000-07:00	CREATE DATABASE	ACCOUNT	QY75335	ROLE	SVC_PIPELINE_ROLE	false	SYSADMIN
2026-09-20 00:37:34.669000-07:00	EXECUTE DATA METRIC FUNCTION	ACCOUNT	QY75335	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-22 00:45:49.995000-07:00	USAGE	DATABASE	ANALYTICS	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-20 00:37:35.910000-07:00	USAGE	DATABASE_ROLE	SNOWFLAKE.DATA_METRIC_USER	ROLE	SVC_PIPELINE_ROLE	false	
2026-09-22 00:45:50.291000-07:00	CREATE DBT PROJECT	SCHEMA	ANALYTICS.DBT_PROJECTS	ROLE	SVC_PIPELINE_ROLE	false	SYSADMIN
2026-09-22 00:45:50.131000-07:00	USAGE	SCHEMA	ANALYTICS.DBT_PROJECTS	ROLE	SVC_PIPELINE_ROLE	false	SYSADMIN
2026-09-22 00:45:51.449000-07:00	CREATE TABLE	SCHEMA	ANALYTICS.MARTS	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-22 00:45:51.615000-07:00	CREATE VIEW	SCHEMA	ANALYTICS.MARTS	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-22 00:45:51.307000-07:00	USAGE	SCHEMA	ANALYTICS.MARTS	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-22 00:45:50.753000-07:00	USAGE	SCHEMA	ANALYTICS.STAGING	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN
2026-09-22 00:45:50.915000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_ACCOUNT	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.927000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_ACCOUNT_DAILY_BALANCE	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.939000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_BRANCH	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.948000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_CARD	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.957000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_CUSTOMER	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.967000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_GL_CONTROL_TOTAL	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.976000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_LOAN	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.986000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_LOAN_COLLATERAL	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:50.996000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_OFFICER	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:51.007000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_PRODUCT	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-22 00:45:51.016000-07:00	SELECT	TABLE	ANALYTICS.STAGING.STG_TRANSACTIONS	ROLE	SVC_PIPELINE_ROLE	false	DATA_ENGINEER
2026-09-19 08:34:18.682000-07:00	USAGE	WAREHOUSE	WH_GOVERNANCE_XS	ROLE	SVC_PIPELINE_ROLE	false	ACCOUNTADMIN

Figure 0.9 - dbt deployment preparation/grant output.

madhav17 / banking-data-governance

Type to search

CodeIssuesPull requestsAgentsActionsProjectsWikiSecurity and qualityInsightsSettings

dbt CI

dbt CI #18

Re-run all jobs

Summary

All jobs

dbt parse, compile, clone, build

Run detailsUsageWorkflow file

Manually triggered 2 minutes ago

Status

Total duration

Artifacts

madhav17 at1204b4 main Success 1m 52s -

dbt_ci.yml on: workflow_dispatch

dbt parse, compile, clo... 1m 47s

Figure 0.10 - dbt CI workflow run completed successfully.




Figure 0.11 - dbt CD/deployment workflow run completed successfully.

SUCCESS	EXCEPTION	STDOUT
True	None	11:26:39 Running with dbt=1.9.4
		11:26:39 Registered adapter: snowflake=1.9.2
		11:26:41 Found 3 models, 11 data tests, 10 sources, 474 macros
		11:26:41 Concurrency: 4 threads (target='prod')
		11:26:41
		11:26:42 1 of 14 START sql incremental model MARTS.customer_360 [RUN]
		11:26:42 2 of 14 START sql incremental model MARTS.deposits_daily [RUN]
		11:26:42 3 of 14 START sql incremental model MARTS.loan_portfolio [RUN]
		11:26:45 3 of 14 OK created sql incremental model MARTS.loan_portfolio [SUCCESS 1500 in 2.89s]
		11:26:45 4 of 14 START test assert_loan_portfolio_collateral_metrics_valid [RUN]
		11:26:45 5 of 14 START test assert_loan_portfolio_ltv_consistent [RUN]
		11:26:46 1 of 14 OK created sql incremental model MARTS.customer_360 [SUCCESS 5000 in 3.29s]
		11:26:46 6 of 14 START test not_null_loan_portfolio_LOAN_ID [RUN]
		11:26:46 4 of 14 PASS assert_loan_portfolio_collateral_metrics_valid [PASS in 0.60s]
		11:26:46 7 of 14 START test unique_loan_portfolio_LOAN_ID [RUN]
		11:26:46 5 of 14 PASS assert_loan_portfolio_ltv_consistent [PASS in 0.61s]
		11:26:46 8 of 14 START test assert_customer_360_counts_valid [RUN]
		11:26:46 6 of 14 PASS not_null_loan_portfolio_LOAN_ID [PASS in 0.54s]
		11:26:46 9 of 14 START test not_null_customer_360_CUSTOMER_ID [RUN]
		11:26:46 7 of 14 PASS unique_loan_portfolio_LOAN_ID [PASS in 0.54s]
		11:26:46 10 of 14 START test unique_customer_360_CUSTOMER_ID [RUN]
		11:26:46 8 of 14 PASS assert_customer_360_counts_valid [PASS in 0.55s]
		11:26:47 9 of 14 PASS not_null_customer_360_CUSTOMER_ID [PASS in 0.52s]
		11:26:47 2 of 14 OK created sql incremental model MARTS.deposits_daily [SUCCESS 240000 in 4.38s]
		11:26:47 11 of 14 START test assert_deposits_daily_active_flag_consistent [RUN]
		11:26:47 12 of 14 START test assert_deposits_daily_unique_account_date [RUN]
		11:26:47 13 of 14 START test not_null_deposits_daily_ACCOUNT_ID [RUN]
		11:26:48 10 of 14 PASS unique_customer_360_CUSTOMER_ID [PASS in 1.94s]
		11:26:48 14 of 14 START test not_null_deposits_daily_BUSINESS_DATE [RUN]
		11:26:51 12 of 14 PASS assert_deposits_daily_unique_account_date [PASS in 4.32s]
		11:26:51 13 of 14 PASS not_null_deposits_daily_ACCOUNT_ID [PASS in 4.33s]
		11:26:51 14 of 14 PASS not_null_deposits_daily_BUSINESS_DATE [PASS in 2.73s]
		11:26:51 11 of 14 PASS assert_deposits_daily_active_flag_consistent [PASS in 4.34s]
		11:26:51
		11:26:51 Finished running 3 incremental models, 11 data tests in 0 hours 0 minutes and 10.11 seconds (10.11s).
		11:26:51 Completed successfully
		11:26:51
		11:26:51 Done. PASS=14 WARN=0 ERROR=0 SKIP=0 TOTAL=14

Figure 0.12 - dbt project build output for the production target.

0.6 Vendor dictionary artifact

```
./scripts/upload_vendor_dictionary_to_stage.sh
```

Evidence purpose: Shows the vendor-style dictionary CSV present in the dictionary stage and successful upload verification.




Figure 0.13 - Vendor dictionary CSV uploaded to the governance dictionary stage.

0.7 Sealed sensitive-column artifact used for classification evaluation

```
snow stage copy data/sealed_sensitive_columns.json <classification-stage-target>
```

Evidence purpose: Shows the sealed sensitive-column JSON artifact being uploaded for later classification comparison. Repository history should be used to prove that the sealed list was committed before classification was run.

madhavkhanna@Madhavs-MacBook-Pro

~/Projects/banking-data-governance

main

snow stage copy data/sealed_sensitive_columns.json |

@GOVERNANCE.CATALOG.CLASSIFICATION_FILE_STAGE |

--overwrite |

-c avidia |

--role DATA_GOVERNANCE_ADMIN |

--warehouse WH_GOVERNANCE_XS

source	target	source_size	target_size	source_compression	target_compression	status	message
sealed_sensitive_columns.json	sealed_sensitive_columns.json	3252	3264	NONE	NONE	UPLOADED	

Figure 0.14 - Sealed sensitive-column artifact upload/verification output.

BLOCK 1

Metadata foundation

Governance metadata store, dictionary/comments, tag taxonomy, glossary/CDE metadata and inherited ownership/stewardship evidence.

1.1 Metadata setup and governance tags

```
snow sql -c avidia -f setup/10_tag_privileges.sql
snow sql -c avidia -f metadata/00_run_setup.sql
```

Evidence purpose: Shows governance tags and inherited/manual assignments on MART objects, including owner, steward, domain, layer and source-system metadata.

MART	TAG_NAME	TAG_VALUE	APPLY_METHOD	LEVEL
CUSTOMER_360	DATA_OWNER	DATA_OWNER	INHERITED	SCHEMA
CUSTOMER_360	DATA_STEWARD	DATA_STEWARD	INHERITED	SCHEMA
CUSTOMER_360	DOMAIN	CUSTOMER	MANUAL	TABLE
CUSTOMER_360	LAYER	MARTS	INHERITED	SCHEMA
CUSTOMER_360	SOURCE_SYSTEM	MULTI_SOURCE	MANUAL	TABLE
DEPOSITS_DAILY	DATA_OWNER	DATA_OWNER	INHERITED	SCHEMA
DEPOSITS_DAILY	DATA_STEWARD	DATA_STEWARD	INHERITED	SCHEMA
DEPOSITS_DAILY	DOMAIN	DEPOSITS	MANUAL	TABLE
DEPOSITS_DAILY	LAYER	MARTS	INHERITED	SCHEMA
DEPOSITS_DAILY	SOURCE_SYSTEM	CORE_BANKING	MANUAL	TABLE
LOAN_PORTFOLIO	DATA_OWNER	DATA_OWNER	INHERITED	SCHEMA
LOAN_PORTFOLIO	DATA_STEWARD	DATA_STEWARD	INHERITED	SCHEMA
LOAN_PORTFOLIO	DOMAIN	LENDING	MANUAL	TABLE
LOAN_PORTFOLIO	LAYER	MARTS	INHERITED	SCHEMA
LOAN_PORTFOLIO	SOURCE_SYSTEM	LOAN_SYSTEM	MANUAL	TABLE

Figure 1.1 - Governance tag assignment output for MART objects.

BLOCK 2

Classification and protection

Auto/classifier evidence, steward-confirmed classifications, masking/RLS protection and a zero-row policy-gap report.

2.1 Custom classifier and classification profile

Follow classification/execution_order.txt
snow sql -c avidia -f classification/03_create_custom_classifier.sql

Evidence purpose: Shows the custom classifier configuration and the classification profile configuration used on the governed STAGING layer.

```
AS CUSTOM_CLASSIFIER_CONFIGURATION;

CUSTOM_CLASSIFIER_CONFIGURATION
{
  "AVIDIA_BANK_ACCOUNT_NUMBER": {
    "col_name_regex": ".*ACCOUNT.*NUMBER.*",
    "created_on": "2026-09-22 01:20:50.477",
    "description": "Synthetic Avidia account number: six random digits followed by an eight digit sequence.",
    "privacy_category": "IDENTIFIER",
    "threshold": 0.8,
    "value_regex": "^[0-9]{14}$"
  }
}

SELECT
GOVERNANCE.CATALOG.STAGING_CLASSIFICATION_PROFILE!DESCRIBE()
AS CLASSIFICATION_PROFILE_CONFIGURATION;

CLASSIFICATION_PROFILE_CONFIGURATION
{
  "auto_tag": true,
  "classify_views": false,
  "custom_classifiers": {
    "avida_account_number": {
      "AVIDIA_BANK_ACCOUNT_NUMBER": {
        "col_name_regex": ".*ACCOUNT.*NUMBER.*",
        "description": "Synthetic Avidia account number: six random digits followed by an eight digit sequence.",
        "privacy_category": "IDENTIFIER",
        "threshold": 0.8,
        "value_regex": "^[0-9]{14}$"
      }
    }
  },
  "minimum_object_age_for_classification_days": 0
}
```

8. Classification

a. snow sql -c avidia -f classification/03_create_custom_classifier.sql

b.

9. Protection

10. DQ

11. Lineage

13. Catalog + scorecard

14. Redeploy DBT + streamlit

Figure 2.1 - Custom classifier and classification profile configuration.

2.2 Classification validation

```
snow sql -c avidia -f classification/11_validate_classification.sql
```

Evidence purpose: Shows the validated/confirmed classification output produced after classification and review logic.

DATABASE_NAME	SCHEMA_NAME	OBJECT_NAME	COLUMN_NAME	CONFIRMED_CLASSIFICATION	SOURCE_TYPE	SOURCE_REFERENCE
ANALYTICS	MARTS	CUSTOMER_360	DATE_OF_BIRTH	CONFIDENTIAL	CLASSIFICATION_REVIEW	REVIEW_ID=3:MART
ANALYTICS	MARTS	CUSTOMER_360	EMAIL	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=4:MART
ANALYTICS	MARTS	CUSTOMER_360	NOTES	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=7:MART
ANALYTICS	MARTS	CUSTOMER_360	TAX_ID	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=8:MART
ANALYTICS	MARTS	DEPOSITS_DAILY	ACCOUNT_NUMBER	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=9:MART
ANALYTICS	STAGING	STG_ACCOUNT	ACCOUNT_NUMBER	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=9:STAGING
ANALYTICS	STAGING	STG_CUSTOMER	DATE_OF_BIRTH	CONFIDENTIAL	CLASSIFICATION_REVIEW	REVIEW_ID=3:STAGING
ANALYTICS	STAGING	STG_CUSTOMER	EMAIL	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=4:STAGING
ANALYTICS	STAGING	STG_CUSTOMER	NOTES	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=7:STAGING
ANALYTICS	STAGING	STG_CUSTOMER	TAX_ID	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=8:STAGING
RAW	BANKING	ACCOUNT	ACCOUNT_NUMBER	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=9:RAW
RAW	BANKING	CUSTOMER	DATE_OF_BIRTH	CONFIDENTIAL	CLASSIFICATION_REVIEW	REVIEW_ID=3:RAW
RAW	BANKING	CUSTOMER	EMAIL	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=4:RAW
RAW	BANKING	CUSTOMER	NOTES	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=7:RAW
RAW	BANKING	CUSTOMER	TAX_ID	RESTRICTED	CLASSIFICATION_REVIEW	REVIEW_ID=8:RAW

Figure 2.2 - Classification validation output showing governed classifications.

2.3 Sensitive-policy gap report

```
snow sql -c avidia -f protection/09_sensitive_policy_gap_report.sql
```

Evidence purpose: Shows the policy-gap query and a zero-row result, demonstrating that approved sensitive targets in the query scope do not have an identified missing/inactive policy.

```

SELECT
  T.DATABASE_NAME,
  T.SCHEMA_NAME,
  T.OBJECT_NAME,
  T.COLUMN_NAME,
  T.CONFIRMED_CLASSIFICATION,
  A.TAG_VALUE AS ACTUAL_TAG_VALUE,
  P.POLICY_NAME,
  P.POLICY_STATUS,
  CASE
    WHEN A.COLUMN_NAME IS NULL THEN 'MISSING_CONFIRMED_TAG'
    WHEN P.COLUMN_NAME IS NULL THEN 'MISSING_MASKING_POLICY'
    WHEN P.POLICY_STATUS <> 'ACTIVE' THEN 'MASKING_POLICY_NOT_ACTIVE'
  END AS GAP_REASON
FROM APPROVED_TARGETS T
LEFT JOIN ACTUAL_TAGS A
  ON A.DATABASE_NAME = T.DATABASE_NAME
  AND A.SCHEMA_NAME = T.SCHEMA_NAME
  AND A.OBJECT_NAME = T.OBJECT_NAME
  AND A.COLUMN_NAME = T.COLUMN_NAME
LEFT JOIN POLICY_REFS P
  ON P.DATABASE_NAME = T.DATABASE_NAME
  AND P.SCHEMA_NAME = T.SCHEMA_NAME
  AND P.OBJECT_NAME = T.OBJECT_NAME
  AND P.COLUMN_NAME = T.COLUMN_NAME
  AND P.POLICY_STATUS = 'ACTIVE'
WHERE A.COLUMN_NAME IS NULL
  OR P.COLUMN_NAME IS NULL
  OR P.POLICY_STATUS <> 'ACTIVE'
ORDER BY
  T.DATABASE_NAME,
  T.SCHEMA_NAME,
  T.OBJECT_NAME,
  T.COLUMN_NAME;

```

No data

Figure 2.3 - Sensitive policy-gap report returning no rows.

BLOCK 3

Trust - six quality checks

Persisted DQ_RESULT evidence for completeness, uniqueness, validity, consistency, timeliness and accuracy/reconciliation on the certified mart.

3.1 Execute and inspect DQ results

```
snow sql -c avidia -f dq/00_run_setup.sql
```

Evidence purpose: Shows persisted data-quality results generated by the DQ setup for the certified-mart trust controls.

METRIC_DATABASE_NAME	METRIC_SCHEMA_NAME	METRIC_NAME	REF_ENTITY_DATABASE_NAME	REF_ENTITY_SCHEMA_NAME	REF_ENTITY_NAME	REF_ARGUMENTS	SCHEDULE	USE_ROLE
GOVERNANCE	DQ	DMF_GL_DEPOSIT_RECONCILIATION	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32245", "name":"BUSINESS_DATE"}, {"domain": :"COLUMN","id":"32265","name":"CL OSING_BALANCE"}, {"domain":"TABLE" ,"name":"ANALYTICS.STAGING.STG_GL _CONTROL_TOTAL","columns":[{"doma in":"COLUMN","name":"BUSINESS_DAT E"}, {"domain":"COLUMN","name":"PR ODUCT_TYPE"}, {"domain":"COLUMN"," name":"CONTROL_TOTAL"}]}	0 */24 * * * UTC	
GOVERNANCE	DQ	DMF_LATEST_BUSINESS_DATE_MATCH	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32245", "name":"BUSINESS_DATE"}, {"domain": :"TABLE","name":"ANALYTICS.STAGIN G.STG_ACCOUNT_DAILY_BALANCE","col umns":[{"domain":"COLUMN","name": "BUSINESS_DATE"}]}	0 */24 * * * UTC	
SNOWFLAKE	CORE	ACCEPTED_VALUES	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32261", "name":"ACCOUNT_STATUS"}, {"domain ":"VALUES","name":"ACCOUNT_STATUS IN ('ACTIVE', 'CLOSED', 'DORMANT')"}]}	0 */24 * * * UTC	
SNOWFLAKE	CORE	DUPLICATE_COUNT	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32244", "name":"ACCOUNT_ID"}, {"domain":"C OLUMN","id":"32245","name":"BUSIN ESS_DATE"}]}	0 */24 * * * UTC	
SNOWFLAKE	CORE	NULL_COUNT	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32244", "name":"ACCOUNT_ID"}]}	0 */24 * * * UTC	
SNOWFLAKE	CORE	REFERENTIAL_INTEGRITY_COUNT	ANALYTICS	MARTS	DEPOSITS_DAILY	[{"domain":"COLUMN","id":"32247", "name":"CUSTOMER_ID"}, {"domain": :"TABLE","name":"ANALYTICS.STAGING .STG_CUSTOMER","columns":[{"domain ":"COLUMN","name":"CUSTOMER_ID"}] }]	0 */24 * * * UTC	

Figure 3.1 - DQ_RESULT output for the trust checks.

BLOCK 4

Lineage

Table/column lineage evidence, external lineage/fallback, snapshot evidence, worked trace and impact analysis for the certified mart.

4.1 Lineage setup and query output

```
snow sql -c avidia -f lineage/00_run_setup.sql
```

Evidence purpose: Shows lineage records/query output produced by the lineage block for governed upstream/downstream relationships.




Figure 4.1 - Lineage query output.

BLOCK 5

Catalog experience

CERTIFY evidence, governed catalog output, seven-word scorecard and the user-facing catalog experience.

5.1 Certification evidence

```
snow sql -c avidia -f certification/00_run_setup.sql
```

Evidence purpose: Shows certification evaluation/output from the certification block, including the evidence fields captured for governed objects.

CERTIFICATION_RUN_ID	OBJECT_FQN	REQUESTED_AT	REQUESTED_BY	OWNER_CHECK	STEWARD_CHECK	DESCRIPTION_CHECK	CDE_CHECK	CLASSIFICATION_CHECK	POLICY_CHECK	DQ_CHECK	OUTCOME	FAILURE_REASON	CERTIFIED_AT
37741ff8-6f84-4551-a86a-55987ab78a58	ANALYTICS.MART.S.DEPOSITS_DAILY	2026-09-22 01:53:17.35300	NIKHANNA	True	True	True	True	True	True	True	CERTIFIED	None	2026-09-22 01:53:27.13100
d2d05c24-a42b-41dc-ad9d-98b2e7ce6feb	ANALYTICS.MART.S.CUSTOMER_360	2026-09-22 01:53:02.25800	NIKHANNA	True	True	False	False	True	True	False	REFUSED	Description coverage is 0.00%; certification requires 100%. CDE tagging incomplete: 0/6 relevant CDE tags match. Six required DQ checks are not available or not all passing.	None
84f43a33-24cc-4a84-9380-49c885ddf5c2	ANALYTICS.MART.S.DEPOSITS_DAILY	2026-09-22 01:52:53.51200	NIKHANNA	True	True	True	True	True	True	True	CERTIFIED	None	2026-09-22 01:53:00.55400

Figure 5.1 - Certification output/evidence table.

5.2 Catalog query output

```
snow sql -c avidia -f catalog_app/sql/00_run_setup.sql
```

Evidence purpose: Shows governed catalog rows combining metadata/evidence used by the Streamlit catalog experience.

OBJECT_FQN	DOMAIN	DATA_OWNER	DATA_STEWARD	CERTIFICATION	COLUMN_COUNT	DESCRIBED_COLUMN_COUNT	CDE_COLUMN_COUNT	CLASSIFIED_COLUMN_COUNT	QUALITY_RESULTS	UPSTREAM_SOURCES	QUERY_COUNT_SINCE_CREATION	DISTINCT_ROLES_SINCE_CREATION
ANALYTICS.MARTS.CUSTOMER_360	CUSTOMER	DATA_OWNER	DATA_STEWARD	NOT CERTIFIED	39	0	6	4	NO_DQ	NOT AVAILABLE	6	4
ANALYTICS.MARTS.DEPOSITS_DAILY	DEPOSITS	DATA_OWNER	DATA_STEWARD	CERTIFIED	29	29	7	1	PASS	ANALYTICS.STAGE, NG.STG_ACCOUNT,	9	6
ANALYTICS.MARTS.LENDING_LOAN_PORTFOLIO	LENDING	DATA_OWNER	DATA_STEWARD	NOT CERTIFIED	32	0	3	0	NO_DQ	NOT AVAILABLE	3	1

Figure 5.2 - Governed catalog query output.

5.3 Seven-word scorecard

```
snow sql -c avidia -f scorecard/00_run_setup.sql
```

Evidence purpose: Shows the scorecard query output for a certified object, including usage counters and distinct-role adoption evidence.



Figure 5.3 - Seven-word scorecard query output.

Appendix A - Final deployment verification

Final CI/CD screenshots retained from the original evidence document. These support reproducibility and demonstrate that the completed dbt and Streamlit artifacts redeploy successfully.

A.1 Final dbt CI verification

Evidence purpose: Shows the final dbt CI workflow after the evidence/catalog changes were incorporated.




Figure A.1 - Final dbt CI workflow success.

A.2 Final dbt CD verification

Evidence purpose: Shows the final dbt deployment workflow completed successfully.




Figure A.2 - Final dbt CD/deployment workflow success.

A.3 Streamlit CI/CD verification

Evidence purpose: Shows the Streamlit deployment workflow completing successfully.




Figure A.3 - Streamlit CI/CD workflow success.