

Comez API Documentation

Reference manual for the storefront and editor backend integrations

Comez API Documentation

This document describes the API endpoints, request payloads, and response structures for the following processes in the **Comez** backend:

- 1. **Products & Inventory Read**
- 2. **Order Details Read** (Viewing existing order details)
- 3. **Customer Lookup**

Global Headers & Context Resolution

All requests in the Comez API require store-specific context, which is resolved via middleware based on incoming HTTP headers.

Header	Type	Description	Required	Default
`storename`	`string`	The store's unique slug or custom domain (e.g., `mystore` or `mystore.com`).	Yes (highly recommended)	`public`
`x-custom-domain`	`string` / `boolean`	Set to `true` if the value in `storename` is a custom domain instead of a slug.	No	`false`
`Authorization`	`string`	Authorization token for protected endpoints (e.g., `Bearer <JWT_TOKEN>`).	Yes (on protected routes)	None
`adminauthtoken`	`string`	Alternative custom header to supply the JWT token for admin routes.	No	None

1. Products & Inventory Read

1.1 Read All Products (with Stock Status)

Retrieves a list of all products in the store schema, including variant details and stock availability status.

- **Endpoint:** `/editor/ecommerce/getallproducts`

- **Method:** `GET`
- **Authentication:** None (Public Storefront/Editor View)
- **Request Payload:** None

Response Structure

- **Content-Type:** `application/json`
- **Status Code:** `200 OK`

```
{
  "status": 200,
  "data": [
    {
      "id": 45,
      "name": "Classic Leather Belt",
      "description": "Premium handcrafted leather belt with brass buckle.",
      "quantity": 150,
      "status": "active",
      "media": [
        "belt-front.webp",
        "belt-detail.webp"
      ],
      "total_variants": 3,
      "variants": [
        {
          "variant_name": "Brown / M",
          "variant_quantity": 50,
          "v_sku": "BELT-BRN-M"
        },
        {
          "variant_name": "Brown / L",
          "variant_quantity": 70,
          "v_sku": "BELT-BRN-L"
        },
        {
          "variant_name": "Black / M",
          "variant_quantity": 30,
          "v_sku": "BELT-BLK-M"
        }
      ],
      "outofstock": []
    },
    {
      "id": 46,
      "name": "Canvas Tote Bag",
      "description": "Eco-friendly canvas tote bag with reinforced handles.",
      "quantity": 20,
      "status": "active",
      "media": [
        "tote-canvas.webp"
      ],
      "total_variants": 2,
      "variants": [
        {
          "variant_name": "Natural White",
          "variant_quantity": 20,
          "v_sku": "TOTE-NAT-WHT"
        },
        {
          "variant_name": "Navy Blue",
          "variant_quantity": 0,
          "v_sku": "TOTE-NAV-BLU"
        }
      ],
      "outofstock": [
        {
          "variant_name": "Navy Blue",
          "variant_quantity": 0,

```

```
    "v_sku": "TOTE-NAV-BLU"  
  }  
]  
}  
]
```

1.2 Read Detailed Inventory

Retrieves the granular inventory records for all active product variants, including quantities allocated to hand, committed to orders, or unavailable.

- **Endpoint:** `/editor/ecommerce/inventory`
- **Method:** `GET`
- **Authentication:** Yes (`adminauthenticate` middleware)
- **Request Payload:** None

Response Structure

- **Content-Type:** `application/json`
- **Status Code:** `200 OK`

```
{
  "status": 200,
  "data": [
    {
      "id": 101,
      "variantId": 301,
      "unavailable": 5,
      "committed": 12,
      "available": 50,
      "onHand": 67,
      "variant_name": "Brown / M",
      "sku": "BELT-BRN-M",
      "tax": 2,
      "tax_slabs": [
        {
          "rate": 18,
          "label": "GST 18%"
        }
      ],
      "createdAt": "2026-06-20T14:30:00.000Z",
      "updatedAt": "2026-06-23T10:00:00.000Z"
    },
    {
      "id": 102,
      "variantId": 302,
      "unavailable": 0,
      "committed": 4,
      "available": 70,
      "onHand": 74,
      "variant_name": "Brown / L",
      "sku": "BELT-BRN-L",
      "tax": 2,
      "tax_slabs": [
        {
          "rate": 18,
          "label": "GST 18%"
        }
      ],
      "createdAt": "2026-06-20T14:30:00.000Z",
      "updatedAt": "2026-06-23T10:00:00.000Z"
    }
  ]
}
```

2. Order Details Read

Retrieves complete information for a specific order. This is a read-only endpoint (it does **not** place, change, or modify orders) used to populate admin dashboards or customer order status screens. It compiles order details, items purchased, shipping address, tax configuration, applied discount codes, and the merchant's company details.

- **Endpoint:** `/editor/ecommerce/getorderdetails` (Admin portal view)
- **Method:** `POST`
- **Authentication:** Yes (`adminauthenticate` middleware)

Request Payload

- **Content-Type:** `application/json`

```
{  
  "id": 1245  
}
```

Parameter	Type	Description	Required
`id`	`integer` / `string`	The unique internal identifier of the order.	Yes

Response Structure

- **Content-Type:** `application/json`
- **Status Code:** `200 OK`

```
{
  "status": 200,
  "data": {
    "orders": [
      {
        "order_id": 1245,
        "total": 1050.00,
        "payment_satus": "paid",
        "payment_type": "Razorpay",
        "date": "2026-06-22T08:15:30.000Z",
        "fullfilment_status": "unfulfilled",
        "customerId": 882,
        "discounted_amount": 950.00,
        "delivery_status": "shipped",
        "is_discounted": true,
        "discount_id": 15,
        "isfreeshipping": false,
        "shipping_address_id": "402",
        "shipping_price": 100.00,
        "total_discounted": 100.00,
        "tracking_id": "SR123456789",
        "shiprocket_order_id": "9988221",
        "net_amount": 950.00,
        "product_discounted": 950.00,
        "quantity": 2,
        "order_type": "ecommerce",
        "name": "Jane Doe",
        "phone": "9876543210",
        "address": "Flat 402, Sunshine Heights",
        "city": "Mumbai",
        "state": "Maharashtra",
        "country": "India",
        "pincode": "400001",
        "product_id": 45,
        "product_name": "Classic Leather Belt",
        "variant_id": 301,
        "variant_name": "Brown / M",
        "price": 500.00,
        "weight": 0.25,
        "media": [
          "belt-front.webp"
        ],
        "tax": [
          {
            "rate": 18,
            "label": "GST 18%"
          }
        ],
        "code": "SUMMER10",
        "discount_type": "percentage",
        "value": 10
      }
    ],
    "companyaddress": {
      "id": 1,
      "name": "Comez Retail Private Limited",
      "email": "support@comez.com",
      "phone": "+91 99999 88888",
      "address": "404 Main Commerce Tower, Sector 62",
    }
  }
}
```



```
    "city": "Noida",
    "state": "Uttar Pradesh",
    "country": "India",
    "pincode": "201301"
  },
  "gettaxstatus": {
    "id": 1,
    "tax_status": "inclusive"
  }
}
```

3. Customer Lookup

Allows searching and viewing customers within the tenant store's client registry.

3.1 Lookup Customer By ID

Retrieves details of a single customer, along with their non-failed order history.

- **Endpoint:** `/editor/ecommerce/getcustomerbyid`
- **Method:** `POST`
- **Authentication:** Yes (`adminauthenticate` middleware)

Request Payload

- **Content-Type:** `application/json`

```
{
  "id": 882
}
```

Parameter	Type	Description	Required
`id`	`integer`	The unique ID of the customer user.	Yes

Response Structure

- **Content-Type:** `application/json`
- **Status Code:** `200 OK`

```
{
  "status": 200,
  "data": {
    "customer_details": [
      {
        "id": 882,
        "name": "Jane Doe",
        "email": "jane.doe@example.com",
        "phone": "9876543210",
        "status": "active",
        "role": "user",
        "createdAt": "2026-05-10T12:00:00.000Z",
        "total_orders": 3
      }
    ],
    "orders": [
      {
        "id": 1245,
        "total": 1050.00,
        "payment_status": "paid",
        "date": "2026-06-22T08:15:30.000Z",
        "fulfilment_status": "unfulfilled",
        "customerId": 882,
        "delivery_status": "shipped"
      },
      {
        "id": 1011,
        "total": 450.00,
        "payment_status": "paid",
        "date": "2026-05-15T10:30:00.000Z",
        "fulfilment_status": "fulfilled",
        "customerId": 882,
        "delivery_status": "delivered"
      }
    ]
  }
}
```

3.2 Search Customers (Lookup by Name)

Searches active customers by matching their names against a lookup term.

- **Endpoint:** `/editor/ecommerce/searchcustomersdetail`
- **Method:** `POST`
- **Authentication:** Yes (`adminauthenticate` middleware)

Request Payload

- **Content-Type:** `application/json`

```
{
  "search": "Jane"
}
```

Parameter	Type	Description	Required
`search`	`string`	The text term to search for in user names.	Yes

Response Structure

- **Content-Type:** `application/json`
- **Status Code:** `200 OK`

```
{
  "status": 200,
  "data": [
    {
      "id": 882,
      "name": "Jane Doe",
      "email": "jane.doe@example.com",
      "phone": "9876543210",
      "status": "active",
      "role": "user",
      "createdAt": "2026-05-10T12:00:00.000Z"
    },
    {
      "id": 904,
      "name": "Janet Smith",
      "email": "janet.s@example.com",
      "phone": "9822334455",
      "status": "active",
      "role": "user",
      "createdAt": "2026-06-01T09:15:00.000Z"
    }
  ]
}
```