Gmail

Madhav Gulati <madhavgulati277@gmail.com>

Thanks for filling out this form: Chipathon 2026 Tapeout — Export Control & GF180 Configuration Information

1 message

Forms Response Receipts <forms-receipts-noreply@google.com> 28 August 2026 at 15:48
To: madhavgulati277@gmail.com

Thanks for filling out this form: Chipathon 2026 Tapeout — Export Control & GF180 Configuration Information

Here's what was received.

Edit response

Chipathon 2026 Tapeout — Export Control & GF180 Configuration Information

Complete one response per project that may be selected for tapeout. Submitting this form does not mean that the project has been selected.

Questions labeled [GF EC] are derived from the GlobalFoundries export-control questionnaire. Questions labeled [GF180 CFG] collect project-level inputs needed to complete the 180MCU configurator.

If you do not know an export-control answer, select “Unknown / organization review required” rather than guessing. All unknown answers must be resolved before the official export-control form is submitted.

Your email (**madhavgulati277@gmail.com**) was recorded when you submitted this form.

1. Project and organization

Program identifiers plus the contact and organization information needed to map the project to the export-control package.

Team name (include team code) *

C05 MRTMOS

[GF EC header] Project name / project title *

MRTMOS - Compensation Networks Illustration Chip

GitHub repository URL

https://github.com/madhavgulati277/C05-MRTMOS-SSCS-Chipathon/

Top-level design/cell name

MRTMOS_chip_final

Team lead / primary technical contact *

Madhav Gulati

[GF EC header] Contact email *

madhavgulati277@gmail.com

[GF EC header] Contact phone *

+919625753371

Organization — full legal name *

University, company, institute, or other legal entity responsible for the project.

Indian Institute of Technology Delhi

Organization — full postal address *

Indian Institute of Technology Delhi, IIT Campus, Hauz Khas, New Delhi - 110016, Delhi, India

Organization country/region *

Delhi, India

2. Product description and RF/mmWave information

GlobalFoundries export-control questions 1a–1c.

[GF EC 1a] Briefly describe the product/chiplet/structure and its final end use. *

Include what the IC does and the final application or equipment in which it will be used.

It is a 3 stage OTA (Operational Transconductance Amplifier) (all 3 stages are 5-T OTAs) along with a source follower and a tunable feedforward 5T OTA. The purpose is to illustrate the properties of amplifiers and how frequency compensation methods work, mainly focussed on Miller Compensation, Feedforward compensation.

[GF EC 1b-i] Peak saturated power output *

Enter a value and units. If not applicable, enter N/A.

20mW (worst case, optimized for maximum power consumption and maximum performance)

[GF EC 1b-ii] Operating frequency *

Enter the operating frequency or range and units. If not applicable, enter N/A.

1 KHz - 1 MHz

[GF EC 1b-iii] Fractional bandwidth *

Enter a value/percentage. If not applicable, enter N/A.

1.996 (199.6%)

[GF EC 1b-iv] Planar side length *

Enter the relevant planar side length and units. If not applicable, enter N/A.

1100um side square

[GF EC 1c] Is the product a millimeter-wave (mmWave) product, such as an MMIC amplifier or discrete microwave transistor? *

- ○ Yes
- ◉ No

[GF EC 1c-i] If mmWave: shareable URL(s) for frequency vs. peak saturated power and, if applicable, S21/power-gain graph(s).

Required if 1c = Yes. Use a Drive/OneDrive/etc. link accessible to the organizers.

[GF EC 1c-ii] If mmWave: does the product include an integrated phase shifter?

Answer if 1c = Yes.

- ○ Yes
- ○ No

[GF EC 1c-iii] If mmWave: is it specially designed for another application such as telecommunications, radar, or automobiles?

Answer if 1c = Yes.

- ○ Yes
- ○ No

[GF EC 1c-iii detail] If Yes, specify the application.

[GF EC 1c-iv] If mmWave: is the product or related design controlled under USML XI(c)(4), XV(e)(14), ECCN 3A001.b.2, 3A001.b.12, or 5E001.d?

Answer if 1c = Yes.

- ○ Yes
- ○ No

[GF EC 1c-iv detail] If Yes, specify the control/classification.

3. Parties, destinations, variants, and end use

GlobalFoundries export-control questions 2–9. “Unknown” is an intake-only answer and must be resolved before final filing.

[GF EC 2] Is any party to the transaction on a trade-controls restriction list, 50% or more owned by such a party, or acting on behalf of/for the ultimate benefit of such a party? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 2 detail] If Yes, identify the party/list and explain.

[GF EC 3] Is any party organized under the laws of, located in, or ordinarily resident

in a comprehensively/substantially restricted country or region? *

The GF form currently lists Belarus, Cuba, Iran, North Korea, Russia, Syria, and occupied regions of Ukraine.

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 3 detail] If Yes, identify the party and country/region.

[GF EC 5] Are the product and related design/technology/software subject to export controls in a non-U.S. jurisdiction? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 5 detail] If Yes, state jurisdiction(s) and applicable controls/classifications.

[GF EC 6] Will this chiplet/project include variants that do not change the end-use and/or export-control outcome? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 6 detail] If Yes, briefly describe the variants.

[GF EC 7] Is the product an ASIC or otherwise unalterably programmed/designed for a specific function for other equipment? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 7 detail] If Yes, describe the specific application, function, or equipment.

[GF EC 8] Is the product intended or likely to be used in connection with nuclear/ chemical/biological weapons, unsafeguarded nuclear activities, maritime nuclear propulsion, or missiles/rocket systems/UAVs described by the GF question? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 9] Do you know that the GF product will be exported/re-exported/ transferred abroad for a transaction involving an Entity List party designated with Footnote 1, 3, 4, or 5 as described by the GF form? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 9 detail] If Yes or Unknown, explain what is known and identify relevant

parties.

4. Military/intelligence and encryption controls

GlobalFoundries export-control questions 10–11.

[GF EC 10] Are the product, design/technical data, or software specially designed/modified/adapted for military or intelligence application, or intended for an ITAR, EAR 500/600-series, or other munitions-controlled article/end use? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 10-I] If Yes: are supporting jurisdiction/classification documents available?

- ○ Yes
- ○ No
- ○ Unknown / organization review required

[GF EC 10-I documents] Shareable URL(s) for supporting classification/jurisdiction documents.

[GF EC 10-i] If known, describe how the product is specially designed/modified/adapted for military or intelligence application.

[GF EC 10-ii] If known, describe the intended end use and the article into which the

product will be incorporated.

[GF EC 10-iii] Product ITAR USML / EAR 500- or 600-series / non-U.S. munitions classification at subparagraph level.

[GF EC 10-iv] GDSII/design file/technology ITAR USML / EAR 500- or 600-series / non-U.S. munitions classification at subparagraph level.

[GF EC 10-v] Next-higher-assembly ITAR USML / EAR 500- or 600-series / non-U.S. munitions classification at subparagraph level.

[GF EC 11] Are the product, technical data/design, or software specially designed or modified to use encryption? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 11-i] If Yes, describe encryption protocols, algorithms, key lengths, and source of encryption.

[GF EC 11-ii] If encryption applies: was it reviewed by U.S. Commerce pursuant to a

CCATS?

- Yes
- No
- Unknown / organization review required

[GF EC 11-iii] If encryption applies: was it self-classified?

- Yes
- No
- Unknown / organization review required

[GF EC 11-iii detail] Self-classification date, if applicable.

[GF EC 11-iv] CCATS number (or N/A).

[GF EC 11-v] Shareable URL(s) for encryption classification/jurisdiction supporting documents.

[GF EC 11-vi] CCATS date or self-classification report date to U.S. Commerce (or N/A).

[GF EC 11-vii] ENC §740.17 subparagraph, if applicable

- (b)(2)(i)(A) Network infrastructure
- (b)(2)(i)(B) Encryption source code
- (b)(2)(i)(C) Custom or changeable encryption function
- (b)(2)(i)(D) Quantum cryptography tools
- (b)(2)(ii) Cryptanalytic tools
- (b)(2)(iii) Open cryptographic interface (OCI)
- (b)(2)(iv) Encryption technology
- (b)(2) Other
- (b)(3)(i) Standard encryption chips (non-mass market)
- (b)(3)(ii) Non-standard encryption chips (includes mass market)
- (b)(3)(iii) Advanced network vulnerability analysis and digital forensics tools
- (b)(3)(iv) Cryptographic activation components
- (b)(1) Encryption items not described in (b)(2) or (b)(3)
- N/A — Not applicable
- Unknown / organization review required

[GF EC 11-viii] Non-encryption technology ECCN for the product's performance/ function control.

[GF EC 11-ix] Is the product any of the following?

- None
- Cryptanalytic item — ECCN 5A004.a, 5D002.a.3.a/c.3.a, or 5E002
- Network penetration tool described in 740.17(b)(2)(i)(F), and related ECCN 5E002 technology
- Automated network vulnerability analysis/response tool described in 740.17(b)(3)(iii)(A), and

related ECCN 5E002 technology

- ( ) Unknown / organization review required

[GF EC 11-x] Will the item be used to affect confidentiality, integrity, or availability of information/information systems without authorization by the owner/operator/ administrator?

- ( ) Yes
- ( ) No
- ( ) Unknown / organization review required

[GF EC 11-xi] If excluded from encryption controls despite using encryption, state the basis for exclusion.

[GF EC 11-xii] U.S. ECCN at subparagraph level — product (wafer/die/module).

[GF EC 11-xii] U.S. ECCN at subparagraph level — design file/technology.

[GF EC 11-xii] U.S. ECCN at subparagraph level — software (or N/A).

5. EAR, advanced computing, quantum, and non-U.S. classification

GlobalFoundries export-control questions 12–16.

[GF EC 12] Is the product or associated technical data/design subject to the U.S. Export Administration Regulations (EAR)? *

- ( ) Yes
- (•) No
- ( ) Unknown / organization review required

[GF EC 12-i] If Yes: are supporting classification/jurisdiction documents available?

- ( ) Yes
- ( ) No
- ( ) Unknown / organization review required

[GF EC 12-i documents] Shareable URL(s) for supporting documents.

[GF EC 12-ii] U.S. ECCN — product (wafer/die/module), at subparagraph level.

[GF EC 12-ii] U.S. ECCN — design file/technology, at subparagraph level.

[GF EC 12-ii] U.S. ECCN — software, at subparagraph level (or N/A).

[GF EC 13] Does the item meet or exceed the ECCN 3A090 performance

parameters described in the GF form? *

Includes the GF 3A090 thresholds for digital processing performance/performance density and HBM memory bandwidth density.

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 13-i] If Yes: is the relevant company an “Approved IC Designer” under EAR Supplement No. 6 to Part 740?

- ○ Yes
- ○ No
- ○ Unknown / organization review required

[GF EC 13-ii] If not Approved: does it meet the “Authorized IC Designer” criteria quoted in the GF form?

- ○ Yes
- ○ No
- ○ Unknown / organization review required

[GF EC 13 detail] If Yes or Unknown, provide details supporting the determination.

[GF EC 14] Does the product meet technical criteria in any other ECCN on the Commerce Control List? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 14 detail] If Yes, state the ECCN(s).

[GF EC 15] Is the product a qubit device/circuit containing or supporting arrays of physical qubits and specially designed for quantum computers? *

- ( ) Yes
- (•) No
- ( ) Unknown / organization review required

[GF EC 15-i] If Yes, number of fully controlled, connected, working physical qubits.

[GF EC 15-ii] If Yes, C-NOT error.

[GF EC 16] Are non-U.S. export-control classifications being supplied for the product/design/software as described by GF question 16? *

The official GF form requires reconciliation with answers to questions 10–12 and the Foreign Direct Product Rule.

- ( ) Yes
- (•) No
- ( ) Unknown / organization review required

[GF EC 16] Non-U.S. classification — product (wafer/die/module).

[GF EC 16] Non-U.S. classification — design file/technology.

[GF EC 16] Non-U.S. classification — software (or N/A).

6. HS classification and restricted end uses

GlobalFoundries export-control questions 17–20.

[GF EC 17] Harmonized System classification for your project. *

Select the best matching entry from the list supplied in the GF form. If unsure, choose the review-required option.

- 8542.31 — Processors and controllers, whether or not combined with memories, converters, logic circuits, amplifiers, clock/timing circuits, or other circuits
- 8542.31.0015 — 8-bit
- 8542.31.0020 — 16-bit
- 8542.31.0025 — 32-bit
- 8542.31.0030 — Other
- 8542.31.0035 — Digital signal processors (DSPs)
- 8542.31.0040 — Graphics processing units (GPUs)
- 8542.31.0045 — Central processing units (CPUs)
- 8542.31.0050 — Other

- ○ 8542.31.0055 — Complex programmable logic devices (CPLDs)
- ○ 8542.31.0060 — Field programmable gate arrays (FPGAs)
- ○ 8542.31.0065 — Other
- ○ 8542.31.0070 — System on chip (SoCs)
- ○ 8542.31.0075 — Other
- ○ 8542.32 — Memories
- ○ 8542.32.0015 — Not over 1 gigabit
- ○ 8542.32.0023 — Over 1 gigabit
- ○ 8542.32.0040 — Static read-write random access (SRAM)
- ○ 8542.32.0050 — Electrically erasable programmable read-only memory (EEPROM)
- ○ 8542.32.0060 — Erasable (except electrically) programmable read-only memory (EPROM)
- ○ 8542.32.0070 — Other
- ◉ 8542.33 — Amplifiers
- ○ 8542.39 — Others
- ○ 8542.39.0010 — RF transceivers
- ○ 8542.39.0020 — Active filters
- ○ 8542.39.0030 — Analog to digital converters (ADCs)
- ○ 8542.39.0040 — Digital to analog converters (DACs)
- ○ 8542.39.0050 — Other
- ○ 8542.39.0060 — Other
- ○ 8542.9 — Parts
- ○ Unknown / organization review required

[GF EC 18a] Is the product intended or likely to be used for a military end use/end user or military-intelligence end use/user connected with Belarus, Burma

(Myanmar), Cambodia, China, Iraq, Nicaragua, Russia, or Venezuela? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 18a-i] If Yes: is the product intended for the military end use/user conditions and ECCNs specified in GF question 18a-i?

- ○ Yes
- ○ No
- ○ Unknown / organization review required

[GF EC 18b] If the product is a qualifying microprocessor (≥5 GFLOPS and ≥32-bit ALU), is it intended/likely for a military end use/end user in an EAR Country Group D:1 destination listed by GF? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 19] Do any of the advanced-chip/computing/supercomputer end-use restrictions described in GF question 19 apply? *

- ○ Yes
- ◉ No
- ○ Unknown / organization review required

[GF EC 19 detail] If Yes or Unknown, explain the destination, end use, facility, entity, or supercomputer connection.

[GF EC 20] End user(s) of the manufactured IC — legal name and full postal address for each end user. *

If there will be multiple end users, list each one separately.

Madhav Manish Gulati
003, Tower 6, Kalypso Court, Jaypee Wish Town, Behind Axis House, Sector 128, Noida
Raman Naik
Room no. NB3, Shivalik Hostel, IIT Delhi, Hauz Khas, New Delhi
Turanyaa Garg
(She's flying to Caltech for her PhD, will be there at the time of delivery, address yet to get finalized)

7. GF180 project configuration

Project-level inputs from the 180MCU configurator. Wafer/die-wide settings such as final die name/size, scribe line, mirror shot, and post-fab services will be completed centrally after the tapeout projects are selected.

[GF180 CFG] Is this an automotive device/application? *

- ○ Yes
- ◉ No

[GF180 CFG] Core voltage(s) used by this project *

Select every core voltage used.

- ☐ 3.3 V
- ☑ 5 V
- ☐ 6 V

[GF180 CFG] I/O voltage(s) used by this project *

Select every I/O voltage used.

- ☐ 3.3 V
- ☑ 5 V

- [ ] 6 V

[GF180 CFG] Custom voltage(s), if any

Enter value(s) and purpose. Leave blank if none.

[GF180 CFG] Other special process/configuration requirements

8. Foundry IP used

Select every foundry/library IP used by this project. Leave a checkbox group blank if none.

[GF180 CFG IP — MEMORY] Select all IP used

- [ ] Globalfoundries 0.18um 3.3V Single Port 8192x16 bits SRAM Green Process
- [ ] GF 180nm Green 5V synchronous single port 128x8M8WM1 SRAM Memory Macro IP
- [ ] GF 180nm Green 5V synchronous single port 256x8M8WM1 SRAM Memory Macro IP
- [ ] GF 180nm Green 5V synchronous single port 512x8M8WM1 SRAM Memory Macro IP
- [ ] GF 180nm Green 5V synchronous single port 64x8M8WM1 SRAM Memory Macro IP

[GF180 CFG IP] Other foundry or third-party IP used that is not listed above

Give IP name, provider/owner, version if known, and whether separate approval/license is required.

9. Device models used

Select every listed model used anywhere in your project. Leave a group blank if none. This is intended to populate the configurator's Devices_Used worksheet.

[GF180 CFG devices — MOSFET] Models used

- [ ] 3.3V NMOS (Outside DNWELL) [nmos_3p3]
- [ ] 3.3V NMOS (Inside DNWELL) [nmos_3p3_dw]
- [ ] 3.3V PMOS (Outside DNWELL) [pmos_3p3]
- [ ] 3.3V PMOS (Inside DNWELL) [pmos_3p3_dw]
- [ ] 3.3V native Vt NMOS [nmos_3p3_nat]
- [ ] 6V NMOS (Outside DNWELL) [nmos_6p0]
- [ ] 6V NMOS (Inside DNWELL) [nmos_6p0_dw]
- [ ] 6V PMOS (Outside DNWELL) [pmos_6p0]
- [ ] 6V PMOS (Inside DNWELL) [pmos_6p0_dw]
- [ ] 6V native Vt NMOS [nmos_6p0_nat]
- [x] 5V NMOS (Outside DNWELL) [nmos_5p0]
- [ ] 5V NMOS (Inside DNWELL) [nmos_5p0_dw]
- [x] 5V PMOS (Outside DNWELL) [pmos_5p0]
- [ ] 5V PMOS (Inside DNWELL) [pmos_5p0_dw]
- [ ] 10V LDNMOS [nmos_10p0_asym]
- [ ] 10V LDPMOS [pmos_10p0_asym]

[GF180 CFG devices — BJT] Models used

- [ ] VNPN emitter 10um x 10um [vnpn_10x10]
- [ ] VNPN emitter 5um x 5um [vnpn_5x5]
- [ ] VNPN emitter 0p54um x 16um [vnpn_0p54x16]
- [ ] VNPN emitter 0p54um x 8um [vnpn_0p54x8]
- [ ] VNPN emitter 0p54um x 4um [vnpn_0p54x4]

- [ ] VNPN emitter 0p54um x 2um [vnpn_0p54x2]
- [ ] VPNP emitter 10um x 10um [vpnp_10x10]
- [ ] VPNP emitter 5um x 5um [vpnp_5x5]
- [ ] VPNP emitter 0p42um x 10um [vpnp_0p42x10]
- [ ] VPNP emitter 0p42um x 5um [vpnp_0p42x5]

[GF180 CFG devices — Diode] Models used

- [ ] 3.3V N+/LVPWELL diode (Outside DNWELL) [np_3p3]
- [x] 5V/6V N+/LVPWELL diode (Outside DNWELL) [np_6p0]
- [ ] 3.3V P+/Nwell diode (Outside DNWELL) [pn_3p3]
- [ ] 5V/6V P+/Nwell diode (Outside DNWELL) [pn_6p0]
- [ ] 3.3V Nwell/Psub diode [nwp_3p3]
- [ ] 5V/6V Nwell/Psub diode [nwp_6p0]
- [ ] 3.3V LVPWELL/DNWELL diode [dnwpw_3p3]
- [ ] 5V/6V LVPWELL/DNWELL diode [dnwpw_6p0]
- [ ] 3.3V DNWELL/Psub diode [dnwps_3p3]
- [ ] 5V/6V DNWELL/Psub diode [dnwps_6p0]
- [ ] Schottky diode [sc_diode]

[GF180 CFG devices — Resistor] Models used

- [ ] N+ Diffusion Unsalicided Rs (Outside DNWELL) [nplus_u]
- [ ] N+ Diffusion Unsalicided Rs (Inside DNWELL) [nplus_u_dw]
- [ ] P+ Diffusion Unsalicided Rs (Outside DNWELL) [pplus_u]
- [ ] P+ Diffusion Unsalicided Rs (Inside DNWELL) [pplus_u_dw]
- [ ] N+ Diffusion Salicided Rs (Outside DNWELL) [nplus_s]

- [ ] N+ Diffusion Salicided Rs (Inside DNWELL) [nplus_s_dw]
- [ ] P+ Diffusion Salicided Rs (Outside DNWELL) [pplus_s]
- [ ] P+ Diffusion Salicided Rs (Inside DNWELL) [pplus_s_dw]
- [ ] Nwell (under STI) [nwell]
- [ ] LVPWELL (under STI) [pwell]
- [ ] N+ Poly Unsalicided Rs [npolyf_u]
- [ ] P+ Poly Unsalicided Rs [ppolyf_u]
- [ ] N+ Poly Salicided Rs [npolyf_s]
- [ ] P+ Poly Salicided Rs [ppolyf_s]

[GF180 CFG devices — High-resistance resistor] Models used

- [x] 1K P+ HRS [ppolyf_u_1k, ppolyf_u_1k_6p0]
- [ ] 2K P+ HRS [ppolyf_u_2k, ppolyf_u_2k_6p0]
- [ ] 3K P+ HRS [ppolyf_u_3k, ppolyf_u_3k_6p0]

[GF180 CFG devices — MOS capacitor] Models used

- [ ] 3.3V NMOS capacitor (Outside DNWELL) [nmoscap_3p3]
- [ ] 3.3V NMOS capacitor (Inside DNWELL) [nmoscap_3p3_dw]
- [ ] 3.3V PMOS capacitor (Outside DNWELL) [pmoscap_3p3]
- [ ] 3.3V PMOS capacitor (Inside DNWELL) [pmoscap_3p3_dw]
- [x] 5V/6V NMOS capacitor (Outside DNWELL) [nmoscap_6p0]
- [ ] 5V/6V NMOS capacitor (Inside DNWELL) [nmoscap_6p0_dw]
- [ ] 5V/6V PMOS capacitor (Outside DNWELL) [pmoscap_6p0]
- [ ] 5V/6V PMOS capacitor (Inside DNWELL) [pmoscap_6p0_dw]
- [ ] 3.3V NMOS capacitor (Inside NWell) [nmoscap_3p3_b]

- [ ] 3.3V PMOS capacitor (Inside Psub) [pmoscap_3p3_b]
- [ ] 5V/6V NMOS capacitor (Inside NWell) [nmoscap_6p0_b]
- [ ] 5V/6V PMOS capacitor (Inside Psub) [pmoscap_6p0_b]

[GF180 CFG devices — ESD SAB MOSFET] Models used

- [ ] 3.3V SAB NMOS (Outside DNWELL) [nmos_3p3_sab]
- [ ] 3.3V SAB NMOS (Inside DNWELL) [nmos_3p3_dw_sab]
- [ ] 5V SAB NMOS (Outside DNWELL) [nmos_5p0_sab]
- [ ] 5V SAB NMOS (Inside DNWELL) [nmos_5p0_dw_sab]
- [ ] 6V SAB NMOS (Outside DNWELL) [nmos_6p0_sab]
- [ ] 6V SAB NMOS (Inside DNWELL) [nmos_6p0_dw_sab]
- [ ] 3.3V SAB PMOS (Outside DNWELL) [pmos_3p3_sab]
- [ ] 3.3V SAB PMOS (Inside DNWELL) [pmos_3p3_dw_sab]
- [ ] 5V SAB PMOS (Outside DNWELL) [pmos_5p0_sab]
- [ ] 5V SAB PMOS (Inside DNWELL) [pmos_5p0_dw_sab]
- [ ] 6V SAB PMOS (Outside DNWELL) [pmos_6p0_sab]
- [ ] 6V SAB PMOS (Inside DNWELL) [pmos_6p0_dw_sab]

[GF180 CFG devices — Special / additional devices] Models used

- [ ] MTP Cell Implant [mtp]
- [ ] ESD Special Implant [esdimplant]
- [ ] 2-terminal Metal resistor [rm]
- [ ] 2-terminal 6K Metal Top resistor [tm6k]
- [ ] 2-terminal 9K Metal Top resistor [tm9k]
- [ ] 2-terminal 11K Metal Top resistor [tm11k]

- [ ] 2-terminal 30K Top Metal resistor [tm30k]
- [ ] 1.0fF/um2 MIM capacitor [mim_1p0fF]
- [ ] 1.5fF/um2 MIM capacitor [mim_1p5fF]
- [x] 2.0fF/um2 MIM capacitor [mim_2p0fF]
- [ ] 2.0fF/um2 single MIM capacitor [mim_single_2p0fF]
- [ ] Metal Fuse [Metal Fuse]
- [ ] EFUSE [efuse]

[GF180 CFG devices] Other GF180 device/model used but not listed

Give the exact device/model name(s).

10. Authorized export-control contact and completion check

The official GF form contains an electronic certification by a person authorized to bind the organization. This intake form does not replace that signature.

Are you personally authorized to certify export-control representations and bind the organization named above? *

- ( ) Yes
- (•) No
- ( ) Unknown / organization review required

Authorized export-control signatory/contact — name *

If you are authorized, enter your name. Otherwise enter the person who can certify for the organization, or “TBD” if still being identified.

TBD

Authorized export-control signatory/contact — title *

IIT Delhi - Independent project

Authorized export-control signatory/contact — email *

eey257593@iitd.ac.in

Authorized export-control signatory/contact — phone

+919625753371

Completion check *

- (●) Complete — no “Unknown / review required” answers remain
- ( ) Needs follow-up — one or more export-control answers are Unknown / require organization review

Team-lead acknowledgement *

This is a data-quality acknowledgement, not the official GlobalFoundries export-control certification/ signature.

- (●) I confirm that these answers are complete and accurate to the best of my current knowledge, and I will cooperate in resolving any items marked Unknown before tapeout.

Create your own Google Form

Does this form look suspicious? Report