ORTHOGRAPHIC PROJECTIONS
OF POINTS, LINES, PLANES, AND SOLIDS.

TO DRAW PROJECTIONS OF ANY OBJECT, ONE MUST HAVE FOLLOWING INFORMATION

A) **OBJECT**
 { WITH IT'S DESCRIPTION, WELL DEFINED.}

B) **OBSERVER**
 { ALWAYS OBSERVING PERPENDICULAR TO RESP. REF.PLANE}.

C) **LOCATION OF OBJECT,**
 { MEANS IT'S POSITION WITH REFFERENCE TO H.P. & V.P.}

TERMS 'ABOVE' & 'BELOW' WITH RESPECTIVE TO H.P.
AND TERMS 'INFRONT' & 'BEHIND' WITH RESPECTIVE TO V.P
FORM 4 QUADRANTS.
OBJECTS CAN BE PLACED IN ANY ONE OF THESE 4 QUADRANTS.

IT IS INTERESTING TO LEARN THE EFFECT ON THE POSITIONS OF VIEWS (FV, TV)
OF THE OBJECT WITH RESP. TO X-Y LINE, WHEN PLACED IN DIFFERENT QUADRANTS.

*STUDY ILLUSTRATIONS GIVEN ON HEXT PAGES AND NOTE THE RESULTS.TO MAKE IT EASY
HERE A POINT (A) IS TAKEN AS AN OBJECT. BECAUSE IT'S ALL VIEWS ARE JUST POINTS.*

NOTATIONS

FOLLOWING NOTATIONS SHOULD BE FOLLOWED WHILE NAMEING DIFFERENT VIEWS IN ORTHOGRAPHIC PROJECTIONS.

OBJECT	POINT A	LINE AB
IT'S TOP VIEW	a	a b
IT'S FRONT VIEW	a'	a' b'
IT'S SIDE VIEW	a"	a" b"

SAME SYSTEM OF NOTATIONS SHOULD BE FOLLOWED INCASE NUMBERS, LIKE 1, 2, 3 – ARE USED.

2nd Quadrant

V.P.

F.V.

1st Quadrant

H.P.

T.V.

X

Y

3rdQuadrant

Observer

V.P.

H.P.

4th Quadrant

VP

2nd Quad.

1ST Quad.

Observer

X Y

HP

3rd Quad.

4th Quad.

**THIS QUADRANT PATTERN,
IF OBSERVED ALONG X-Y LINE (IN RED ARROW DIRECTION)
WILL EXACTLY APPEAR AS SHOWN ON RIGHT SIDE AND HENCE,
IT IS FURTHER USED TO UNDERSTAND ILLUSTRATION PROPERLLY.**

PROJECTION SYMBOLS

Projection	Symbol
First Angle	
Third Angle	

First Angle projection is more common in Europe.

Third Angle projection is widely used in both the USA and the UK.

Point A is Placed In different quadrants and it's Fv & Tv are brought in same plane for Observer to see clearly.
Fv is visible as it is a view on VP. But as Tv is is a view on Hp, it is rotated downward 90^0, In clockwise direction.The In front part of Hp comes below xy line and the part behind Vp comes above.

Observe and note the process.

POINT A IN
2ND QUADRANT

VP
A
a'
a
HP
OBSERVER

POINT A IN
1ST QUADRANT

VP
a'
A
HP
OBSERVER
a

HP
a
a
OBSERVER
A
a'
POINT A IN
3RD QUADRANT
VP

HP
OBSERVER
a
a'
A
VP
POINT A IN
4TH QUADRANT

A Point 'A' is 10 mm above HP and 15 mm in front of VP and a another point 'B' is 25 mm below HP and 5 mm behind VP. Draw the projection of points on a single reference line when the distance between the projections is 30 mm.

VP

HP

a '

b

10

5

X

Y

15

25

a

HP

b '

VP

30

(i)

(ii)

W

L

For Arrow L/W= 3:1

Basic concepts for drawing projection of point

FV & TV of a point always lie in the same vertical line

FV of a point 'P' is represented by p'. It shows position of the point with respect to HP.

If the point lies above HP, p' lies above the XY line.

If the point lies in the HP, p' lies on the XY line.

If the point lies below the HP, p' lies below the XY line.

TV of a point 'P' is represented by p. It shows position of the point with respect to VP.

If the point lies in front of VP, p lies below the XY line.

If the point lies in the VP, p lies on the XY line.

If the point lies behind the VP, p lies below the XY line.

PROJECTIONS OF A POINT IN FIRST QUADRANT.

POINT **A** ABOVE HP & INFRONT OF VP	POINT **A** ABOVE HP & IN VP	POINT **A** IN HP & INFRONT OF VP

For Tv

For Tv

For Tv

PICTORIAL PRESENTATION

PICTORIAL PRESENTATION

For Fv

For Fv

For Fv

V.P. a'

A

Y

X

a

H.P.

V.P. a' A

Y

a

X

H.P.

V.P.

Y

a'

A a

X

H.P.

ORTHOGRAPHIC PRESENTATIONS OF ALL ABOVE CASES.

Fv above xy,
Tv below xy.

Fv above xy,
Tv on xy.

Fv on xy,
Tv below xy.

VP

a'

X————————Y

a

HP

VP

a'

X——a——Y

HP

VP

a'

X————Y

a

HP

PROJECTIONS OF A POINT IN FIRST QUADRANT.

POINT A ABOVE HP & INFRONT OF VP WITH SHORTEST DISTANCE

For Tv

a'

A

V.P.

Y

X

a

H.P.

For Fv

PICTORIAL PRESENTATION

Fv above xy,
Tv below xy.

ORTHOGRAPHIC PRESENTATIONS OF ABOVE CASES.

VP

a'

X————Y

a

HP

A Point 'Q' is 10 mm above HP and in front of VP. Draw the projection of points when the shortest distance of the point is 50 mm.

Q

50

10

q '

10

X

Y

q

PROJECTIONS OF STRAIGHT LINES.

INFORMATION REGARDING A LINE *means*
IT'S LENGTH,
POSITION OF IT'S ENDS WITH HP & VP
IT'S INCLINATIONS WITH HP & VP WILL BE GIVEN.
AIM:- TO DRAW IT'S PROJECTIONS - MEANS FV & TV.

SIMPLE CASES OF THE LINE

1.   A VERTICAL LINE (LINE PERPENDICULAR TO HP & // TO VP)

2.   LINE PARALLEL TO BOTH HP & VP.

3.   LINE INCLINED TO HP & PARALLEL TO VP.

4.   LINE INCLINED TO VP & PARALLEL TO HP.

5.   LINE INCLINED TO BOTH HP & VP.

STUDY ILLUSTRATIONS GIVEN ON NEXT PAGE
SHOWING CLEARLY THE NATURE OF FV & TV
OF LINES LISTED ABOVE AND NOTE RESULTS.

(Pictorial Presentation)

Orthographic Pattern

(1)

A Line perpendicular to Hp & // to Vp

Note:
Fv is a vertical line Showing True Length & Tv is a point.

For Tv

For Fv

V.P.

a'

FV

b'

Y

A

B

TV a b

X

H.P.

V.P.

a'

Fv

b'

X ——— Y

Tv a b

H.P.

(Pictorial Presentation)

Orthographic Pattern

(2)

A Line // to Hp & // to Vp

Note:
Fv & Tv both are // to xy & both show T. L.

For Tv

For Fv

V.P.

F.V.

a'

b'

B

A

Y

b

a

T.V.

X

H.P.

V.P.

a'   Fv   b'

X ——— Y

a   b

Tv

H.P.

A 50 mm long Line 'AB' which is placed perpendicular to HP and parallel to VP, is 10 mm above HP and 35 mm in front of VP. Draw the projections.

A 70 mm long Line 'AB' which is placed perpendicular to VP and parallel to HP. The point B is 25 mm Below HP and 10 mm behind VP. Draw the projections.

Note:

TV is a vertical line
Showing True Length
&
FV is a point.

HP

a

TV

70

b

10

X ———————————————————————— Y

25

FV

a' b'

V.P

A Line 'AB' 50 mm long which is Parallel to VP and parallel to HP. The point A is 10 mm above HP and 20 mm in front of VP. Draw the projections.

Note:
FV, TV is a Horizontal line // to XY line,
Showing True Length

V.P

FV

50

a'   b'

10

X ———————————————————— Y

20

a   b

TV

H.P

3.

A Line inclined to Hp
and
parallel to Vp

(Pictorial presentation)

Fv inclined to xy
Tv parallel to xy.

Orthographic Projections

4.

A Line inclined to Vp
and
parallel to Hp

(Pictorial presentation)

Tv inclined to xy
Fv parallel to xy.

A Line 'AB' 60 mm long which is Parallel to VP and 30° inclined to HP. The point A is 10 mm above HP and 15 mm in front of VP. Draw the projections.

Note:
FV, is a line inclined to XY line,
Showing True Length
TV is a Horizontal line // to
XY line,

A Line 'AB' 60 mm long which is Parallel to HP and 45° inclined to VP. The point A is 10 mm above HP and 15 mm in front of VP. Draw the projections.

Note:
TV, is a line inclined to XY line, Showing True Length
FV is a Horizontal line // to XY line,

V.P.

F.V.

a'   b'

10

X ———————————————————————————— Y

15

a

ø =45

60

H.P.

T.V.

b

5. A Line inclined to both Hp and Vp (Pictorial presentation)

On removal of object i.e. Line AB
Fv as a image on Vp.
Tv as a image on Hp,

Orthographic Projections
Fv is seen on Vp clearly.
To see Tv clearly, HP is rotated 90⁰ downwards,
Hence it comes below xy.

Note These Facts:-
Both Fv & Tv are inclined to xy.
(No view is parallel to xy)
Both Fv & Tv are reduced lengths.
(No view shows True Length)

Orthographic Projections
Means Fv & Tv of Line AB
are shown below,
with their apparent Inclinations
α & β

Note the procedure
When True Length is known,
How to locate FV & TV.
(Component a'b₂' of TL is drawn
which is further rotated
to determine FV)

Note the procedure
When Fv & Tv known,
How to find True Length.
(Views are rotated to determine
True Length & it's inclinations
with Hp & Vp).

Here TV (ab) is not // to XY line
Hence it's corresponding FV
a' b' is not showing
True Length &
True Inclination with Hp.

Here a'b₁' is component
of TL ab₁ gives length of FV.
Hence it is brought Up to
Locus of a' and further rotated
to get point b'. a' b' will be Fv.
Similarly drawing component
of other TL(a'b₁') TV can be drawn.

In this sketch, TV is rotated
and made // to XY line.
Hence it's corresponding
FV a' b₁' Is showing
True Length
&
True Inclination with Hp.

The most important diagram showing graphical relations among all important parameters of this topic.
Study and memorize it as a *CIRCUIT DIAGRAM*
And use in solving various problems.

1) True Length (TL) – a' b$_1$' & a b
2) Angle of TL with Hp - θ
3) Angle of TL with Vp – $\emptyset$
4) Angle of FV with xy – α
5) Angle of TV with xy – β
6) LFV (length of FV) – Component **(a-1)**
7) LTV (length of TV) – Component **(a'-1')**
8) Position of A- **Distances of a & a' from xy**
9) Position of B- **Distances of b & b' from xy**
10) Distance between End Projectors

Important
TEN parameters
to be remembered
with Notations
used here onward

NOTE this

θ & α Construct with *a'*

$\emptyset$ & β Construct with *a*

b' & b$_1$' on same locus.

b & b$_1$ on same locus.

Also Remember

True Length is never rotated. It's horizontal component is drawn & it is further rotated to locate view.

Views are always rotated, made horizontal & further extended to locate TL, θ & $\emptyset$

NOTE:- θ + $\emptyset$ must be ≤ 90°

GROUP (A)
GENERAL CASES OF THE LINE INCLINED TO BOTH HP & VP
(based on 10 parameters).

PROBLEM 1)

Line AB is 75 mm long and it is 30^0 &
40^0 Inclined to Hp & Vp respectively.
End A is 12mm above Hp and 10 mm
in front of Vp.
Draw projections. Line is in 1st quadrant.

SOLUTION STEPS:
1) Draw xy line and one projector.
2) Locate a' 12mm above xy line
   & a 10mm below xy line.
3) Take 30^0 angle from a' & 40^0 from
   a and mark TL I.e. 75mm on both
   lines. Name those points b_1' and b_1
   respectively.
4) Join both points with a' and a resp.
5) Draw horizontal lines (Locus) from
   both points.
6) Draw horizontal component of TL
   a b_1 from point b_1 and name it 1.
   (the length a-1 gives length of Fv
   as we have seen already.)
7) Extend it up to locus of a' and
   rotating a' as center locate b'
   as shown. Join a' b' as Fv.
8) From b' drop a projector down
   ward & get point b. Join a & b
   I.e. Tv.

PROBLEM 2:
Line AB 75mm long makes 45^0 inclination with Vp while it's Fv makes 55^0.
End A is 10 mm above Hp and 15 mm in front of Vp. If line is in 1st quadrant
draw it's projections and find it's inclination with Hp.

Solution Steps:-
1. Draw x-y line.
2. Draw one projector for a' & a
3. Locate *a'* 10mm above x-y &
   Tv *a* 15 mm below xy.
4. Draw a line 45^0 inclined to xy
   from point *a* and cut TL 75 mm
   on it and name that point b_1
   Draw locus from point b_1
5. Take 55^0 angle from *a'* for Fv
   above xy line.
6. Draw a vertical line from b_1
   up to locus of a and name it *1*.
   It is horizontal component of
   TL & is LFV.
7. Continue it to locus of *a'* and
   rotate upward up to the line
   of Fv and name it *b'*. This *a' b'*
   line is Fv.
8. Drop a projector from b' on
   locus from point b_1 and
   name intersecting point *b*.
   Line *a b* is Tv of line AB.
9. Draw locus from *b'* and from
   a' with TL distance cut point b_1'
10. Join *a' b_1'* as TL and measure
    it's angle at *a'*.
    It will be true angle of line with HP.

PROBLEM 3: Fv of line AB is 50^0 inclined to xy and measures 55 mm long while it's Tv is 60^0 inclined to xy line. If end A is 10 mm above Hp and 15 mm in front of Vp, draw it's projections,find TL, inclinations of line with Hp & Vp.

SOLUTION STEPS:

1.Draw xy line and one projector.

2.Locate a' 10 mm above xy and a 15 mm below xy line.

3.Draw locus from these points.

4.Draw Fv 50^0 to xy from a' and mark b' Cutting 55mm on it.

5.Similarly draw Tv 60^0 to xy from a & drawing projector from b'

Locate point b and join a b.

6.Then rotating views as shown, locate True Lengths ab_1 & $a'b_1'$ and their angles with Hp and Vp.

PROBLEM 4 :-
Line AB is 75 mm long .It's Fv and Tv measure 50 mm & 60 mm long respectively.
End A is 10 mm above Hp and 15 mm in front of Vp. Draw projections of line AB
if end B is in first quadrant. Find angle with Hp and Vp.

SOLUTION STEPS:
1. Draw xy line and one projector.
2. Locate a' 10 mm above xy and
   a 15 mm below xy line.
3. Draw locus from these points.
4. Cut 60mm distance on locus of a'
   & mark 1' on it as it is LTV.
5. Similarly Similarly cut 50mm on
   locus of a and mark point 1 as it is LFV.
6. From 1' draw a vertical line upward
   and from a' taking TL (75mm) in
   compass, mark b'$_1$ point on it.
   Join a' b'$_1$ points.
7. Draw locus from b'$_1$
8. With same steps below get b$_1$ point
   and draw also locus from it.
9. Now rotating one of the components
   I.e. a-1 locate b' and join a' with it
   to get Fv.
10. Locate tv similarly and measure
    Angles θ & Φ

GROUP (B)
PROBLEMS INVOLVING TRACES OF THE LINE.

TRACES OF THE LINE:-

THESE ARE THE POINTS OF INTERSECTIONS OF A LINE (OR IT'S EXTENSION) WITH RESPECTIVE REFFERENCE PLANES.

A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES H.P.,
THAT POINT IS CALLED TRACE OF THE LINE ON H.P.(IT IS CALLED H.T.)

SIMILARLY, A LINE ITSELF OR IT'S EXTENSION, WHERE EVER TOUCHES V.P., THAT POINT IS CALLED TRACE OF THE LINE ON V.P.(IT IS CALLED V.T.)

V.T.:- It is a point on **Vp**.

Hence it is called *Fv* of a point in **Vp.**

Hence it's *Tv* comes on XY line.(Here onward named as **v**)

H.T.:- It is a point on **Hp**.

Hence it is called *Tv* of a point in **Hp**.

Hence it's *Fv* comes on **XY line**.(Here onward named as **'h'**)

STEPS TO LOCATE HT.
(WHEN PROJECTIONS ARE GIVEN.)

1. **Begin with FV. Extend FV up to XY line.**

2. **Name this point h'**
   (as it is a Fv of a point in Hp)
3. **Draw one projector from h'.**
4. **Now extend Tv to meet this projector.**
   This point is HT

STEPS TO LOCATE VT.
(WHEN PROJECTIONS ARE GIVEN.)

1. **Begin with TV. Extend TV up to XY line.**

2. **Name this point v**
   (as it is a Tv of a point in Vp)
3. **Draw one projector from v.**
4. **Now extend Fv to meet this projector.**
   This point is VT

Observe & note :-
1. Points h' & v always on x-y line.

2. VT' & v always on one projector.

3. HT & h' always on one projector.

4. FV - h'- VT'   always co-linear.

5. TV - v - HT   always co-linear.

These points are used to solve next three problems.

PROBLEM 6 :- Fv of line AB makes 45^0 angle with XY line and measures 60 mm.
Line's Tv makes 30^0 with XY line. End A is 15 mm above Hp and it's VT is 10 mm
below Hp. Draw projections of line AB,determine inclinations with Hp & Vp and locate HT, VT.

SOLUTION STEPS:-
Draw xy line, one projector and
locate fv a' 15 mm above xy.
Take 45^0 angle from a' and
marking 60 mm on it locate point b'.
Draw locus of VT, 10 mm below xy
& extending Fv to this locus locate VT.
as fv-h'-vt' lie on one st.line.
Draw projector from vt, locate v on xy.
From v take 30^0 angle downward as
Tv and it's inclination can begin with v.
Draw projector from b' and locate b I.e.Tv point.
Now rotating views as usual TL and
it's inclinations can be found.
Name extension of Fv, touching xy as h'
and below it, on extension of Tv, locate HT.

PROBLEM 7 :
One end of line AB is 10mm above Hp and other end is 100 mm in-front of Vp.
It's Fv is 45^0 inclined to xy while it's HT & VT are 45mm and 30 mm below xy
respectively.
Draw projections and find TL with it's inclinations with Hp & VP.

LOCUS OF b' & b'$_1$

FV

TL

45^0

θ

a'

b'

b'$_1$

X

10

v

h'

30

45

VT'

HT

Y

SOLUTION STEPS:-
Draw xy line, one projector and
locate a' 10 mm above xy.
Draw locus 100 mm below xy for points b & b$_1$
Draw loci for VT and HT, 30 mm & 45 mm
below xy respectively.
Take 45^0 angle from a' and extend that line backward
to locate h' and VT, & Locate v on xy above VT.
Locate HT below h' as shown.
Then join v – HT – and extend to get top view end b.
Draw projector upward and locate b' Make a b & a'b' dark.
Now as usual rotating views find TL and it's inclinations.

a

Φ

TL

TV

100

b

b$_1$

LOCUS OF b & b$_1$

PROBLEM 8 :- Projectors drawn from HT and VT of a line AB
are 80 mm apart and those drawn from it's ends are 50 mm
apart.
End A is 10 mm above Hp, VT is 35 mm below Hp
while it's HT is 45 mm in front of Vp. Draw projections,
locate traces and find TL of line & inclinations with Hp and Vp.

SOLUTION STEPS:-

1.Draw xy line and two projectors,
80 mm apart and locate HT & VT ,
35 mm below xy and 55 mm above xy
respectively on these projectors.
2.Locate h' and v on xy as usual.

3.Now just like previous two problems,
Extending certain lines complete Fv & Tv
And as usual find TL and it's inclinations.

VT

b'   b'₁

FV

TL

55

Locus of a'   a'   θ

X   10   50   v   y

h'

35   b   b₁

TV   TL

a   Φ

HT

80

Instead of considering a & a' as projections of first point,
if v & VT' are considered as first point, then true inclinations of line with
Hp & Vp i.e. angles θ & Φ can be constructed with points VT' & V respectively.

Then from point v & HT
angles β & Φ can be drawn.
&
From point VT' & h'
angles α & θ can be drawn.

THIS CONCEPT IS USED TO SOLVE
NEXT *THREE* PROBLEMS.

PROBLEM 9 :-

Line AB 100 mm long is 30^0 and 45^0 inclined to Hp & Vp respectively.
End A is 10 mm above Hp and it's VT is 20 mm below Hp
.Draw projections of the line and it's HT.

SOLUTION STEPS:-
Draw xy, one projector
and locate on it VT and V.
Draw locus of a' 10 mm above xy.
Take 30^0 from VT and draw a line.
Where it intersects with locus of a'
name it a_1' as it is TL of that part.
From a_1' cut 100 mm (TL) on it and locate point b_1'
Now from v take 45^0 and draw a line downwards
& Mark on it distance VT-a_1' I.e.TL of extension & name it a_1
Extend this line by 100 mm and mark point b_1.
Draw it's component on locus of VT'
& further rotate to get other end of Fv i.e.b'
Join it with VT' and mark intersection point
(with locus of a_1') and name it a'
Now as usual locate points a and b and h' and HT.

Locus of a & a_1'

FV

b_1'

b'

100 mm

a'

a_1'

10

X

v

h'

Y

Φ
(45^0)

20

θ (30^0)

VT'

HT

a

a_1

TV

100 mm

b

b_1

PROBLEM 10 :-

A line AB is 75 mm long. It's Fv & Tv make 45^0 and 60^0 inclinations with X-Y line resp
End A is 15 mm above Hp and VT is 20 mm below Xy line. Line is in first quadrant.
Draw projections, find inclinations with Hp & Vp. Also locate HT.

b'

b₁'

Locus of a & a₁'

FV

75 mm

a'   a₁'

15

X   **v**   **h'**   **Y**

60^0 **Φ**

20   **θ**

45^0

VT'

SOLUTION STEPS:-

Similar to the previous only change
is instead of line's inclinations,
views inclinations are given.
So first take those angles from VT & v
Properly, construct Fv & Tv of extension,
then determine it's TL(V-a₁)
and on it's extension mark TL of line
and proceed and complete it.

HT

a   a₁

TV

75 mm

b   b₁

PROBLEM 11 :- The projectors drawn from VT & end A of line AB are 40mm apart.
End A is 15mm above Hp and 25 mm in front of Vp. VT of line is 20 mm below Hp.
If line is 75mm long, draw it's projections, find inclinations with HP & Vp

Draw two projectors for VT & end A
Locate these points and then
YES !
YOU CAN COMPLETE IT.

GROUP (C)
CASES OF THE LINES IN A.V.P., A.I.P. & PROFILE PLANE.

V.P.

b'

A.I.P.

a' α

B

A

X

α

H.P.

Line AB is in AIP as shown in above figure no 1.
It's FV (a'b') is shown projected on Vp.(Looking in arrow direction)
Here one can clearly see that the
Inclination of AIP with HP = Inclination of FV with XY line

V.P.

β

A   A.V.P.

B

β

a   b

H.P.

Line AB is in AVP as shown in above figure no 2..
It's TV (a b) is shown projected on Hp.(Looking in arrow direction)
Here one can clearly see that the
Inclination of AVP with VP = Inclination of TV with XY line

# LINE IN A PROFILE PLANE (MEANS IN A PLANE PERPENDICULAR TO BOTH HP & VP)

For T.V.

V.P.

a'

A

PROFILE PLANE
PP

b'

B

For F.V.

a

b

H.P.

ORTHOGRAPHIC PATTERN OF LINE IN PROFILE PLANE

VP

PP

VT

a'

a"

Ø

FV

LSV

b'

b"

X

θ

Y

HT

a

TV

b

HP

Results:-
1. TV & FV both are vertical, hence arrive on one single projector.
2. It's Side View shows True Length (TL)
3. Sum of it's inclinations with HP & VP equals to 90^0 ($\theta + \Phi = 90^0$)
4. It's HT & VT arrive on same projector and can be easily located From Side View.

OBSERVE CAREFULLY ABOVE GIVEN ILLUSTRATION AND 2nd SOLVED PROBLEM.

PROBLEM 12 :- Line AB 80 mm long, makes 30^0 angle with Hp
and lies in an Aux.Vertical Plane 45^0 inclined to Vp.
End A is 15 mm above Hp and VT is 10 mm below X-y line.
Draw projections, fine angle with Vp and Ht.

b'   Locus of b' b_1'

Locus of a' & a$_1$'   a' a_1'

15   v   h'

X 45^0 Φ θ Y

10

VT   HT

a

AVP 45^0 to VP

Locus of b'

b b_1

Simply consider inclination of AVP
as inclination of TV of our line,
well then?
*You sure can complete it
as previous problems!
Go ahead!!*

PROBLEM 13 :- A line AB, 75mm long, has one end A in Vp. Other end B is 15 mm above Hp
and 50 mm in front of Vp.Draw the projections of the line when sum of it's
Inclinations with HP & Vp is 90^0, means it is lying in a profile plane.
Find true angles with ref.planes and it's traces.

SOLUTION STEPS:-

After drawing xy line and one projector
Locate top view of A I.e point a on xy as
It is in Vp,
Locate Fv of B i.e.b'15 mm above xy as
it is above Hp.and Tv of B i.e. b, 50 mm
 below xy asit is 50 mm in front of Vp
Draw side view structure of Vp and Hp
and locate S.V. of point B i.e. b''
From this point cut 75 mm distance on Vp and
Mark a'' as A is in Vp. (This is also VT of line.)
From this point draw locus to left & get a'
Extend SV up to Hp. It will be HT. As it is a Tv
Rotate it and bring it on projector of b.
Now as discussed earlier SV gives TL of line
and at the same time on extension up to Hp & Vp
 gives inclinations with those panes.

Front view

top view

X —————————————————————— Y

VT
a'
b'
a
b
HT

(VT) a''

Side View
(True Length)

⌀

VP

HP

b''

θ

(HT)

APPLICATIONS OF PRINCIPLES OF PROJECTIONS OF LINES
IN SOLVING CASES OF DIFFERENT PRACTICAL SITUATIONS.

In these types of problems some situation in the field
or
some object will be described .
It's relation with Ground (HP)
And
a Wall or some vertical object (VP) will be given.

Indirectly information regarding Fv & Tv of some line or lines,
inclined to both reference Planes will be given
and
you are supposed to draw it's projections
and
further to determine it's true Length and it's inclinations with ground.

Here various problems along with
actual pictures of those situations are given
for you to understand those clearly.
Now looking for views in given ARROW directions,
YOU are supposed to draw projections & find answers,
Off course you must visualize the situation properly.

CHECK YOUR ANSWERS
WITH THE SOLUTIONS
GIVEN IN THE END.
ALL THE BEST !!

PROBLEM 14:-Two objects, a flower (A) and an orange (B) are within a rectangular compound wall, whose P & Q are walls meeting at 90⁰. Flower A is 1M & 5.5 M from walls P & Q respectively. Orange B is 4M & 1.5M from walls P & Q respectively. Drawing projection, find distance between them
If flower is 1.5 M and orange is 3.5 M above the ground. Consider suitable scale..


TV

Wall Q

Wall P

B

A

FV

PROBLEM 15 :- Two mangos on a tree A & B are 1.5 m and 3.00 m above ground and those are 1.2 m & 1.5 m from a 0.3 m thick wall but on opposite sides of it. If the distance measured between them along the ground and parallel to wall is 2.6 m,
Then find real distance between them by drawing their projections.

TV

B

A

0.3M THICK

FV

PROBLEM 16 :- oa, ob & oc are three lines, 25mm, 45mm and 65mm long respectively.All equally inclined and the shortest
 is vertical.This fig. is TV of three rods OA, OB and OC whose ends A,B & C are on ground and end O is 100mm above ground. Draw their projections and find length of each along with their angles with ground.


TV

O

25mm

65 mm

A

C

FV

45 mm

B

PROBLEM 17:- A pipe line from point **A** has a downward gradient 1:5 and it runs due East-South.
Another Point B is 12 M from **A** and due East of **A** and in same level of **A.** Pipe line from **B** runs 20^0 Due East of South and meets pipe line from **A** at point **C.**
Draw projections and find length of pipe line from B and it's inclination with ground.

5

Downward Gradient 1:5

1

A

N

12 M

B

E

C

S

PROBLEM 18: A person observes two objects, A & B, on the ground, from a tower, 15 M high, At the angles of depression 30^0 & 45^0. Object A is is due North-West direction of observer and object B is due West direction. Draw projections of situation and find distance of objects from observer and from tower also.

PROBLEM 19:-Guy ropes of two poles fixed at 4.5m and 7.5 m above ground, are attached to a corner of a building 15 M high, make 300 and 450 inclinations with ground respectively.The poles are 10 M apart. Determine by drawing their projections,Length of each rope and distance of poles from building.

PROBLEM 20:- A tank of 4 M height is to be strengthened by four stay rods from each corner by fixing their other ends to the flooring, at a point 1.2 M and 0.7 M from two adjacent walls respectively, as shown. Determine graphically length and angle of each rod with flooring.

TV

4 M

1.2 M

0.7 M

FV

PROBLEM 21:- A horizontal wooden platform 2 M long and 1.5 M wide is supported by four chains from it's corners and chains are attached to a hook 5 M above the center of the platform.
Draw projections of the objects and determine length of each chain along with it's inclination with ground.

TV

Hook H

5 M

D

A

C

2 M

1.5 M

FV

B

PROBLEM 22.

A room is of size 6.5m L ,5m D,3.5m high.
An electric bulb hangs 1m below the center of ceiling.
A switch is placed in one of the corners of the room, 1.5m above the flooring.
Draw the projections an determine real distance between the bulb and switch.

PROBLEM 23:-

A PICTURE FRAME 2 M WIDE AND 1 M TALL IS RESTING ON HORIZONTAL WALL RAILING
MAKES 35^0 INCLINATION WITH WALL. IT IS ATTAACHED TO A HOOK IN THE WALL BY TWO STRINGS.
THE HOOK IS 1.5 M ABOVE WALL RAILING. DETERMINE LENGTH OF EACH CHAIN AND TRUE ANGLE BETWEEN THEM

TV

35^0

1.5 M

1 M

FV

2 M

Wall railing

PROBLEM NO.24

T.V. of a 75 mm long Line CD, measures 50 mm.
End C is 15 mm below Hp and 50 mm in front of Vp.
End D is 15 mm in front of Vp and it is above Hp.
Draw projections of CD and find angles with Hp and Vp.

**SOME CASES OF THE LINE
IN DIFFERENT QUADRANTS.**

REMEMBER:
BELOW HP- Means- Fv below xy
BEHIND V p- Means- Tv above xy.

d'   d'₁   LOCUS OF d' & d'₁

FV

TL

X   Y

c'   θ   d   d₁   LOCUS OF d & d₁

TL

TV

c   Φ

PROBLEM NO.25

End A of line AB is in Hp and 25 mm behind Vp.
End B in Vp.and 50mm above Hp.
Distance between projectors is 70mm.
Draw projections and find it's inclinations with Ht, Vt.

LOCUS OF b' & b'$_1$

b'

b'$_1$

FV

TL

a

Φ

TV

TL

X

a'

θ

b

b$_1$

Y

LOCUS OF b & b$_1$

70

PROBLEM NO.26

End A of a line AB is 25mm below Hp and 35mm behind Vp.

Line is 300 inclined to Hp.

There is a point P on AB contained by both HP & VP.

Draw projections, find inclination with Vp and traces.

a

Φ

b'

b'$_1$ LOCUS OF b' & b'$_1$

35

FV

TL

p p'

X

p'$_1$

Y

25

TV

TL

θ=30^0

a'

TL

LOCUS OF b & b$_1$

b

b$_1$

PROBLEM NO.27

End A of a line AB is 25mm above Hp and end B is 55mm behind Vp.

The distance between end projectors is 75mm.

If both it's HT & VT coincide on xy in a point,

35mm from projector of A and within two projectors,

Draw projections, find TL and angles and HT, VT.