PROJECT REPORT

Project Title: Global Malnutrition Trends: A Power BI Analysis (1983-2019)

Team ID: PNT2025TMID06731

Team Size: 4

Team Leader: UMMIDI MADHAVI

Team Member: KANDHA SRILAKSHMI

Team Member: VINUKONDA SUMANA

Team Member: SANDEPUDI VENU

1. INTRODUCTON:

1.1 ProjectOverview:

The Global Malnutrition Trends: A Power BI Analysis (1983-2019) project aims to analyze historical malnutrition data to identify key trends, regional disparities, and underlying causes. By leveraging data from WHO, UNICEF, and other global sources, the study visualizes malnutrition patterns through interactive Power BI dashboards. The project integrates socioeconomic and policy-related factors to provide insights that aid policymakers, NGOs, and researchers in addressing nutrition challenges effectively. Machine learning techniques such as time-series forecasting and clustering are used to predict future risks and correlations. Ultimately, this analysis supports data-driven decision-making to improve nutrition security and public health outcomes worldwide.

1.2 Purpose:


The purpose of the Global Malnutrition Trends: A Power BI Analysis (1983-2019) project is to analyze historical malnutrition data to identify key trends, regional disparities, and underlying causes. It aims to provide data-driven insights using interactive

Power BI dashboards to help policymakers, NGOs, and researchers make informed decisions. By integrating socioeconomic and policy-related factors, the project supports the development of effective intervention strategies to combat malnutrition. Machine learning techniques, such as time-series forecasting and clustering, are used to predict future malnutrition risks. Ultimately, the project seeks to enhance public health outcomes by improving nutrition security and addressing global disparities.

2IDEATIONPHASE:

2.1 PROBLEMSTATEMENT


Problem Statement (PS)	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1 Rising Rates of Malnutrition in Vulnerable Populations.	a health policymaker /humanitari an worker	provide adequate nutrition to children and vulnerable communities.	malnutriti on remains widesprea d, especially in low- income and conflict- affected regions.	of poverty, lack of access to nutritious food, and weak healthcare systems.	frustrated and helpless as preventable deaths and developmental issues persist.
PS-2 Micronutrient Deficiencies and Hidden Hunger	a public health professional /nutrition advocate.	☐ reduce micronutrient deficiencies in underprivileg ed communities. ☐	many individual s do not get enough essential vitamins and minerals.	□ of poor diets, lack of awareness, and limited access to fortified foods.	concerned about the long-term impact on health, immunity, and productivity
PS-3 Impact of Climate Change on Food Security	an environmen talist/agricul tural researcher.	improve food security and sustainable agriculture.	climate change is disrupting food productio	extreme weather conditions, droughts, and soil degradation	alarmed as more people struggle with hunger and malnutrition.



2.2EmaphtyMap Canvas.

2.3Brainstorming:


1. Project Overview Objective: What is the primary goal of this Power BI analysis? Scope: Define the time



(1983-2019) and geographic

coverage (global, regional, country-specific). Significance: Why is analyzing malnutrition trends important? 2. Data Collection & Sources Possible Data Sources: - WHO, FAO, UNICEF, World Bank, Global Nutrition Report, national health surveys - Supplementary datasets (e.g., economic, agricultural, climate data) Data Attributes: - Country, region, year - Malnutrition indicators (stunting, wasting, underweight, obesity) - Socioeconomic factors (income levels, education, healthcare access) - Policy-related variables (government programs, aid distribution) 3. Power BI Dashboard Components - Visuals & Charts: - Trend Analysis: Line charts showing malnutrition trends over time - Geographical Heatmaps: Regional distribution of malnutrition rates - Comparative Analysis: Bar charts comparing countries and regions - Correlation Matrices: Relationship between malnutrition and other variables - Interactive Filters:Country, year, malnutrition type, economic factors 4. Expected Insights & Recommendations - Key trends in malnutrition and their implications - Policy recommendations for governments & NGOs - Future projections and areas needing further research

Step-3: Idea Prioritization



Key Idea	Description	Impact	Feasibility
Addressing Childhood Undernutrition	Focus on reducing stunting, wasting, and underweight in children.	Very High	High
Improving Food Security	Ensuring access to affordable, nutritious food in vulnerable regions.	Very High	Medium
Enhancing Maternal and Infant Nutrition	Promoting breastfeeding, prenatal care, and maternal supplements.	High	High
Tackling Micronutrient Deficiencies	Implementing fortification programs (iron, vitamin A, iodine, etc.).	High	Medium
Strengthening Nutrition Education	Raising awareness on healthy eating habits and dietary diversity.	Medium	High
Climate-Resilient Agriculture	Supporting sustainable farming to counter climate-related food shortages.	High	Medium
Reducing Ultra-Processed Food Consumption	Implementing policies to reduce junk food consumption and promote healthy alternatives.	Medium	Low

3.RequirementAnalysis.

3.1CustomerJourneyMap


	*					
	Scenario: [Existing experience through a product or service]	Entice How does someone become ewere of this service?	Enter What do people experience as they begin the process?	Engage In the core moments in the process, what happens?	Exit What do people typically, experience as the process finishes?	Extend What happens after the experience is over?
****	Experience steps What does the person (or people) at the center of this scenario typically experience in each step?	Assumess Applicational professional lacentees grant for the professional lacentees grant for the professional professional grant gra	Obtaining bar signs up to Posse III and integration advanced in beyon the clinicality process. It is posset III. It is posset III.	Epidoratio Stare support Generalization procession register of proce	become for open colored State	Renetrosher corinans In the correct of the correct
***	Interactions What interactions do they have at each step along the way? = People: Who do they see or talk to? = Places: Where are they? = Things: What digital touchpoints or physical objects do they use?	Website Cour remercish Makes Therm Clear Makes to be low middle Makes and benefits and replementation.	Ourse Supportular output occurrent such as talentas and truste as talentas and truste	Curismer support famer Under Strappton Support Same Strands or S	Paper rations habour retreases with pases and pases and pases and pases and pases and pases are passed on the pass	Excessing that in apparent to be supported to the control of the c
K.	Goals & motivations At each step, what is a person's primary goal or motivation? ("Help me" or "Help me avoid")	Carrinoghi Al we went to gain register the gain to gain a segment of the gain and t	Improved trap Yands-Ju the seven was related and one-participated and seven improved patch was improved.	Operation of financial description in the second of the se	Control water desirates control account of the control account of th	Sheater (Indides Annue (India) (India
0	Positive moments What steps does a typical person find enjoyable, productive, fun, motivating, delightful, or exciting?	Factorine Terrandy Jose to be Terrandy Jose to be Terrandy Att Terra	Easy Orbitation User first including Date first including process pany and invites. Experience:	Improved Cop Track Date race Track Dat	And position of po	trough General Loan register and productions desired general desired growth.
	Negative moments What steps does a typical person find frustrating, confusing, angering, costly, or time-consuming?	Insufficient signed Cherr finds scalarine signed: Uses or responsive or unrealized.	Surplanetry Committee States Committee States Interest and a Proper In adjacent Surples In adjacent Surples Constitute Co	forms, will the second of the	Difficulty with data transportant mass with strong priors.	Processing Productions to this Constitution with processing of the Constitution with processing of the Constitution of the Con
·	Areas of opportunity How might we make each step better? What Ideas do we have? What have others suggested?	Source from National States Source and All A Resemble Source and All A Resemble Source and All A Resemble Source Annual States Source Annual States	Stratify Code *Regulation Improve data Regulation plasma bit restand a securit melitraria probability of the security of t	Conferce Nominal Section of Section (Section Section S	States that began throws with the state of t	Explanation of bilary, Continuing seasons Harmonia plane and Harmonia

3.2. <u>SolutionRequirement.</u>

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Data Ingestion	Collect malnutrition datasets from WHO, UNICEF, and World Bank
		Support manual upload of CSV/Excel files
FR-2	ETL (Extract, Transform, Load)	Clean missing values, remove duplicates
		Normalize data formats across different sources
		Perform aggregation by country, region, and year
FR-3	Data Storage & Processing	Store raw data in Azure Blob / AWS S3
		Load transformed data into PostgreSQL / BigQuery
		Enable indexing for faster queries
FR-4	Data Enrichment	Merge malnutrition data with GDP, population stats
		Apply statistical analysis for data validation
FR-5	Machine Learning & Trend Analysis	Implement time-series forecasting for malnutrition trends
	,, 2	Apply clustering techniques for regional insights
		Train regression models to correlate malnutrition with socio-economic factors
FD.C	Data Marallandi	The contractive contractive description and the contractive contractive description and the co
FR-6	Data Visualization	Create Power BI dashboards with interactive charts
		Implement geographic heatmaps for regional comparison

FR No.	Non-Functional Requirement	Description
NFR-1	Performance & Scalability	The system should process large datasets (millions of records) efficiently and support future data growth.
NFR-2	Security & Access Control	Implement role-based access control (RBAC), encryption, and multi-factor authentication (MFA) for data protection.
NFR-3	Usability & User Experience	Dashboards and reports should be user-friendly, intuitive, and support interactive visualizations.
NFR-4	Availability & Reliability	The system should have 99.9% uptime and ensure failover mechanisms for continuous operation.
NFR-5	Data Accuracy & Consistency	Data should be validated, cleaned, and free from inconsistencies before visualization.
NFR-6	Compliance & Data Privacy	Ensure compliance with GDPR, HIPAA, or other applicable data protection regulations.

3.3DataFlow Diagram.



3.3TechnologyStack.

Technology Stach for Plant growth stages FRONTEND DATA PREPROCESSING: clean and preprocess the collected data. **Flowchart** DATABASE: BACKEND MACHINE LEARNING FEATURE MODEL For storing ENGINEERING: TRAINING: Train a machine learning model using the Extract relevant structued extracted features. features from the data. preprocessed data **CLOUD INFRASTRUCTURE DATA INTEGRATION** PREDICTION: MODEL EVALUATION: use the trianed model to Evaluate the predict plant growth performance of the trained model stages.

4. SolutionFit

1. Problem Statement

Malnutrition remains a critical global challenge, affecting millions, especially in developing countries. Despite various initiatives, real-time tracking and historical trend analysis of malnutrition data are often inadequate.

Policymakers, researchers, and organizations lack an intuitive and data-driven approach to monitor and combat malnutrition effectively.

2. Customer Pain Points

Lack of comprehensive, visual insights into long-term malnutrition trends.

Difficulty in identifying correlations between economic, social, and health indicators affecting malnutrition.

Policymakers and NGOs struggle to make data-backed decisions due to fragmented and unstructured data sources. 3. Proposed Solution

A Power BI-based analytical dashboard that visualizes malnutrition trends (1983-2019) using historical datasets.

Key features:

Interactive maps and trend charts to identify regional disparities.

Time-series analysis to understand progress and setbacks.

Correlation analysis with economic and health indicators.

Enables better decision-making by providing a data-driven narrative of global malnutrition patterns.

4. Value Proposition

Data-Driven Insights: Transforms complex datasets into actionable visualizations.

User-Friendly Interface: Interactive dashboards for policymakers, researchers, and organizations.

Predictive Capabilities: Helps forecast future malnutrition risks using historical trends.

Impact Assessment: Measures the effectiveness of past interventions and policies.

5. Validation & Evidence

Historical datasets from WHO, UNICEF, World Bank, and FAO are analyzed to ensure accuracy. Initial Power BI prototypes have demonstrated clear patterns and correlations in malnutrition trends. Feedback from experts and policymakers supports the need for a visual analytics tool for decision making.

6. Next Steps

Refinement: Enhance data integration and visual storytelling elements.

Stakeholder Collaboration: Work with health organizations and policymakers for feedback.

Predictive Analysis: Incorporate machine learning models to forecast future malnutrition trends.

Scalability: Expand the tool to cover additional health indicators and real-time data updates.

4.1 PROPOSEDSOLUTION

S.No.	Parameter	Description
•	Problem Statement (Problem to be solved)	Malnutrition remains a persistent global challenge, affecting millions across various socio-economic backgrounds. Despite efforts by governments and international organizations decision-makers face data accessibility issues fragmented insights, and lack of historical trend analysis to evaluate the effectiveness of interventions.
•	Idea / Solution description	The proposed solution is a Power BI-based analytical dashboard designed to analyze global malnutrition trends from 1983 to 2019. This solution integrates historical data from sources such as WHO, UNICEF, and the World Bank to provide comprehensive insights into malnutrition patterns across different regions and time periods. Through interactive visualizations, users can explore malnutrition trends, identify correlations with sociol economic and health factors, and assess the impact of past interventions. Additionally, the dashboard incorporates predictive analytics to forecast future malnutrition risks, enabling proactive decision-making. By offering a user friendly interface with dynamic charts, maps and reports, this solution empowers policymakers, researchers, and NGOs to make data-driven decisions and implement more effective strategies to combat malnutrition worldwide.

55 179		
	Social Impact / Customer Satisfaction	The Power BI-based Global Malnutrition Trends
		Analysis has the potential to create a significant
		social impact by empowering policymakers,
		NGOs, and researchers with data-driven insights
		to combat malnutrition effectively. By providing
		a clear understanding of historical trends,
		regional disparities, and predictive analytics,
		this solution enables targeted interventions
		that can lead to better health outcomes,
		reduced child mortality, and improved
		nutritional policies worldwide.
		West on Baker and Committees of the Committees o
		Key Social Benefits:
		✓ Improved Policy Decisions: Governments and
		organizations can make informed choices to
		allocate resources where they are needed most.
		✓ Early Detection & Prevention: Predictive
		analytics helps identify high-risk areas before
		malnutrition worsens.
		✓ Better Intervention Strategies: Evaluates past
		initiatives, enabling the design of more effective
		nutrition programs.
		✓ Enhanced Public Awareness: Interactive
		dashboards help raise awareness among
		stakeholders and the public.
57.		water and and are parties

4.2 <u>SOLUTIONARCHITECTURE:</u>

1. Integratedatasources:Combinedatafromvarioussources,includingsensors,weatherstations,andfarm management systems.

3: Data Analysis and Modeling

1. Datapreprocessing:Clean,transform,andnormalizedataforanalysis.


- 2. Featureengineering:Extractrelevantfeaturesfromenvironmentalandmanagementdata.
- 3. Modelselection:Chooseasuitablealgorithmforpredictingplantgrowthstages, suchasdecisiontrees, randomforests, or neural networks.
- 4. Modeltrainingandevaluation:Trainandevaluatethepredictivemodelusingvariousmetrics,includingaccuracy,precision, and recall.

SolutionDesign.

- 1. Definesolutionarchitecture:Designasolutionarchitecturethatintegratesthepredictivemodelwithauser-friendly interface.
- 2. Choosetechnologies:Selecttechnologies,includingPowerBI,AzureMachineLearning,andAzureIoTHub.
- 3. Designdatapipeline:Designadatapipelinethatintegratesdatafromvarioussourcesandfeedsitintothepredictive model.

5:ImplementationandDeployment

- 1. Implementpredictivemodel:ImplementthepredictivemodelusingAzureMachineLearning.
- 2. Develop user interface: Develop a user-friendly interface using Power BI that allows farmers and agricultural managers to input data and view predictions.
- 3. Deploysolution: Deploythesolutiontoacloud-basedplatform, such as Azure.



5. PROJECT PLANNING AND SCHEDULING.

5.1 Project Planning:

Spri nt	Functional Requirement(Ep ic)	User Story Numb er	User Story/Task	Stor y Poin ts	Priori ty	Team Members
Sprin t-1	Data collection and Integration.	USN-1	Gather relevant environmen tal data, including temperature , humidity, soil moisture,	7	High	KANCHUPATI LAVANYA
	Data Preperation	USN-2	and light levels. Cleans the collected data for analysis.	8	High	KANCHUPATI LAVANYA,SHA IK KARISHMA

Sprin t-2	Data Analysis and Modeling	USN-3	Utilize Power BI's analytical tools to explore relationship s between environmen tal factors and plant growth stages.	5	Low	SHAIK KARISHMA
	Visualization Developnment	USN-4	Create interactive visualizatio n for key metrics	6	Mediu m	NAGIREDDY DEEPTHI
	Dashboard Design	USN-5	Design user- friendly interfaces that allow stakeholder	8	High	NUDURUPATI SRIVIDYA
			s to easily access and interpret data			

		Incorporate		NAGIREDDY
· '	<u>'</u>	•		

			visual elements such as charts, graphs, and map store present data effectively.			DEEPTHI
Sprint-	Implementation	USN-	Provide training	7	Medium	KANCHUPATI
3		6	and support to users to ensure they can effectively utilize the dashboards for decision- making			LAVANYA, NUDURUPATI SRIVIDYA
	Feedback		Gather feedback from stake holder on initial dashboard	6	Medium	SHAIK KARISHMA

Evaluation and	USN-	Analyze user	9	High	SHAIK
Continuous	7	engagement with			KARISHMA,
Improvement		the dashboards			NUDURUPATI
		and gather			SRIVIDYA
		feedback for			,KANCHUPATI
		enhancements.			LAVANYA
		Foster a culture			
		of data-driven			
		decision-making			
		with in the			
		organization to			
		maximize the			
		benefits of the			
		project.			

Project Tracker, Velocity & Burn down Chart:(4Marks)

Sprint	Total Story Points	Duration		Sprint Start Date		Sprint End Date (Planned)		Story Points Comp (as on Planne End D	leted ed	Sprint Release Date (Actual)	
Sprint-	21	10Days		22Feb2025		03March202	5	22		03March 2025	1
Sprint-	20	10Days		04March 2025		13March202:	5	21		13March 2025	1
Sprint-	15	3Days	13N 202	March	14Ma 2025	rch	14	•	14March 2025		

Velocity:

Total Story Points Completed:56

Total Number of Sprints=3

Velocity=Total Story Points/Number of Sprints

Velocity=56/3=18.66 Burn down Chart:

A burn chart is graphical representation of work left do versus time. It is often used in agile software development methodologies such as Scrum. Burn down charts be applied to any project containing measurable progress over time.

Sprint	Day	TotalStoryPoints	StorypointsCompleted	RemainingStoryPoints
1	1	56	0	56
	2	56	0	56
	3	56	0	56
	4	56	0	56
	5	56	0	56
	6	56	0	56

7	56	0	56
8	56	0	56

	9	56	0	56	
	10	56	21	35	
2	1	56	21	35	
	2	56	21	35	
	3	56	21	35	
	4	56	21	35	
	5	56	21	35	
			,		
	6	56	21	35	
	7	56	21	35	
	8	56	21	35	
	9	56	21	35	
	10	56	20	15	
3	1	56	15	15	
	2	56	15	15	
	3	56	15	15	
	4	56	15	15	
	5	56	15	15	
	6	56	15	15	
	7	56	15	15	

	8	56	15	15
	9	56	15	15
	10	56	15	0

6. FUNCTIONAL AND PERFORMANCE

2.	Data	
	Preprocessing	
		The following contract to the
3.	Utilization	We had shorted the data by giving the data type text, whole
3.	of Data Filters	no. and the decimal no.
4.	DAX	1. Total Malnourished Population Over Time
	Queries	TotalMalnourished =
	Used	SUM('MalnutritionData'[Malnourished_Population])
		2. Malnutrition Rate (%) by Country MalnutritionRate = DIVIDE(SUM('MalnutritionData'[Malnourished_Population]), SUM('MalnutritionData'[Total_Population]), 0) * 100
		3. Moving Average for Malnutrition Rate (5-Year) Malnutrition_MA5 = AVERAGEX(
		DATESINPERIOD('MalnutritionData'[Year],
		MAX('MalnutritionData'[Year]), -5, YEAR), [MalnutritionRate])

4.Top 5 Most Affected Countries in a Given Year Top5Countries = TOPN(5, SUMMARIZE('MalnutritionData', 'MalnutritionData'[Country], "MalnutritionRate", [MalnutritionRate]), [MalnutritionRate], DESC)	
--	--


6.1. Performance Testing

${\bf Model Performance Testing:}$

Project teams hall fill the following information in model performance testing template.


<u>6</u>

S.No	Parameter	Screenshot/Values
1.	Data Rendered	8 column and 152 Rows.



7. RESULTS

7.1 Dashboard



Title: "Global Malnutrition Trends 1983-2019" Visual Elements:

Three key metrics displayed in colored boxes:

152 (Count of US Population)

343M (Sum of Survey Sample)

14.29K (Sum of Underweight) Multiple charts and graphs:

A line graph showing the Sum of Overweight by Country (includes countries like Chile, China, Bolivia, and others).

A bar and line combination chart depicting the Sum of LIFD, LDC, LLDC, SID2, and Sum of Stunting by Income Classification. Another graph illustrating Sum of Overweight and Sum of Underweight by Income Classification.

Filters and Data Fields:

A filter panel on the right allows filtering by different fields such as Country, Income Classification, Overweight, Underweight, Stunting, and more.

A data pane showing available fields like Country-wise average, Malnutrition estimates, Year, and other attributes.


Interface Details:

The Power BI ribbon at the top contains options like Get Data, Transform Data, Visualizations, Filters, and Copilot.

The dashboard has a colorful theme with blue, pink, green, and orange backgrounds for different sections.

The bottom navigation shows Page 1 of 2, indicating multiple pages in the repo

7.2 REPORT



Key Statistics:

- The dataset includes 152 children under five years of age.
- The total sum of underweight individuals is 14.29K.
- The total number of N samples is 11 million.

Key Insights:

• A line and stacked column chart shows that higher-income classifications correspond to lower average stunting rates.

- Low-income countries have high stunting rates, whereas high-income countries have the lowest—indicating a significant economic impact on child malnutrition.
- A ribbon chart indicates that the highest number of overweight individuals is observed in the second income classification category. Visual Elements:
- A gauge chart (on the left side) displays the sum of income classification as 1146.
- A large **text box** summarizes the report's findings in blue text over a green background.

Interface Details:

- The Power BI ribbon at the top has options like Get Data, Transform Data, New Visual, Publish, and Copilot.
- The Filters and Data Pane on the right allow adding and modifying visualizations based on fields such as Country, Overweight, Underweight, Stunting, and Year

8. <u>ADVANTAGES&DISADVANTAGES</u>

Advantages:

1.Interactive Data Visualization:

- Power BI provides dynamic charts, graphs, and filters that allow users to explore malnutrition trends across countries and income classifications. 2. Data-Driven Insights:
- The analysis highlights key statistics, such as stunting, underweight, and overweight cases, helping policymakers and health organizations make informed decisions. 3. Comparative Analysis by Income Classification:
- The report shows clear relationships between income levels and malnutrition rates, offering insights into economic disparities in child health.

4. Real-Time Data Refresh & Updates:

• If connected to live datasets, Power BI can provide updated insights without manually recreating reports.

5.User-Friendly Interface:

• Power BI's drag-and-drop functionality makes it easy for non-technical users to explore the data.

6. Customizable & Scalable:

• The dashboard allows users to add filters, change visuals, and scale analysis based on evolving needs.

Disadvantages:

Data Accuracy	&	Com	pleteness	Issues:

- Historical data (1983-2019) may have inconsistencies, missing values, or biases affecting the accuracy of insights. **Limited Granularity:**
- Aggregated data may not provide detailed insights at the regional or household level, limiting localized policy recommendations.

☐ Complexity for New Users:

- While Power BI is user-friendly, new users may struggle with advanced features like DAX calculations, relationships, and custom visuals.
 - ☐ Performance Issues with Large Datasets:
- Analyzing millions of records can slow down performance, requiring data optimization techniques.
 - ☐ Dependence on Data Sources:
- The quality of insights depends on the reliability of external data sources, which may have collection biases or outdated information.
 - ☐ Limited Offline Accessibility:
- · Power BI reports require internet access for cloud-based sharing, making it less convenient for offline users.

9. CONCLUSION:

The Global Malnutrition Trends (1983-2019) Power BI Analysis provides valuable insights into malnutrition patterns across income classifications and countries, highlighting the strong correlation between economic conditions and child health. The report reveals that low-income countries face higher stunting and underweight rates, while wealthier nations exhibit lower malnutrition levels, emphasizing the need for targeted policy interventions. While Power BI enables dynamic visualization and comparative analysis, challenges such as data accuracy, granularity limitations, and performance constraints must be addressed for more precise insights. Enhancing the study with real-time data integration, regional-level analysis, and predictive modeling can further strengthen its impact. Overall, this project serves as a powerful tool for data-driven decision-making in the fight against global malnutrition.

10. FUTURESCOPE

☐ Real-Time Data Integration:

•	Incorporating live data sources from organizations like WHO, UNICEF, and FAO can provide up-to-date insights into malnutrition trends.
	☐ Predictive Analytics & AI Integration:
•	Using machine learning models within Power BI can help forecast future malnutrition rates based on economic, demographic, and healthcare trends.
	☐ Regional & Household-Level Analysis:
•	Enhancing the dataset with granular-level data (state, district, or household-level) can provide more targeted insights for policymakers.
	☐ Policy Impact Assessment:
•	Analyzing the effectiveness of government nutrition programs and interventions can help refine policies and improve child health outcomes.
	☐ Geospatial Visualization:
•	Implementing maps and heatmaps in Power BI can offer better geographic insights into malnutrition hotspots across countries and regions.
	☐ Integration with Socioeconomic Indicators:
•	Linking malnutrition trends with education, poverty, sanitation, and healthcare access data can provide a holistic understanding of underlying causes.
	☐ User-Friendly Dashboards for Decision-Makers:
•	Creating customized , interactive dashboards for health organizations, NGOs, and policymakers can enhance usability and drive data-driven decision-making . 11.APPENDIX

Dataset Link: https://www.kaggle.com/datasets/ruchi798/malnutrition-across-the-globe?select=malnutrition-estimates.csv