Seattle Weather

May 31, 2024

1 Has rain gotten more frequent in Seattle?

1.1 Madhavi Ghanta

https://www.kaggle.com/rtatman/did-it-rain-in-seattle-19482017 _____

[1]:
```
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
import numpy as np
from scipy.stats import binom
%matplotlib inline
```

[3]:
```
rain = pd.read_csv("C:/Users/mghan/Documents/MSDS/Portfolio/
  ↪seattleWeather_1948-2017.csv")
```

[4]:
```
rain.describe()
rain.head()
```

[4]:

	DATE	PRCP	TMAX	TMIN	RAIN
0	1/1/1948	0.47	51	42	True
1	1/2/1948	0.59	45	36	True
2	1/3/1948	0.42	45	35	True
3	1/4/1948	0.31	45	34	True
4	1/5/1948	0.17	45	32	True

[8]:
```
#Bad Values within the data set
rain[pd.isnull(rain).any(axis=1)]
```

[8]:

	DATE	PRCP	TMAX	TMIN	RAIN
18415	6/2/1998	NaN	72	52	NaN
18416	6/3/1998	NaN	66	51	NaN
21067	9/5/2005	NaN	70	52	NaN

[9]:
```
#Cleaning data set
rain.dropna(axis=1, how='all', inplace=True)
```

2 Hypothesis:

Rain has been steadily increasing in Seattle. Null Hypothesis: Rain has has not increased or changed over time

2.1 Describe what the 5 variables mean in the dataset (Chapter 1).

DATE: the date of the observation

PRCP: the amount of precipitation, in inches

TMAX: the maximum temperature for that day, in degrees Fahrenheit

TMIN: the minimum temperature for that day, in degrees Fahrenheit

RAIN: TRUE if rain was observed on that day, FALSE if it was not

---

Include a histogram of each of the 5 variables – in your summary and analysis, identify any outliers and explain the reasoning for them being outliers and how you believe they should be handled (Chapter 2).

[10]:
```
#Skipping date on histogram
sns.distplot(rain['PRCP'].dropna())
```

```
C:\Users\mghan\anaconda3\lib\site-packages\seaborn\distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-level
function with similar flexibility) or `histplot` (an axes-level function for
histograms).
  warnings.warn(msg, FutureWarning)
```

[10]:
```
<AxesSubplot:xlabel='PRCP', ylabel='Density'>
```



[11]:
```
sns.distplot(rain['TMAX'].dropna())
```

```
C:\Users\mghan\anaconda3\lib\site-packages\seaborn\distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-level
function with similar flexibility) or `histplot` (an axes-level function for
histograms).
  warnings.warn(msg, FutureWarning)
```

[11]:
```
<AxesSubplot:xlabel='TMAX', ylabel='Density'>
```



[12]:
```
sns.distplot(rain['TMIN'].dropna())
```

```
C:\Users\mghan\anaconda3\lib\site-packages\seaborn\distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-level
function with similar flexibility) or `histplot` (an axes-level function for
histograms).
  warnings.warn(msg, FutureWarning)
```

[12]:
```
<AxesSubplot:xlabel='TMIN', ylabel='Density'>
```



[13]:
```
rain['RAIN'].value_counts().plot(kind='bar', label='Rain')
```

[13]: <AxesSubplot:>



Include the other descriptive characteristics about the variables: * Mean * Mode * Spread * Tails

[14]:
```
rain['TMIN'].mean(), rain['TMIN'].median(), rain['TMIN'].mode(), rain['TMIN'].
↪std()
```

[14]:
```
(44.51422644906266,
 45.0,
 0    42
 Name: TMIN, dtype: int64,
 8.892835742411922)
```

[15]:
```
rain['DATE'].max(), rain['DATE'].min()
```

[15]:
```
('9/9/2017', '1/1/1948')
```

[16]:
```
rain['DATE']= pd.to_datetime(rain['DATE'])
```

[17]:
```
rain['YEAR']= rain['DATE'].dt.year
```

[18]:
```
rain.head()
```

[18]:

	DATE	PRCP	TMAX	TMIN	RAIN	YEAR
0	1948-01-01	0.47	51	42	True	1948
1	1948-01-02	0.59	45	36	True	1948
2	1948-01-03	0.42	45	35	True	1948
3	1948-01-04	0.31	45	34	True	1948
4	1948-01-05	0.17	45	32	True	1948

[19]:
```
first_half = rain[rain["DATE"]>='1982-12-22 00:00:00']
second_half = rain[rain["DATE"]<='1982-12-23 00:00:00']
```

[22]:
```
plt.bar(list(pmf_first.values()),list(pmf_first.keys()))
```

[22]:
```
<BarContainer object of 183 artists>
```



[25]:
```
plt.bar(list(pmf_second.values()), list(pmf_second.keys()))
```

[25]: <BarContainer object of 175 artists>



[113]:
```
pmf
```

[113]:
```
{0.0: 7246,
 0.01: 462,
 0.02: 353,
 0.03: 258,
 0.04: 198,
 0.05: 212,
 0.06: 209,
 0.07: 170,
 0.08: 174,
 0.09: 130,
 0.1: 129,
 0.11: 142,
 0.12: 146,
 0.13: 130,
 0.14: 112,
 0.15: 108,
 0.16: 97,
 0.17: 96,
 0.18: 70,
 0.19: 63,
 0.2: 101,
 0.21: 73,
 0.22: 62,
 0.23: 77,
 0.24: 70,
 0.25: 62,
 0.26: 59,
 0.27: 51,
 0.28: 68,
 0.29: 64,
 0.3: 67,
 0.31: 54,
 0.32: 38,
 0.33: 51,
 0.34: 47,
 0.35: 53,
 0.36: 49,
 0.37: 41,
 0.38: 44,
 0.39: 42,
 0.4: 29,
 0.41: 28,
 0.42: 32,
 0.43: 26,
 0.44: 33,
```

0.45: 46,
0.46: 27,
0.47: 30,
0.48: 22,
0.49: 31,
0.5: 26,
0.51: 24,
0.52: 17,
0.53: 25,
0.54: 24,
0.55: 19,
0.56: 35,
0.57: 15,
0.58: 21,
0.59: 13,
0.6: 24,
0.61: 16,
0.62: 16,
0.63: 13,
0.64: 13,
0.65: 9,
0.66: 17,
0.67: 18,
0.68: 8,
0.69: 9,
0.7: 17,
0.71: 15,
0.72: 9,
0.73: 13,
0.74: 20,
0.75: 7,
0.76: 11,
0.77: 9,
0.78: 9,
0.79: 13,
0.8: 13,
0.81: 8,
0.82: 4,
0.83: 13,
0.84: 10,
0.85: 6,
0.86: 5,
0.87: 8,
0.88: 12,
0.89: 3,
0.9: 2,
0.91: 6,

```
0.92: 7,
0.93: 4,
0.94: 5,
0.95: 4,
0.96: 8,
0.97: 3,
0.98: 6,
0.99: 6,
1.0: 0.00023090169067000628,
1.01: 3,
1.02: 2,
1.03: 3,
1.04: 6,
1.05: 7,
1.06: 6,
1.07: 2,
1.08: 5,
1.09: 1,
1.11: 1,
1.12: 1,
1.13: 5,
1.14: 1,
1.15: 1,
1.16: 3,
1.17: 5,
1.18: 5,
1.19: 4,
1.2: 2,
1.21: 2,
1.22: 3,
1.23: 6,
1.24: 2,
1.26: 5,
1.27: 9,
1.28: 4,
1.29: 3,
1.3: 1,
1.31: 1,
1.32: 4,
1.33: 1,
1.34: 1,
1.36: 2,
1.37: 2,
1.38: 1,
1.39: 2,
1.4: 1,
1.45: 3,
```

```
1.46: 3,
1.48: 2,
1.49: 1,
1.5: 1,
1.51: 1,
1.52: 1,
1.53: 1,
1.54: 2,
1.55: 2,
1.56: 1,
1.6: 2,
1.61: 3,
1.63: 3,
1.64: 2,
1.65: 2,
1.66: 2,
1.67: 2,
1.68: 1,
1.7: 1,
1.75: 2,
1.76: 1,
1.78: 2,
1.83: 2,
1.85: 2,
1.93: 1,
2: 0.00010331872260488416,
2.04: 1,
2.08: 1,
2.14: 1,
2.18: 1,
2.23: 1,
2.26: 1,
2.58: 1,
2.7: 1,
2.72: 1,
2.98: 1,
3: 7.827175954915466e-05,
3.41: 1,
4: 0.00010644959298685035,
5: 0.00010488415779586725,
6: 8.140262993112086e-05,
7: 6.105197244834064e-05,
8: 6.966186599874766e-05,
9: 6.809643080776456e-05,
10: 5.165936130244208e-05,
11: 5.9486537257357546e-05,
12: 5.5572949279899807e-05,
```

```
13: 5.8703819661866e-05,
14: 5.3224796493425174e-05,
15: 4.8528490920475895e-05,
16: 3.757044458359424e-05,
17: 4.53976205385097e-05,
18: 5.0876643706950534e-05,
19: 4.618033813400125e-05,
20: 4.304946775203507e-05,
22: 4.148403256105198e-05,
23: 4.226675015654352e-05,
25: 3.8353162179085784e-05,
27: 3.678772698810269e-05,
28: 3.209142141515341e-05,
29: 3.913587977457733e-05,
30: 3.6005009392611145e-05,
31: 3.287413901064496e-05,
32: 3.52222917971196e-05,
33: 3.443957420162805e-05,
35: 3.052598622417032e-05,
38: 2.739511584220413e-05,
40: 2.582968065122104e-05,
43: 2.8960551033187226e-05,
44: 2.4264245460237948e-05,
45: 2.9743268628678773e-05,
51: 2.3481527864746398e-05,
52: 2.6612398246712587e-05,
54: 2.113337507827176e-05,
56: 2.269881026925485e-05,
57: 1.8002504696305572e-05,
61: 2.5046963055729494e-05,
68: 2.0350657482780215e-05,
69: 1.643706950532248e-05,
71: 1.7219787100814026e-05,
72: 1.5654351909830933e-05,
88: 1.4871634314339386e-05,
90: 1.408891671884784e-05,
94: 1.3306199123356293e-05,
111: 1.1740763932373199e-05,
112: 1.0958046336881654e-05,
113: 1.0175328741390108e-05,
118: 1.2523481527864747e-05,
124: 9.39261114589856e-06,
132: 7.827175954915466e-06,
136: 7.04445835942392e-06,
157: 5.479023168440827e-06,
161: 6.2617407639323735e-06,
199: 4.69630557294928e-06,
```

```
207: 3.913587977457733e-06,
230: 3.1308703819661867e-06,
235: 2.34815278647464e-06,
354: 1.5654351909830934e-06,
471: 7.827175954915467e-07,
7403: 0.0}
```

[27]:
```
#Create 1 CDF with one of your variables, using page 41-44 as your guide, what␣
↪does this tell you about your variable and how does it address the question␣
↪you are trying to answer (Chapter 4).
```

[29]:
```
sns.heatmap(rain.corr(), cmap='coolwarm')
plt.title('Rain Corr')
```

[29]:
```
Text(0.5, 1.0, 'Rain Corr')
```



[30]:
```
rain_per_year = rain[(rain['RAIN']==True)].groupby('YEAR').count()
```

[31]:
```
year_rain_count=rain[rain['RAIN']==True].groupby('YEAR').count()
```

[32]:
```
rain_per_year['RAIN']=year_rain_count['RAIN']
```

[33]:
```
rain_per_year['TMIN MEAN']=rain.groupby('YEAR')['TMIN'].mean()
rain_per_year['TMAX MEAN']=rain.groupby('YEAR')['TMAX'].mean()
rain_per_year['PRCP MEAN']=rain.groupby('YEAR')['PRCP'].mean()
```

[ ]:

[34]:
```
rain_per_year.reset_index(inplace=True)
```

[35]:
```
rain_per_year = rain_per_year[['YEAR', 'RAIN', 'TMIN MEAN', 'TMAX MEAN', 'PRCP␣
↪MEAN']]
```

[36]:
```
rain_per_year.head()
```

[36]:

	YEAR	RAIN	TMIN MEAN	TMAX MEAN	PRCP MEAN
0	1948	177	41.196721	57.013661	0.125109
1	1949	139	41.391781	59.147945	0.088932
2	1950	194	41.000000	57.035616	0.151068
3	1951	150	41.052055	58.545205	0.110411
4	1952	139	41.467213	58.743169	0.064973

[37]:
```
rain_per_year.columns
```

[37]:
```
Index(['YEAR', 'RAIN', 'TMIN MEAN', 'TMAX MEAN', 'PRCP MEAN'], dtype='object')
```

[38]:
```
sns.lmplot(x='YEAR', y='RAIN', data=rain_per_year)
```

[38]:
```
<seaborn.axisgrid.FacetGrid at 0x2b720ec2a90>
```



[39]:
```
sns.jointplot(x='YEAR', y='RAIN', data=rain_per_year, kind='kde')
```

[39]: <seaborn.axisgrid.JointGrid at 0x2b720e14d00>



[40]:
```
plt.plot('YEAR', 'TMIN MEAN', data=rain_per_year, marker='o')
plt.plot('YEAR', 'TMAX MEAN', data=rain_per_year, marker='', color='olive')
```

[40]: [<matplotlib.lines.Line2D at 0x2b721153160>]



[41]:
```
plt.plot('YEAR', 'TMIN', data=rain, marker='o')
plt.plot('YEAR', 'TMAX', data=rain, marker='', color='olive')
```

[41]: [<matplotlib.lines.Line2D at 0x2b7211afb80>]



[42]:
```
sns.lmplot('YEAR', 'PRCP MEAN', data=rain_per_year)
```

```
C:\Users\mghan\anaconda3\lib\site-packages\seaborn\_decorators.py:36:
FutureWarning: Pass the following variables as keyword args: x, y. From version
0.12, the only valid positional argument will be `data`, and passing other
arguments without an explicit keyword will result in an error or
misinterpretation.
  warnings.warn(
```

[42]:
```
<seaborn.axisgrid.FacetGrid at 0x2b7211dd1f0>
```



[43]:
```
sns.lmplot('YEAR', 'PRCP', data=rain)
```

```
C:\Users\mghan\anaconda3\lib\site-packages\seaborn\_decorators.py:36:
FutureWarning: Pass the following variables as keyword args: x, y. From version
0.12, the only valid positional argument will be `data`, and passing other
arguments without an explicit keyword will result in an error or
misinterpretation.
  warnings.warn(
```

[43]: <seaborn.axisgrid.FacetGrid at 0x2b7211d6b50>



[44]:
```
sns.jointplot(x='YEAR', y='PRCP MEAN', data=rain_per_year, kind='kde')
```

[44]: <seaborn.axisgrid.JointGrid at 0x2b721232520>



[50]:
```
super_column = rain_per_year[['YEAR', 'TMIN MEAN', 'TMAX MEAN']]
```

[51]:
```
super_column['Max']='Max'
```

```
C:\Users\mghan\AppData\Local\Temp\ipykernel_1592\3469924724.py:1:
SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-
docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  super_column['Max']='Max'
```

[52]:
```
super_column['Min']='Min'
```

[53]:
```
max = super_column[['YEAR', 'TMAX MEAN', 'Max']]
min = super_column[['YEAR', 'TMIN MEAN', 'Min']]
```

[54]:
```
max['temp']=max['TMAX MEAN']
max['type']=max['Max']
min['temp']=min['TMIN MEAN']
min['type']=min['Min']
```

```
C:\Users\mghan\AppData\Local\Temp\ipykernel_1592\3706309177.py:1:
SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-
docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  max['temp']=max['TMAX MEAN']
C:\Users\mghan\AppData\Local\Temp\ipykernel_1592\3706309177.py:3:
SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame.
Try using .loc[row_indexer,col_indexer] = value instead

See the caveats in the documentation: https://pandas.pydata.org/pandas-
docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy
  min['temp']=min['TMIN MEAN']
```

[55]:
```
max = max[['YEAR', 'temp', 'type']]
min = min[['YEAR', 'temp', 'type']]
```

[56]:
```
combined = max.append(min)
```

```
C:\Users\mghan\AppData\Local\Temp\ipykernel_1592\299298275.py:1: FutureWarning:
The frame.append method is deprecated and will be removed from pandas in a
future version. Use pandas.concat instead.
  combined = max.append(min)
```

[ ]:
```

```

[57]:
```
sns.heatmap(rain_per_year.corr(), cmap='coolwarm')
```

[57]:
```
<AxesSubplot:>
```



[58]:
```
sns.lmplot(x='YEAR', y='temp', hue='type', data=combined)
```

[58]: <seaborn.axisgrid.FacetGrid at 0x2b7224527f0>



[59]:
```
sns.lmplot(x='YEAR', y='TMIN MEAN', data=rain_per_year)
sns.lmplot(x='YEAR', y='TMAX MEAN', data=rain_per_year)
```

[59]: <seaborn.axisgrid.FacetGrid at 0x2b7223c47c0>


TMIN MEAN
48
47
46
45
44
43
42
41
1950
1960
1970
1980
1990
2000
2010
2020
YEAR



[60]:
```
sns.jointplot(x='YEAR', y='TMIN MEAN', data=rain_per_year, kind='kde')
sns.jointplot(x='YEAR', y='TMAX MEAN', data=rain_per_year, kind='kde')
```

[60]: <seaborn.axisgrid.JointGrid at 0x2b7226bc580>


50
48
46
44
42
40
TMIN MEAN
1920
1940
1960
1980
2000
2020
2040
YEAR



[61]:
```
sns.lmplot(x='YEAR', y='RAIN', data=rain_per_year)
```

[61]: <seaborn.axisgrid.FacetGrid at 0x2b722957340>



[62]:
```
import statsmodels.formula.api as sm
```

[63]:
```
result = sm.ols(formula='RAIN ~ YEAR',data=rain_per_year).fit()
print(result.summary())
```

```
                            OLS Regression Results
==============================================================================
Dep. Variable:                   RAIN   R-squared:                       0.022
Model:                            OLS   Adj. R-squared:                  0.007
Method:                 Least Squares   F-statistic:                     1.520
Date:                Fri, 31 May 2024   Prob (F-statistic):              0.222
Time:                        18:34:13   Log-Likelihood:                -289.74
No. Observations:                  70   AIC:                             583.5
Df Residuals:                      68   BIC:                             588.0
Df Model:                           1
Covariance Type:            nonrobust
==============================================================================
                 coef    std err          t      P>|t|      [0.025      0.975]
```

```
------------------------------------------------------------------------------
Intercept    378.4702    180.659       2.095      0.040       17.970     738.970
YEAR          -0.1124      0.091      -1.233      0.222       -0.294       0.069
==============================================================================
Omnibus:                        0.144   Durbin-Watson:                   1.891
Prob(Omnibus):                  0.931   Jarque-Bera (JB):                0.196
Skew:                           0.102   Prob(JB):                        0.907
Kurtosis:                       2.839   Cond. No.                     1.95e+05
==============================================================================

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly
specified.
[2] The condition number is large, 1.95e+05. This might indicate that there are
strong multicollinearity or other numerical problems.
```

[64]:
```
result = sm.ols(formula='RAIN ~ YEAR',data=rain_per_year).fit()
print(result.summary())
```

```
                            OLS Regression Results
==============================================================================
Dep. Variable:                   RAIN   R-squared:                       0.022
Model:                            OLS   Adj. R-squared:                  0.007
Method:                 Least Squares   F-statistic:                     1.520
Date:                Fri, 31 May 2024   Prob (F-statistic):              0.222
Time:                        18:34:17   Log-Likelihood:                -289.74
No. Observations:                  70   AIC:                             583.5
Df Residuals:                      68   BIC:                             588.0
Df Model:                           1
Covariance Type:            nonrobust
==============================================================================
                 coef    std err          t      P>|t|      [0.025      0.975]
------------------------------------------------------------------------------
Intercept    378.4702    180.659       2.095      0.040       17.970     738.970
YEAR          -0.1124      0.091      -1.233      0.222       -0.294       0.069
==============================================================================
Omnibus:                        0.144   Durbin-Watson:                   1.891
Prob(Omnibus):                  0.931   Jarque-Bera (JB):                0.196
Skew:                           0.102   Prob(JB):                        0.907
Kurtosis:                       2.839   Cond. No.                     1.95e+05
==============================================================================

Notes:
[1] Standard Errors assume that the covariance matrix of the errors is correctly
specified.
[2] The condition number is large, 1.95e+05. This might indicate that there are
strong multicollinearity or other numerical problems.
```

[65]:
```
result.pvalues
```

[65]:
```
Intercept    0.039904
YEAR         0.221791
dtype: float64
```

[ ]:
```

```