| | |
|---|---|
| **Status** | Finished |
| **Started** | Saturday, 24 October 2026, 10:06 PM |
| **Completed** | Saturday, 24 October 2026, 10:10 PM |
| **Duration** | 4 mins 46 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters ahead from the current position. ✓

b. • Move file pointer five characters behind ahead from the end of a file.

c. Move file pointer five characters ahead from the beginning

d. • Move file pointer five characters behind from the current position.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readline()

b. readlines()

c. readchar()

d. read(size) ✓

The correct answer is: read(size)

Question **3**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints an error message

b. Prints each line of the file

c. Prints the entire content of the file ✓

d. Prints the first 10 characters of the file

The correct answer is: Prints the entire content of the file

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_list()

b. writelines() ✓

c. write_all()

d. write()

The correct answer is: writelines()

Question **5**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

a. The encoding format of the file ✓

b. The size of the file

c. The buffer size

d. The mode of the file

The correct answer is: The encoding format of the file

Question **6**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. An error is raised ✓
b. An empty file object is returned
c. The operation is ignored
d. A new file is created

The correct answer is: An error is raised

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")
b. outfile = open("c:\\scores.txt", "a") ✓
c. outfile = open(file = "c:\scores.txt", "w")
d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **8**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Write
b. Append
c. Binary
d. Read ✓

The correct answer is: Read

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

- a. Appends "Adding new data" to the end of the file ✓
- b. Overwrites the file with "Adding new data"
- c. Opens the file in read mode
- d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

- a. readlines()
- b. readline(size)
- c. readline() ✓
- d. read()

The correct answer is: readline()

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

- a. ftell()
- b. tell()
- c. seek() ✓
- d. fseek()

The correct answer is: seek()

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. terminate()
b. close() ✓
c. end()
d. finish()

The correct answer is: close()

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. read()
b. append()
c. insert()
d. write() ✓

The correct answer is: write()

Question **14**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the read() method
b. Using the readlines() method
c. Using a for loop ✓
d. Using the readline() method

The correct answer is: Using a for loop

Question **15**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

- True ✓
- False

The correct answer is 'True'.