

Index.html:

```
<!DOCTYPE html>

<html>

<head>

    <title>Online Order System</title>

</head>

<body>

<h2>Online Order Form</h2>

<form action="order.jsp" method="post">

    Customer Name:

    <input type="text" name="customer_name" required>

    <br><br>

    Product Name:

    <input type="text" name="product_name" required>

    <br><br>

    Quantity:

    <input type="number" name="quantity" min="1" required>

    <br><br>

    Price:

    <input type="number" name="price" step="0.01" required>

    <br><br>

    <input type="submit" value="Place Order">

</form>

</body>

</html>
```

Index.jsp:

```
<%@ page import="java.sql.*" %>

<!DOCTYPE html>

<html>

<head>

    <title>Order Details</title>

</head>

<body>

<%

String customerName = request.getParameter("customer_name");
```

```
String productName = request.getParameter("product_name");

String quantityValue = request.getParameter("quantity");

String priceValue = request.getParameter("price");

Connection con = null;

PreparedStatement ps = null;

Statement st = null;

ResultSet rs = null;

try {

    Class.forName("com.mysql.cj.jdbc.Driver");

    con = DriverManager.getConnection(

        "jdbc:mysql://localhost:3306/orderdb?useSSL=false&allowPublicKeyRetrieval=true&serverTimezone=UTC",

        "root",

        "test@123"

    );

    if (customerName != null && productName != null &&

        quantityValue != null && priceValue != null) {

        int quantity = Integer.parseInt(quantityValue);

        double price = Double.parseDouble(priceValue);

        double total = quantity * price;

        String sql = "INSERT INTO orders " +

            "(customer_name, product_name, quantity, price, total) " +

            "VALUES (?, ?, ?, ?, ?)";

        ps = con.prepareStatement(sql);

        ps.setString(1, customerName);

        ps.setString(2, productName);

        ps.setInt(3, quantity);

        ps.setDouble(4, price);

        ps.setDouble(5, total);

        ps.executeUpdate();

        ps.close();

    } %>

<h2>Your Order Placed Successfully!!!</h2>

<h2>The Order Details</h2>
```

```

<table border="1" cellpadding="8">

<tr>

    <th>Order ID</th>

    <th>Customer Name</th>

    <th>Product Name</th>

    <th>Quantity</th>

    <th>Price</th>

    <th>Total</th>

</tr>

<%

    st = con.createStatement();

    rs = st.executeQuery("SELECT * FROM orders");

    while (rs.next()) {

%>

<tr>

    <td><%= rs.getInt("order_id") %></td>

    <td><%= rs.getString("customer_name") %></td>

    <td><%= rs.getString("product_name") %></td>

    <td><%= rs.getInt("quantity") %></td>

    <td><%= rs.getDouble("price") %></td>

    <td><%= rs.getDouble("total") %></td>

</tr>

<%

    }

%>

</table>

<br>

<form action="index.html" method="get">

    <input type="submit" value="Place Another Order">

</form>

<%

    } catch (Exception e) {

%>

<h2>Order Failed</h2>

<p><%= e.getMessage() %></p>

```

```

<br>

<form action="index.html" method="get">

    <input type="submit" value="Back to Order Form">

</form>

<%

    } finally {

        try {

            if (rs != null) rs.close();

            if (st != null) st.close();

            if (ps != null) ps.close();

            if (con != null) con.close();

        } catch (Exception e) {

        }

    }

%>

</body>

</html>

Orders.jsp:

<%@ page import="java.sql.*" %>

<!DOCTYPE html>

<html>

<head>

    <title>Order Details</title>

</head>

<body>

<%

    String customerName = request.getParameter("customer_name");

    String productName = request.getParameter("product_name");

    String quantityValue = request.getParameter("quantity");

    String priceValue = request.getParameter("price");

    Connection con = null;

    PreparedStatement ps = null;

    Statement st = null;

    ResultSet rs = null;

    try {

        Class.forName("com.mysql.cj.jdbc.Driver");

```

```

con = DriverManager.getConnection(

"jdbc:mysql://localhost:3306/orderdb?useSSL=false&allowPublicKeyRetrie
val=true&serverTimezone=UTC",

    "root",

    "test@123"

);

if (customerName != null && productName != null &&

    quantityValue != null && priceValue != null) {

    int quantity = Integer.parseInt(quantityValue);

    double price = Double.parseDouble(priceValue);

    double total = quantity * price;

    String sql = "INSERT INTO orders " +

        "(customer_name, product_name, quantity, price, total) " +

        "VALUES (?, ?, ?, ?, ?)";

    ps = con.prepareStatement(sql);

    ps.setString(1, customerName);

    ps.setString(2, productName);

    ps.setInt(3, quantity);

    ps.setDouble(4, price);

    ps.setDouble(5, total);

    ps.executeUpdate();

    ps.close();

}

%>

<h2>Order Placed Successfully</h2>

<h2>Order Placed Details</h2>

<table border="1" cellpadding="8">

<tr>

    <th>Order ID</th>

    <th>Customer Name</th>

    <th>Product Name</th>

    <th>Quantity</th>

    <th>Price</th>

    <th>Total</th>

</tr>

<%

```

```

st = con.createStatement();

rs = st.executeQuery("SELECT * FROM orders");

while (rs.next()) {

%>

<tr>

    <td><%= rs.getInt("order_id") %></td>

    <td><%= rs.getString("customer_name") %></td>

    <td><%= rs.getString("product_name") %></td>

    <td><%= rs.getInt("quantity") %></td>

    <td><%= rs.getDouble("price") %></td>

    <td><%= rs.getDouble("total") %></td>

</tr>

<%

    }

%>

</table>

<br>

<form action="index.html" method="get">

    <input type="submit" value="Place Another Order">

</form>

<%

    } catch (Exception e) {

%>

<h2>Order Failed</h2>

<p><%= e.getMessage() %></p>

<br>

<form action="index.html" method="get">

    <input type="submit" value="Back to Order Form">

</form>

<%

    } finally {

        try {

            if (rs != null) rs.close();

            if (st != null) st.close();

            if (ps != null) ps.close();

            if (con != null) con.close();


```

```
} catch (Exception e) {  
  
}  
  
}  
  
%>  
  
</body>  
  
</html>
```

Online Order System

localhost:8080/exericse9/

Online Order Form

Customer Name: praveen kumar

Product Name: ring

Quantity: 6

Price: 50

Place Order

Order Details

localhost:8080/exericse9/order.jsp

Order Placed Successfully

Order Placed Details

Order ID	Customer Name	Product Name	Quantity	Price	Total
1	Madhu	Watch	1	1000.0	1000.0
2	ashi	shirt	5	5000.0	25000.0
3	abi	bags	3	500.0	1500.0
4	abi	bags	3	500.0	1500.0
5	esai	ring	6	50.0	300.0
6	esai	ring	6	50.0	300.0
7	praveen kumar	ring	6	50.0	300.0
8	praveen kumar	ring	6	50.0	300.0

Place Another Order