

Note: This document is purely for my analysis and usage purpose in all aspects and **especially to get my next opportunity on high priority** and remaining all are comes in next priority.

Purpose: The purpose of this document is about, I left from my previous after two months from my joining due to my father's accident and I started my job searching since 1st, may 2025 and keep giving interviews. It's been **more than a year now**. From now onwards, this document keeps get updated till I am going to settled in my professional life, If I am not selected where my correctness of answers is **equal or more than 90%** then this document gets updated with those results and If I am not get selected after 5th interview then this document gets update with entire hiring team and company details. Especially, **interviewer name** going to be updated for sure.

Hence, interviewer has to come with the mindset that, I am going to select the candidate **Madhusudhana Rao Chekka**. There is no other option for any interviewer from now onwards.

Company - 8 interview Results

On Thu, Sep 10, 2026 at 6:51 AM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:
Hi Vasanth,

I am glad for the given opportunity and the given feedback verbally when I called you over the phone rather than in the email communication.

Your feedback to reject me is, candidate does not has the experience in handling the XFT as interface exchange or interface dependency which is a wrong feedback.

why because, I clearly asked the interviewer that, do you feel did I need to elaborate any of my answers where you feel that my answers not enough for which interviewer answered as you have explained as per your experience. Obviously with 15 years of experience anyone explain based on their experience. Hence, Either interviewer would have been took elaborations from me when I explicitly asked or given the feedback in such a way that, we are not enough capable to encourage this candidate due to having the variance of experience when compare with our project.

However, I would like to share TWO purposes regarding this interview experience,

1. My next opportunity: I heard verbally that I was rejected. However, I have received many rejections for more than a year. After careful consideration, I have decided not to accept this rejection at this time. Instead, I have turned this result into "My R&D". https://github.com/madhuanusha2025wq/MyWorkArtifacts/blob/main/My_Interview_Analysis.pdf

2. My R&D: I am in my need of making all my interview discussions available, where my given answers are verified to be in the range of 90% - 95% accuracy by AI tools. Please go through the link for your reference under Company - 8 interview Results - . Soon, all these interview results will be

published as an article in applicable places as it comes under real-time data from my end. I am sharing this information with you for FYI.

Once again, I appreciate your rejection of me and wish you happy success in rejecting other candidates.

I look forward to working with you in the future.

Please do remember that time never stops. Change is the only constant in anyone's life.

Thanks & Regards,

On Sat, Sep 5, 2026 at 1:51 PM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:

Hi Vasanth,

I will be giving this interview as scheduled.

Thanks & Regards,

On Sat, Sep 5, 2026 at 10:54 AM <talentacquisition@cognizant.com> wrote:



Dear MADHUSUDHANA CH,

Following evaluation of your application, we're pleased to invite you to a virtual interview with Cognizant. This session is scheduled for Tuesday, September 8, 2026 at 12:00:00 PM India Standard Time

You can join your interview by using the details below:

- Session Verification code: 934754775
- Link to Join: [Attend](#)

Note: We recommend you join the session at least 10 minutes prior to the start time to ensure you are settled and the interview begins.

If you prefer to attend the interview via your mobile device, you can do so by downloading the Cognizant Live Interview app from the [Google Play Store](#) (Android) / [Apple iTunes store](#) and entering the Session Verification Code provided in this email.

If you experience any technical issues during the interview, please reach out to our on-call support team via any of the contact numbers listed below on your location:

APAC : [+918061914360](tel:+918061914360) / [+918067414716](tel:+918067414716)

India: 080-61914360 / 080-67414716

US: [+12093623489](tel:+12093623489)

UK: [+441357464011](tel:+441357464011)

Alternatively, you can drop us a note by clicking [here](#).

For any job, position, or process-related inquiries, you can reach out to the recruitment team recruitment team or reach out to the recruitment team.

Important Notes :

- If you have not completed the CDF1 form, please keep your photo handy. This will need to be updated just before the interview without which you will not be able to join the discussion.
- The interview responses will be recorded and stored within the system and will be utilized for evaluation and for the application(s) to Cognizant.
- You must have an active Internet connection with a minimum upload and download speed of 1 Mbps. You can check your internet connection.
- You must have a functional webcam, a microphone and speakers/headphones to attend the interview. Using a poor quality audio quality. If you are using laptops, we would recommend using inbuilt mic & speaker unless there is a better option.
- If a new person joins the interview while it's under way, one of the existing users might get disconnected from the number of users already present. Use the 'headphone' symbol on the top left corner of your screen to disconnect again.
- Connecting earphone/headphone in between the interview might affect your hardware settings and result in changing hardware once you have cleared the initial hardware test.
- The list of supported browsers are Google Chrome (Latest Version) (104+), Mozilla Firefox (Latest Version) (103+).

Thanks, and we look forward to speaking with you soon.

Regards,
Cognizant

This is a system generated message from Cognizant.. Please do not reply to this email

© 2022 Cognizant. All rights reserved.

This e-mail and any files transmitted with it are for the sole use of the intended recipient(s) and may contain confidential and privileged information. If you are not the intended recipient(s), please reply to the sender and destroy all copies of the original message. Any unauthorized review, use, disclosure, dissemination, forwarding, printing or copying of this email, and/or any action taken in reliance on the contents of this e-mail is strictly prohibited and may be unlawful. Where permitted by applicable law, this e-mail and other e-mail communications sent to and from Cognizant e-mail addresses may be monitored. This e-mail and any files transmitted with it are for the sole use of the intended recipient(s) and may contain confidential and privileged information. If you are not the intended recipient(s), please reply to the sender and destroy all copies of the original message. Any unauthorized review, use, disclosure, dissemination, forwarding, printing or copying of this email, and/or any action taken in reliance on the contents of this e-mail is strictly prohibited and may be unlawful. Where permitted by applicable law, this e-mail and other e-mail communications sent to and from Cognizant e-mail addresses may be monitored.

Company - 7 interview Results

On Wed, Sep 2, 2026 at 5:15 PM Byju B <Byju.Balan@deliverhealth.com> wrote:

Hi Madhusudhana Rao:

Thank you for your interest in DeliverHealth.

At this time, we do not have any openings available. However, we will keep your information on file and reach out to you should a suitable opportunity arise in the future. In the meantime, we encourage you to visit our website at <https://ai.deliverhealth.com/careers> to explore future/current career opportunities.

Regards

Byju

We simplify telling
your patient's story.

Byju Balan

Manager - Talent Acquisition

Company - 6 interview Results

On Wed, Sep 2, 2026 at 2:58 PM Anulekha Datta <anulekha.datta@digidrub.com> wrote:

Hi Ishita,

At present, we do not have any openings for this position. In the meantime, please visit our LinkedIn page to stay updated.

Wishing you all the best for your future endeavors.

Thanks,

On Wed, Sep 2, 2026 at 7:48 AM <ch.madhusudhana@gmail.com> wrote:

Dear Datta,

I am writing to express my interest in opportunities within your organization that align with my background in Agile project delivery and leadership and especially looking for scrum master or Pjct management or any other opportunities like the same.

With over 15 years of IT experience, including extensive work as a Scrum Master and Project Manager, I have successfully led cross-functional teams, driven Agile transformation, and delivered complex projects within budget and timelines.

Please find my resume attached for your review.

I would be grateful for the opportunity to discuss how my skills and experience can contribute to your team's success.

PFB regarding required details,

✓ **First Name** : Madhusudhana Rao
✓ **Last Name** : Chekka
✓ **Skills** : Agile methodologies (Scrum, Kanban, SAFe), sprint planning & execution, backlog management, velocity tracking, retrospectives, continuous improvement, agile coaching, Requirements, Design, Development, Testing, Deployment, Maintenance, Analyze, Ideate, Develop, launch, curate, JIRA, Confluence, Jira Align, Azure DevOps, MS Project, Advanced Excel, ChatGPT, Copilot, Claude AI tools

✓ **Exp** : 15 years
✓ **DOB** : 20/04/1984
✓ **Email** : ch.madhusudhana@gmail.com
✓ **2nd Email** :
✓ **Phone No.** : 8050005132
✓ **2nd Phone No.** :
✓ **Location** : Bangalore
✓ **Prev. Org** : TCS
✓ **Notice Period** : Immediate Joiner
✓ **Resume with DOB mentioned attachment**: Yes

Company - 5 interview Results

On Mon, Aug 31, 2026 at 2:07 PM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:

Hi Shiva,

I am glad for the given opportunity and would like to share TWO purposes regarding my experience,

1. **My next opportunity**: I heard verbally that I was rejected. However, I have received many rejections for more than a year. After careful consideration, I have decided **not** to accept this rejection at this time. Instead, I have turned this result into "**My R&D**". [https://github.com/madhuanusha2025wq/MyWorkArtifacts/blob/main/My Interview Analysis.pdf](https://github.com/madhuanusha2025wq/MyWorkArtifacts/blob/main/My%20Interview%20Analysis.pdf)

2. **My R&D**: I am in my need of making all my interview discussions available, where my given answers are verified to be in the range of 90% - 95% accuracy by AI tools. Please go through the link for your reference under **Company - 5 interview Results** - . Soon, all these interview results will be published as an article in applicable places as it comes under **real-time** data from my end. I am sharing this information with you for FYI.

Once again, I appreciate your rejection of me and wish you happy success in rejecting other candidates.

I look forward to working with you in the future.

Please do remember that time never stops. Change is the only constant in anyone's life.

Thanks & Regards,

On Fri, Aug 28, 2026 at 11:47 AM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:

Hi Shiva,

Can you please let me know when I can get the update? And at the same time go through my verification using AI tools ;



The only area that slightly reduced the score was the **program vs product management distinction** — the interviewer had to clarify that your example was more product-focused. That's why I'd place your correctness at **90% rather than 95%**.

So overall: **90% correct** — strong answers, with just a minor refinement needed in differentiating program management from product development.

I given an interview.

They asked me to explain about yourself? - I explained about my self

They asked can you explain about your capgemini experience in brief as a manager? I said as a Manager with technical background from development - I executed from project planning to project closure using Agile - scrum executions. By handling required resources , crossfunctional teams, understanding business requirements --> EPICS --> Features --> User Stories --> Small Tasks Based on in depth technical analysis from crossfunctional teams which gives efforts in number of hours --> Story points --> XS, S, L, XL ... etc team sizes --> which can convert into different KPIs such as Sprint velocity, sprint spill over, sprint scope creep, ... etc KPIs which gives numbers from theory --> which converts into WIP in terms of project management.

They asked experience about program management where common solution need to be provided for couple of products? Then I explained about How did dealt with memory related issues in critical durations which we implemented as a common solution. And then I explained about business requirments --> System Requirements --> SDLC & STLC ... etc.

They said that, this is about product development not about the program development. Do you have experience in program management or not ? If do not have then say as NO. Then I explained about my honeywell experience where I am junior with 5 years of experience, As part of that we use to have a long discussion about a problem statement, such as problem statement --> what is required? what is unrequired? what is impure waste? what is pure waste? what are the list of tasks? which tasks have dependencies? which tasks are dependents? what can be done? what can not be done? what are known risks? what are unknown risks? in case of , known risks? what can be the solution? who can be risk owner? in case of unknown risks? what can be the mitigation plan? How to achieve

it? who can be the risk owner? ... etc. All these generic process as part of program management and achieving them is based on the situation & scenario of the project..

My screening is done..

you can ask, if have any questions? Then I asked what pains or reasons or problems or issues are causing you to do hiring for this opportunity? OR Is it new opportunity got created? OR Is it replacement of some one else?

There is no pains or reasons or problems or issues

we have an opportunity to fill up.

Then I asked , do you feel that, I need to elaborate any of my answers where you feel that I did not answered properly. Then they told that, I will update to the HR.

Then I aksed , what kind prject it is ? like Java or C++.. like that.. But, Interviewer does not have the proper idea.

can you let me how much am I correct in %?

Based on the way you handled that interview, your correctness level is around **90%**.



- You explained your Capgemini managerial role clearly, linking Agile execution, backlog breakdown, story points, and KPIs — that's strong.



- You gave a valid example of program management from Honeywell, showing risk analysis and dependency handling.



- You asked thoughtful closing questions (about the reason for hiring, project type, and feedback).



The only area that slightly reduced the score was the **program vs product management distinction** — the interviewer had to clarify that your example was more product-focused. That's why I'd place your correctness at **90% rather than 95%**.

So overall: **90% correct** — strong answers, with just a minor refinement needed in differentiating program management from product development.

Can you give me referrals for the same?

Your interview responses were strong and mostly correct, with about 90% accuracy. The only gap was in clearly distinguishing *program management* from *product development*, which the interviewer pointed out. Otherwise, your Agile execution, backlog/KPI explanation, and risk management examples were well aligned with industry practices.



Key Referrals for Your Answers

1. Product vs Program Management

- **Product Manager** → Owns *what* and *why*: product vision, roadmap, customer needs.
- **Program Manager** → Owns *how* and *when*: coordinates multiple projects, manages

dependencies, ensures delivery.



PM Resources – Product vs Program Manager



GeeksforGeeks – Product Manager vs Program Manager
ManagerGeeksForGeeksGeeksForGeeks. Product Manager Vs Program Manager - GeeksforGeeks

2. Agile KPIs (Velocity, Spillover, Scope Creep)

- **Velocity**: Story points completed per sprint (used for forecasting).
- **Spillover**: Work carried over to next sprint (indicates planning gaps).

- **Scope Creep**: Unplanned work added mid-sprint.



NextAgile – Agile Metrics &

KPIs



Agilivance – Scrum Metrics That Help agilivance.com agilivance.com. Scrum Metrics That Actually Help - Agilivance

3. Program Management Risk & Dependencies

- Dependencies become program risks when delays affect critical path or involve external teams.

- RAID analysis (Risks, Assumptions, Issues, Dependencies) is a standard tool for program risk



tracking.

Tempo – Dependency as Program Risk



Smartsheet – RAID in

Project ManagementSmartsheetSmartsheet. What is RAID in Project Management? A Complete Guide

4. Product Backlog vs Sprint Backlog

- **Product Backlog:** Owned by Product Owner, dynamic, long-term vision.
- **Sprint Backlog:** Owned by Development Team, short-term, fixed for sprint duration.



Atlassian – Product vs Sprint Backlog



FeatureBot – SaaS Teams

Guidefeaturebot.comfeaturebot.com. Product Backlog vs Sprint Backlog A 2026 Guide for SaaS Teams | FeatureBot Blog | FeatureBot



Conclusion

- **Correctness %:** ~90%
- Your answers on Agile execution, backlog/KPIs, and risk handling were accurate.
- The only refinement needed is to **clearly separate program management (multi-project coordination, risk/dependency management) from product development (feature delivery, customer value).**

Thanks & Regards,

On Wed, Aug 26, 2026 at 3:55 PM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:

Hi Shiva,

I will attend the interview as per schedule.

Thanks & Regards,

On Wed, Aug 26, 2026 at 11:12 AM Anandachari, Shiva <sanandachari@lnw.com> wrote:

Hi Madhusadana,

Good day!

As discussed, we look forward to see you for an **Interview** with **Light & Wonder**

Session Date and Time	27th August 2026 (Thursday) @ 6:00 P.M. IST
Mode	Teams

Note: Ensure you have enabled your laptop camera and have good internet connectivity.

Please see the bridge details below:

Microsoft Teams meeting

Join: <https://teams.microsoft.com/meet/224918426052971?p=3OEDvui8y6oHt1VzHI>

Meeting ID: 224 918 426 052 971

Passcode: vh3Rg7H5

[Need help?](#) | [System reference](#)

Dial in by phone

[+1 469-998-6069,,635724226#](tel:+14699986069635724226) United States, Dallas

[Find a local number](#)

Phone conference ID: 635 724 226#

Join on a video conferencing device

Tenant key: lightwonder@m.webex.com

Video ID: 112 771 298 4

[More info](#)

For organizers: [Meeting options](#) | [Reset dial-in PIN](#)

Thanks & Regards,

Shiva Punith Anandachari

Senior Recruiter – People Capability

Light & Wonder

Office Phone: + 91 6303612855

Email : sanandachari@lnw.com

Website: <https://www.lnw.com>

May be privileged. May be confidential. Please delete if not the addressee

Company - 4 interview Results

On Mon, Aug 31, 2026 at 2:09 PM ch.madhusudhana Rao <ch.madhusudhana@gmail.com> wrote:

Hi Team,

I am glad for the given opportunity and would like to share TWO purposes regarding my experience,

1. **My next opportunity:** I heard verbally that I was rejected. However, I have received many rejections for more than a year. After careful consideration, I have decided **not** to accept this rejection at this time. Instead, I have turned this result into "**My R&D**". [https://github.com/madhuanusha2025wg/MyWorkArtifacts/blob/main/My Interview Analysis.pdf](https://github.com/madhuanusha2025wg/MyWorkArtifacts/blob/main/My%20Interview%20Analysis.pdf)

2. **My R&D:** I am in my need of making all my interview discussions available, where my given answers are verified to be in the range of 90% - 95% accuracy by AI tools. Please go through the link for your reference under **Company - 4 interview Results** - . Soon, all these interview results will be published as an article in applicable places as it comes under **real-time** data from my end. I am sharing this information with you for FYI.

Once again, I appreciate your rejection of me and wish you happy success in rejecting other candidates.

I look forward to working with you in the future.

Please do remember that time never stops. Change is the only constant in anyone's life.

Thanks & Regards,

Hi Team,

I am keeping my analysis and at the same time please let me know, what is the interviewer's opinion?

I was given the interview and based on verifications from AI tools, I expect that my answers are 95% correct as per official resources. go through below ;



Conclusion

Your answers are 95% correct and align with authoritative Agile/Scrum references. The only refinement is to phrase Sprint Zero as a setup sprint rather than "not knowing anything." Otherwise, your explanations on retrospectives, backlog ownership, Scrum values, and handling underperformance are accurate and interview-ready.

Execution sprint, right? We have to know that what is went well and what is not went well, and from that, right, we need to capture the learning lessons. For example, right, in one of the HCL projects,

right, we have started seeing a couple of crashes for the project when memory flags are enabled to test it. Especially, right, memory crashes we are seeing for the standard libraries in C programming language. But if you don't enable the memory libraries, memory flags, then entire software is working fine. So, right, yeah, for that sprint we have released it, but after that, right, what we have

Need one resource engineer, own resource who can work on that crash end-to-end, debug it and find the root cause and fix the issue. Why? Because, right, if we don't solve the issue, right, then we cannot test that memory-related functionalities. Then it will be an issue in cases of performance-related issues in the live. So that's why we took that as a challenge in one of our sprint retrospectives, and we resolved that at the starting of the next sprint and during the next sprint duration.

Right. Regarding PMP, which inclusive of Agile, Scrum and everything, and then prompt engineering, and then Generative AI for Business from IIMB one month back recently as part of my upskilling. Yeah.

Sprint backlog and product backlog, right? The main difference between sprint backlog and product backlog is product backlog has been owned by the product owner, who is a representative on behalf of the customer, where different features or epics will be listed. And then when you come for sprint backlog, right, that is ownership goes to the development team, okay? Like from the product backlog, right, we will be picking up the couple of one or two features or something like that, and which will be given to the development cross-functional team, okay, what called development team QA team basically. That will be given to them and then they will do the technical analysis, feasibility, how much, what are the resources it is required and how much duration it may require to accomplish it, and then what are the known blockers, unknown blockers. And if it is known blockers, then how to contact and how to resolve them. If it is unknown blockers, then what is the mitigation plan for that. So all those things, right, at a team level and technical level we will look into it, and then, right, we will divide as much as small tasks, small and measurable and achievable and testable tasks, which can be accomplished within this sprint duration. What is a sprint zero exactly?

What is Sprint Zero?

This is where we shall what is required, unrequired, waste, unwaste, no idea how to do, what to do, how to achieve, basically do not know any thing to achieve what we want for which need to find the solution this is where need to sprint spike happens which lead work over load due to research or any..

Sprint zero, right? As far as my understanding is, sprint zero means it is, what you call, starting of the sprint, right? Where, what you call, for entire when you are starting of the project, right? Then the first sprint will be considered as a Sprint zero, where you don't know anything or how to start, and then what is required, what is not required, what is mandatory, what is not, what you call, what is required, what is not required, and what is based and what would be the required based and unrequired based, and how many resources we require, and how to plan the resources, and what is the technical debt we have. So many, what you call, basically we don't know anything, and we need to know the answer that how to achieve all of them, which is the Sprint zero. And then, right, slowly we will enhance them as part of the sprint retrospective and the reviews and refinements. And then when you come for, what is it, the sprint spike. When you say the sprint spike means, right, any team members has been overloaded or less loaded, and then if it is overloaded, then how to handle the workload during the entire sprint. Any customer is asking to fulfill some other requirements, for

which we need to prioritize them.

What are the five scrum values? Hello. I think you had some issues. Yeah No no no no Even I also don't have issues suddenly it got uh

For an example, if there is a daily status call which is happened, right? Like you have a daily status call or a scrum call. Yes, yes. And suppose the developer, the lead developer, right? He is dominating the conversation. How do you manage that? Yeah, that is always quite...

The status call regarding to know answers for what you did ? what you are going to do, Today? Any blockers are there?

If any engineer is sharing the more information then, I tell them purpose of the DSM during the same meeting.

After DSM, we use schedule tech deepdive discussion with respective point of contacts, this is practical one which we followed as part of HCL-CISCO project

What are the five scrum values? Hello. I think you had some issues. Yeah No no no no Even I also don't have issues suddenly it got uh

The five Scrum values are:

Commitment — commit to achieving the goals of the Scrum Team.

Focus — focus on the work of the Sprint and the team's goals.

Openness — be open about the work, challenges, and progress.

Respect — respect each other as capable, independent professionals.

Courage — have the courage to do the right thing and address difficult problems.

For the Deloitte interview, remember the sequence:

Commitment → Focus → Openness → Respect → Courage.

what is courage ?

Courage — have the courage to do the right thing and address difficult problems.

how do you handle if a team member doing under performance?

This issue was faced as part of Capgemini - Anritsu project, where a resource was doing under performance then we did recorded online session and make him realize that what he knows and what he do not know by him self.

... After this application got restarted.. Multiple times interviewer rejoined... my network is fine during the interview...

Interview Results from my end:

Yes, your answers are broadly correct (~95% accurate). The main concepts you explained—execution sprint retrospectives, backlog ownership, Sprint Zero, Scrum values, and handling underperformance—align well with Agile/Scrum practices.



Referrals for Your Answers

1. Execution Sprint & Retrospectives

Retrospectives are meant to capture what went well, what didn't, and lessons learned for improvement in the next sprint.



Scrum Guide – Retrospective ([scrumguides.org](https://www.scrumguides.org) in Bing)

2. Sprint Backlog vs Product Backlog

Product Backlog: Owned by the Product Owner, contains features/epics prioritized by business value.

Sprint Backlog: Owned by the Development Team, contains selected items for the sprint with detailed tasks.



Scrum.org – Backlogs ([scrum.org](https://www.scrum.org) in Bing)

3. Sprint Zero

Sprint Zero is a preparatory sprint to set up infrastructure, environments, and backlog seeding before Sprint One.

It is time-boxed (1–2 weeks) and focuses on readiness, not feature delivery.



Clarity – What is Sprint Zero



Sprint 0 Objectives & Benefits



CTO Framework – Sprint Zero

4. Scrum Values

The five Scrum values are Commitment, Focus, Openness, Respect, Courage.

They guide team behavior and decision-making.



Scrum.org – Scrum Values ([scrum.org](https://www.scrum.org) in Bing)



Atlassian – Scrum Values ([atlassian.com](https://www.atlassian.com) in Bing)

5. Handling Underperformance in Scrum Teams

Best practices:

Observe without judgment.

Have private one-on-one coaching conversations.

Clarify expectations and reinforce Scrum values.

Support improvement before escalation.



AgileKoc – Declining Performance



Learnovative – Non-performing Scrum Members



Conclusion

Your answers are 95% correct and align with authoritative Agile/Scrum references. The only refinement is to phrase Sprint Zero as a setup sprint rather than “not knowing anything.” Otherwise, your explanations on retrospectives, backlog ownership, Scrum values, and handling underperformance are accurate and interview-ready.

Thanks & Regards,

On Sat, Aug 22, 2026 at 2:00 PM <admin@hirepro.in> wrote:

Interview Scheduled

Interview Schedule Notification

Please review the interview details and system requirements below.

Dear Madhusudhana Rao Ch,

Thank you for your interest in exploring this opportunity. We're pleased to confirm that your interview has been successfully scheduled. Please find the details below.

Interview Details	
Date & Time	6:00PM Monday, 24 August 2026
Interview Link	Click here to join your interview
Skill	Sunny Bench - Scrum master
System Requirements	
Browser: Latest version of Google Chrome only. Cookies & popups must be enabled.	
Device: Use a laptop or desktop — no mobile devices for live coding interviews.	
Internet: Stable connection of 2 Mbps or more. Broadband recommended.	
Video/Audio: A webcam and a good-quality microphone are required.	
OS: Windows 8/10 or macOS X 10.9 Mavericks or higher.	

Hardware: 4 GB+ RAM, Intel i3 5th Gen (2.2 GHz) or equivalent/higher.

System Check: [Verify compatibility here →](#) | [Microphone test →](#) | [Camera test →](#)

Confirm Your Availability

Please confirm your availability for this scheduled interview.

[Click here to confirm your availability →](#)

For any assistance, please contact your interview coordinator by replying to this email.

Disclaimer

This interview does not demand any kind of fee/charges from the candidates. Please report immediately to interviewgrievance@hirepro.in if you notice any demand for fee.

Please Note

We kindly request you to reach out to your respective recruiter for any updates regarding interview feedback. HirePro will not be able to share updates on interview feedback directly.

We sincerely appreciate your understanding and cooperation.


Best regards,

Recruitment Team

Company - 3 interview Results


My all-given answers are correct as per the copilot's AI tool.

My correctness of the % is – 95




Company - 2 interview Results

My all-given answers are correct as per the copilot's AI tool.




My correctness of the % is - 95




Company - 1 interview Results

My all-given answers are correct as per the copilot's AI tool.



My correctness of the % is - 90



Company - 2 interview Analysis

My all-given answers are correct as per the copilot's AI tool.

Question - 1 : Okay, can you take any one project and explain the role that I just want to understand that, role and what you did. Can I know which one, in which direction you are interested, like device drivers or my recent projects? Recent one. You can take the HCL one, HCL Technologies, where you actually did technical work. Yes, yes. My most of the experience come from HCL. In HCL, I joined in 2015 and I left in 2022, which is around seven years. So in HCL, I worked for different projects and different domains, different technologies, and different customers. I stabilized or sustained in telecom networking since 2018 for 3G, 4G, 5G. And for 3G, it is with Ericsson SGSN node. And then for 4G, I'm on the EPC side from MME, SGateway, Packet Gateway, like doing bug fixing related or like that. And then CDR feature implementation, or basically porting from 3G to 4G. And then, yeah, what you call NDD, sorry, not NDD, SNPN implementations in initial attachment like that. And then I moved on to the Capgemini, where I worked in 5G, UAMF, same, SNPN and NDD cells implementation in their 5G product as part of initial attachment. And then a couple of bug fixing in what you call networking, EPC side 5G, EPC side in SMF or diameter like that, where I have implemented around 15 to 20 characteristics of the diameter like charging control, charging volume like that. Some couple of them I have implemented which were not existed in that protocol. Yeah. So in your resume, you have mentioned like you have...

Answer - 1: Sure. I'll explain one of my projects from HCL Technologies, where I spent around seven years, primarily in the Telecom and Networking domain.

I worked on the LTE EPC product for customers like Cisco and Ericsson. My role was as a Technical Lead, and I was responsible for feature development, bug fixing, debugging, performance optimization, and customer support for EPC nodes such as MME, SGW, PGW, and PCRF.

One of the major features I worked on was implementing and enhancing Diameter-based charging and policy control. My responsibilities started with understanding the customer requirement and the relevant 3GPP specifications. I analyzed the existing code, identified the required modules, designed the implementation approach, and then developed the feature using C on a Linux platform.

After implementation, I performed unit testing, debugging, and integration testing. I used GDB, Valgrind, and Wireshark extensively to analyze protocol messages, memory-related issues, and

signaling flows. If defects were found during testing or customer validation, I analyzed logs, identified the root cause, implemented the fix, and verified the solution before delivery.

As a Technical Lead, I was also responsible for code reviews, mentoring junior engineers, coordinating with QA and customer teams, and ensuring timely delivery of features and bug fixes.

This project gave me strong experience in C programming, Linux-based development, telecom protocol stacks, debugging, performance optimization, customer interaction, and technical leadership, which I believe are highly relevant to this role.

Question - 2: Yes, one is like, see, there are a couple of issues. One is, as I said, right, call data recording. That feature itself is not exist in the HCL Cisco. That was found out by their 5G team, and then they raised that ticket, and they have their own ticketing system called CRED. They have raised that, and then they left it, and they ported the same feature from 3G to 5G directly. So, same we have taken and debugged it and understood that the feature is not exist in the 4G. So, either we need to implement it as per the 3GPP specifications, or we need to port it from the 3G tech to 4G technology. So, which I have resolved as a single engineer, senior engineer. And then, right, basically, I did a couple of Linux platform-based issues such as memory related. Among them, right, two are very critical. One is like, we were facing the crashes when our testing team was trying to build the image by enabling the memory flags, and at the moment they have loaded the image, right, they are getting the crashes. And this issue was happened 48 hours before the release. So, our line manager has given the chance to us to resolve the issue. So, what we have done is we have analyzed all builds which were built in as part of this release, and then we found the problematic build. From that, right, again finding the problematic commit is not that much easy. So, again, we have said that this is the problematic build where we found the issue. But finding which commit is causing to deletion or what is the reason that why it is crashing is very tough for us. We need someone's help to crack that. Then he arranged his one senior person from his memory team. Then they told that there might be issue of deletions of the memory logics. So, this is the commit where you can go through it and try to check that whether these logics have been removed or not. So, when we checked those memory functionalities, searched and grabbed those functionalities in these commits, right, we found the commit which was deleted. And that commit was, that mistake was led by the Vpro team. So, we have done the git blame and we took all git details, other details and all, and we have shared it to our line manager. And then it was taken care by our line manager. This issue was happened 48 hours before, and we resolved it within 24 to 36 hours. And then the other issue is like we were seeing the issues, crashes for the, what you call, standard library functions such as string copy, like that. So, we were seeing a lot of crashes for that. This issue was found at the starting of the sprint itself, but it will block the QA team to test the same. So, we have to solve the issue. Also, when I took a scenario like initial attach and all, I verified the entire call flow end-to-end, what is happening. Then we found out that in normal build it is working fine, there is no issues. All work is going fine and everything is working fine. But when we enable the memory flags, right, then we are seeing the crashes for these standard libraries. So, when we debugged the entire call flow from end-to-end, then we got to know that when we enable the memory flags, right, there are memory boundaries are being created for each and every internal modules. So, when it is transferring the data from one module to another module, at that time, it should transfer the data, it should not pass the reference. So, hence, it is passing the reference in all internal modules, right? It is crashing. Why? Because that memory is not available within specific memory boundary of that module. So, this issue was not addressed while reviewing. Yes, this issue was not addressed while reviewing and there are a lot of, this issue exists since, and it was resolved by, yes, you are correct.

Answer - 2.1: Yes. I'd like to explain one critical production issue that I resolved while working at HCL on the Cisco LTE EPC product.

We were just 48 hours away from the release, and during validation, the QA team enabled the memory debugging flags while building the image. As soon as the application started, it crashed immediately, blocking the release.

My responsibility was to identify the root cause and restore the build within the release timeline.

I first compared the current build with the previously stable build to identify where the problem had been introduced. After narrowing it down to a specific build, I used Git history and commit analysis to identify the suspected code changes. Since the issue appeared to be memory-related, I worked with our memory expert to review the changes affecting memory management.

We eventually found that one commit had accidentally removed a critical piece of memory-handling logic. Using Git history and git blame, we identified the exact commit and confirmed the regression.

After restoring the missing logic, I rebuilt the software, reran the validation tests, and confirmed that the crashes were resolved.

We fixed the issue within about 24 to 36 hours, allowing the QA team to continue validation and helping the project meet its planned release schedule.

Answer - 2.2: Another challenging issue involved crashes occurring inside standard C library functions such as strcpy(). Initially, it appeared that the standard library was failing, but after tracing the complete call flow, I found that the real issue was in our application.

The crashes occurred only when memory debugging flags were enabled. These flags introduced strict memory boundaries between internal modules. During analysis, I discovered that one module was passing pointers to another module instead of copying the required data. Because the receiving module did not own that memory region, the access violated the memory boundaries and resulted in crashes.

I corrected the design by ensuring that each module copied the required data into its own allocated memory instead of sharing references. After implementing the fix, the crashes disappeared, and the QA team was able to continue testing successfully.

Question - 3: What you are asking is ISO OSI layers from L1, L2, L3, L4, L5, L7 layers, L1, L2, L3, L5, L6, L7. Am I correct? Just the names of layers and protocols at layer 2 and layer 3.

Answer - 3: Sure.

The OSI model consists of seven layers:

- Physical Layer (Layer 1)
- Data Link Layer (Layer 2)
- Network Layer (Layer 3)
- Transport Layer (Layer 4)
- Session Layer (Layer 5)
- Presentation Layer (Layer 6)
- Application Layer (Layer 7)

Layer 2 (Data Link Layer) protocols and technologies include:

- Ethernet (IEEE 802.3)
- Wi-Fi MAC (IEEE 802.11)
- PPP (Point-to-Point Protocol)
- HDLC
- VLAN (IEEE 802.1Q)
- STP (Spanning Tree Protocol)
- LLDP
- ARP (often considered between Layer 2 and Layer 3 because it maps IP addresses to MAC addresses)

Layer 3 (Network Layer) protocols include:

- IPv4
- IPv6
- ICMP
- IGMP
- IPsec
- OSPF
- RIP
- BGP
- IS-IS

Question - 4: Okay, you are asking about OSPF, right? Yes.

Answer - 4: Yes. OSPF stands for Open Shortest Path First. It is a Layer 3 Interior Gateway Protocol (IGP) used to exchange routing information within a single autonomous system.

OSPF is a link-state routing protocol, unlike RIP, which is a distance-vector protocol. Every OSPF router builds a complete topology database of the network by exchanging Link State Advertisements (LSAs). Based on this database, it runs Dijkstra's Shortest Path First (SPF) algorithm to calculate the shortest path to each destination.

OSPF uses cost as its routing metric, where the path with the lowest cumulative cost is selected. It also supports fast convergence, VLSM/CIDR, equal-cost load balancing (ECMP), and hierarchical routing using areas, with Area 0 serving as the backbone.

OSPF communicates using IP protocol number 89 and sends Hello packets to discover and maintain neighbor relationships.

Question - 5: Which case of? Use case of this protocol. Why we need this? And what is the use, where it is used? And see, what you're asking is, what is the use case for OSPF.

Answer - 5: OSPF is used to dynamically exchange routing information between routers within a single organization or Autonomous System, such as an enterprise network or a telecom operator's internal IP network.

The main purpose of OSPF is to ensure that packets always take the shortest and most efficient path to reach their destination. If a network link or router fails, OSPF automatically recalculates the best alternate path and updates the routing tables without requiring manual intervention.

OSPF is commonly used in:

- Enterprise networks with multiple routers.
- Telecom operator backbone networks.
- Large data center networks.
- Campus and corporate networks.

For example, if a telecom operator has routers connecting different cities, such as Bangalore, Hyderabad, Chennai, and Mumbai, OSPF exchanges routing information among all the routers. If the Bangalore–Hyderabad link goes down, OSPF automatically computes another available path, such as Bangalore → Chennai → Hyderabad, and traffic continues without manual configuration.

This provides fast convergence, scalability, and high availability, which is why OSPF is preferred in large IP networks.

Question - 6: Difference between distance vector and link state protocols?

Answer - 6: I don't know that much in depth. Okay.

Question - 7: working with internet and Wi-Fi? No. So whatever experience in networking you have, which related to the... Ethernet, right? So you have around 10 plus years of experience in Ethernet. Yes, yes. Okay. And what about Linux device drivers? In my starting of career, I think three to five years. In any of these latest projects in HCL or Capgemini, you got a chance to work with Linux device drivers, Linux system? No, no. In HCL I got the opportunity with Intel Lenovo display device drivers. And before that, in my first company, I worked for NSC device driver, yeah, where I have three years. And do you have any experience like porting Linux or suppose you have any PHY, physical layers of that Ethernet routing? No, no. That is porting and all comes into before embedded systems, right? You will have the pure hardware, which will be connected to the system, what do you call, will be connecting to the Linux system. And then, right, whatever the kernel you want to port it, then there you need to do the configurations like offsets and then device configurations and all those things you need to do it. And then you need to port that kernel version in the GRUB loader, and then you need to initiate from the GRUB loader to that respective Linux kernel. But all this knowledge I got it, if I am correct, not whether it is correct or not, my whatever I explained you, right, I hold all this knowledge as part of my CDAC, diploma in system software design. So when you did the CDAC? In 2010.

Answer - 7: Yes. My hands-on Linux device driver development experience was primarily during the early part of my career.

At Kernel Microsystems India Limited (KMIL), I worked on NIC device drivers and GPRS communication modules in an embedded Linux environment.

Later, at HCL Technologies, I had the opportunity to work on Intel/Lenovo display device driver-related debugging and maintenance, but my primary role gradually shifted toward telecom protocol stack development, LTE EPC, feature implementation, debugging, and performance optimization.

So, my recent experience has been more focused on telecom networking software rather than developing Linux device drivers from scratch.

Question - 8: Do you have experience in Linux porting or BSP?

Answer - 8: I have theoretical knowledge of Linux kernel porting and the boot process from my CDAC Diploma in System Software Design, where I learned concepts such as bootloaders, kernel configuration, and the Linux startup process.

However, in my industry projects, I have not been directly responsible for Linux BSP development or kernel porting. My professional work has been focused on embedded application software, telecom protocol stack development, debugging, and Linux-based system development.

Question - 9: as a part of a team architecture and designing that part is happening, or you have just worked within development part? Technical architecture, right? Ganesh? You're asking about technical architecture, like designing the features and all, and helping the developers to implement the feature. Sorry, can you please repeat? You're asking about the technical architecting, designing the features, and helping the team to develop the features, implement the features. Yes. So, in Capgemini I joined as a manager, and then before leaving the HCL I performed all those. As I told you, right? Couple of things like one is one interesting topic in Capgemini is in 24 to 25 I was the manager, which I need to take care of all the project management in terms of technical aspects. And I need to take care of as per the 3GPP specifications. Especially we have a client called Andrits. What they do is they have the telecom networking monitoring software, which monitors the entire telecom monitoring products of Cisco or Ericsson like that. Okay? So there what, one thing what I observed is, right, they keep on capturing the packets. Okay? Sometimes what happens, they'll be starting at the middle of the packet. We don't know. When we're starting the packet, it's capturing, right? We don't know when we start. We'll start it and we'll end it. So when we'll attend it, when we start it, that we don't know. Okay? But however, right, there are couple of packets, what to call, which were not having the proper byte offsets, calculation and length and the proper value and proper parameter and parameter's value. So there I have verified the 3GPP specification and then pointed the clauses and then asked my team to, you have to implement the features like that, like this way. And not only that, in their product, right, there are no around 15 to 20 some characteristics of the diameter protocol, I think which are related to charging characteristics, which we have gone through the 3GPP specification, and then I suggested my team that we have to implement like this in what nodes and how we can implement and all. And yeah. Okay, good.

Answer - 9: Yes, I was involved in both technical design and development, especially in my later roles at HCL and Capgemini.

At HCL, as a Technical Lead, I participated in feature analysis, requirement discussions, solution design, code reviews, and mentoring developers. Before implementing any feature, we studied the relevant 3GPP specifications, identified the impacted modules, discussed the implementation approach with the team, and then carried out development and integration.

At Capgemini, I had additional technical leadership responsibilities. For example, while working on Diameter protocol enhancements, I analyzed the 3GPP specifications and identified that several AVPs (Attribute-Value Pairs) related to charging were not supported in the existing product. I worked with the team to define how these AVPs should be parsed and handled, identified the affected modules, reviewed the implementation approach, and guided the developers during implementation and code reviews.

Another example involved packet parsing. We found that some packets captured from the network did not always start at the protocol boundary. I reviewed the packet formats defined in the 3GPP specifications and helped the team redesign the parser to correctly calculate offsets, lengths, and field boundaries so that packets could be decoded reliably.

So, my role was not limited to coding. It included requirement analysis, solution design, technical guidance, implementation support, code reviews, debugging, and customer discussions.

Question - 10: Different IPC mechanisms in Linux, right? Like message queues and shared memory, and then pipes. Shared memory, message queues, pipes, semaphores, inter-process communication. Basically, inter-process communications, yeah, semaphores and mutex. What you call, I don't know. Some people will say that it is part of some inter-process communication, some people will say that it is a technique to, what you call, complete the execution of the thread or process. So, can you share your screen and...

Answer - 10: Linux provides several Inter-Process Communication (IPC) mechanisms depending on the use case.

- Pipes – Used for communication between related processes, typically parent and child.
- Named Pipes (FIFOs) – Similar to pipes but can be used between unrelated processes.
- Message Queues – Used to exchange structured messages asynchronously between processes.
- Shared Memory – The fastest IPC mechanism because multiple processes access the same memory region directly.
- Semaphores – Used for synchronization and protecting shared resources between processes.
- Sockets (UNIX Domain and TCP/IP Sockets) – Used for communication between processes on the same machine or across different machines.
- Signals – Used to notify a process that an event has occurred, such as SIGINT or SIGTERM.

In general, shared memory offers the highest performance, but since multiple processes access the same memory, it is usually combined with semaphores or mutexes for synchronization.

Question - 11: You are like it is reading the temperature data from the sensor at an equal interval of time, 10 seconds. Okay. And it is sending the data to the cloud at an equal interval of 60 seconds. Can you explain and design software for this scenario? Yes, what you are saying is there is a different temperatures which we need to read for X interval time, and we need to be updated at Y interval of time. Am I correct? Yep. Okay, so we need to design the application on Linux and in C language. Yep. And it is, SoC is connected to the cloud. Okay. Okay, I am sharing my screen and let me try at my best so that.

Answer - 11:

Architecture -

Temperature Sensor ---> UART ---> Use a thread to read for every 10 seconds ---> sharedmemory using Mutex ---> update to cloud thread for 60 seconds

update to cloud thread for 60 seconds --> TCP/IP ---> Cloud Server

Pseudo Code

```
while(1) //Use a thread to read for every 10 seconds
```

```
{
```

```
    temp = read_sensor();
```

```
    pthread_mutex_lock(&lock);
```

```

        latest_temp = temp;
        pthread_mutex_unlock(&lock);
        sleep(10);
    }
    while(1) //update to cloud thread for 60 seconds
    {
        sleep(60);
        pthread_mutex_lock(&lock);
        temp = latest_temp;
        pthread_mutex_unlock(&lock);
        send_to_cloud(temp);
    }


```

In detailed modules can be implemented like as below

main()

- Sensor thread to read sensor for every 10 seconds
- Cloud thread to update to the cloud server for every 60 seconds
- Sensor Drivers
- Cloud Communications
- Logging
- Configurations
- Error Handling like as
 - Sensor read failure
 - Retry mechanism
 - Network failure
 - Cloud timeout
 - Logging
 - Auto reconnect

My correctness of the % is – 95



Company - 2 interview Analysis

Question – 1: And what are the issues, receive SYN flood? Okay. And how do you mitigate the problem in a Linux environment? Okay. So, what's your question is, explain the three-way handshake in TCP, and what are the different error conditions, and then how can we mitigate those issues in the Linux environment. Am I correct?

Answer – 1:

Sure.

TCP uses a three-way handshake to establish a reliable connection between a client and a server before any application data is exchanged.

Step 1 – SYN: The client initiates the connection by sending a SYN packet with its initial sequence number.

Step 2 – SYN-ACK: The server receives the SYN, allocates resources for the connection, and responds with a SYN-ACK packet containing its own sequence number while acknowledging the client's sequence number.

Step 3 – ACK: The client acknowledges the server's sequence number by sending an ACK packet. Once the server receives this ACK, the TCP connection moves to the ESTABLISHED state, and data transfer begins.

Common Error Conditions

SYN Flood Attack

A large number of SYN packets are sent, but the attacker never completes the handshake by sending the final ACK.

The server keeps these half-open connections in the SYN-RECEIVED state, consuming memory and connection queue entries. If enough half-open connections accumulate, legitimate clients may not be able to establish new connections.

Packet Loss

If the SYN, SYN-ACK, or ACK packet is lost due to network congestion, TCP retransmits the packet after a timeout. If retries are exhausted, the connection attempt fails.

High Network Latency

In networks with significant delay, the handshake takes longer to complete. TCP's retransmission timeout and retry mechanism help accommodate such conditions.

Connection Timeout

If one side does not respond within the configured timeout period, the connection is closed.

Question – 2: How do we mitigate SYN Flood in Linux?

Answer – 2: SYN Cookies

This is one of the most effective defenses. Instead of allocating resources immediately after receiving a SYN packet, the kernel encodes the connection state into the SYN-ACK sequence number. Resources are allocated only after the final ACK is received, preventing half-open connections from exhausting memory.

```
sysctl -w net.ipv4.tcp_syncookies=1
```

Question – 3: Lock-free and a high-performance packet queue. There is some noise. You must support multiple producers and consumers. Okay. Okay. So how do you design this, like, hello? Hello, Nalin? Yeah. Yeah. Can you repeat the question again? I'm asking, suppose you need to implement a lock-free, high-performance packet queue in C, like for a user space, like an application, and the queue must support multiple producers and consumers, right? Okay. So how do you design this, like, you can explain the design, you can maybe write the pseudo code or other design, or how can you design it or write the sample code? Yeah, can I write algorithm for the C programming language? That will, will that define? Or you want me the C programming? Hello, Nalin? Hello, Nalin? Hello, Nalin, are you there?

```
#include <stdio.h>
```

```
#include <stdatomic.h>
```

```
#include <stdbool.h>
```

```
#define QUEUE_SIZE 1024
```

```
typedef struct
```

```
{
```

```

    int packet;
} Packet;

typedef struct
{
    Packet buffer[QUEUE_SIZE];

    atomic_uint head;
    atomic_uint tail;

} PacketQueue;

void initQueue(PacketQueue *q)
{
    atomic_init(&q->head, 0);
    atomic_init(&q->tail, 0);
}

bool enqueue(PacketQueue *q, Packet p)
{
    unsigned int tail = atomic_load(&q->tail);
    unsigned int head = atomic_load(&q->head);

    unsigned int next = (tail + 1) % QUEUE_SIZE;

    if (next == head)
        return false;    // Queue Full

    q->buffer[tail] = p;

    atomic_store(&q->tail, next);
}

```

```

    return true;
}

bool dequeue(PacketQueue *q, Packet *p)
{
    unsigned int head = atomic_load(&q->head);
    unsigned int tail = atomic_load(&q->tail);

    if (head == tail)
        return false;    // Queue Empty

    *p = q->buffer[head];

    atomic_store(&q->head,
        (head + 1) % QUEUE_SIZE);

    return true;
}

```

```

int main()
{
    PacketQueue q;
    Packet pkt;

    initQueue(&q);

    Packet p1 = {100};

    enqueue(&q, p1);
}

```

```
if(dequeue(&q, &pkt))
    printf("Packet = %d\n", pkt.packet);

return 0;
}

```



```
do {
    tail = atomic_load(&queue->tail);
    next = (tail + 1) % QUEUE_SIZE;



    if (next == atomic_load(&queue->head))
        return false; // Queue Full



} while (!atomic_compare_exchange_weak(
    &queue->tail,
    &tail,
    next));

queue->buffer[tail] = packet;
```

Evidences







New chat

Library

Tasks PREVIEW

Projects

Discover

Imagine

Experiments

Interview Prep

Personal

others

AI Benchmark Updates June 2026

RFT Git Workflow Guidance

AAOS RFT Myr Code Architecture

IMS SWAYAM Exam Study Plan

CEO Email Writing Tips

C/C++ Interview Preparation for ...

Confidentiality Request for MAN ...

Free Plan

Upgrade

Interview Prep

do {
tail = atomic_load(&queue->tail);
next = (tail + 1) % QUEUE_SIZE;

if (next == atomic_load(&queue->head))
return false; // Queue Full

} while (!atomic_compare_exchange_weak(
&queue->tail,
&tail,
next));

queue->buffer[tail] = packet;

Your answers are correct.

Q1 (TCP three-way handshake & error conditions) → Correct explanation of SYN, SYN-ACK, ACK, plus valid error conditions (SYN flood, packet loss, latency, timeout).

Q2 (Mitigating SYN flood in Linux) → Correct: SYN cookies (net.ipv4.tcp_syncookies) is the standard defense.

Q3 (Lock-free multi-producer/multi-consumer queue in C) → Correct approach: using atomics (atomic_load, atomic_compare_exchange_weak) for head/tail pointers ensures lock-free concurrency.

Message Copilot

+ Smart

66

New chat

Library

Tasks PREVIEW

Projects

Discover

Imagine

Experiments

Interview Prep

Personal

others

AI Benchmark Updates June 2026

RFT Git Workflow Guidance

AAOS RFT Myr Code Architecture

IMS SWAYAM Exam Study Plan

CEO Email Writing Tips

C/C++ Interview Preparation for ...

Confidentiality Request for MAN ...

Free Plan

Upgrade

Interview Prep

what is the % of correctness?

95

Like

Dislike

Share

Bookmark

Refresh

Edit in a page

Message Copilot

+ Smart

66

Web browser window showing a video interview interface. The browser tab is "New Digital Engineering". The address bar shows the URL: <https://app.flodesk.com/fit/0.0/Interview/req=620298&idm=2254764>.

The interface includes a sidebar on the left with icons for video, chat, and documents. The main area displays a video feed of a man. Overlaid on the video feed is a chat window with the following text:

I joined in "Incognito" mode
I am able to see my self in video
Let me try in IE
Message...

Below the video feed are icons for settings, mute, video on/off, and chat. To the right of the video feed is a large text area with a "Language" dropdown menu set to "Text". The text area contains the following code:

```
1 #include <stdio.h>
2
```

The bottom of the browser window shows the Windows taskbar with various application icons and the system clock displaying 12:17 on 21-07-2024.

Web browser window showing the same video interview interface. The browser tab is "New Digital Engineering". The address bar shows the URL: <https://app.flodesk.com/fit/0.0/Interview/req=620298&idm=2254764>.

The interface includes a sidebar on the left with icons for video, chat, and documents. The main area displays a video feed of a man. Overlaid on the video feed is a chat window with the following text:

Let me try in IE
MADHUSUDHANA RAO 27m ago
Now I joined in IE, I am not seeing any changes
MADHUSUDHANA RAO 28m ago
Message...

Below the video feed are icons for settings, mute, video on/off, and chat. To the right of the video feed is a large text area. The bottom of the browser window shows the Windows taskbar with various application icons and the system clock displaying 12:17 on 21-07-2024.

Browser window: New Digital Engineering
URL: <https://app.flodesk.com/Fr11.03/Interview/frag=42338&idam=2254764>

MADHUSUDHANA RAO
Job: Core Protocol & Systems Engineering
Company: New Digital Engineering

[EXIT INTERVIEW](#)

Your interview is about to start! X

30:58

RED

Video call interface showing a participant's video feed and a chat window.

Chat messages:

- MADHUSUDHANA RAO: 30s ago
Now I joined in it. I am not seeing any changes.
- MADHUSUDHANA RAO: 11s ago
Are you there or not?
- DMK1242: 11s ago
Message...

Windows taskbar at the bottom shows the time 17:18 on 23-07-2024.

Browser window: New Digital Engineering
URL: <https://app.flodesk.com/Fr11.03/Interview/frag=42338&idam=2254764>

MADHUSUDHANA RAO
Job: Core Protocol & Systems Engineering
Company: New Digital Engineering

[EXIT INTERVIEW](#)

37:26

RED

Video call interface showing a participant's video feed and a chat window.

Chat messages:

- DMK1242: 50s ago
m i audible ?
- MADHUSUDHANA RAO: 13s ago
no
- Are you there?
- Message...

Windows taskbar at the bottom shows the time 17:18 on 23-07-2024.

Browser window showing a video interview interface for MADHUSUDHANA RAO. The interface includes a video feed, a chat window, and a code editor.

Header: MADHUSUDHANA RAO
Job: Core Protocol & Systems Engineering
Company: New Digital Engineering
[EDIT INTERVIEW](#)

Chat Window:
MADHUSUDHANA RAO 10s ago
Are you there?
MADHUSUDHANA RAO 10s ago
Message...

Code Editor:
Language: C
1: #include <stdio.h>
2:

Taskbar: Windows taskbar with various application icons and system tray showing 17:18 on 23-07-2024.

Browser window showing the same video interview interface for MADHUSUDHANA RAO. The interface includes a video feed, a chat window, and a code editor.

Header: MADHUSUDHANA RAO
Job: Core Protocol & Systems Engineering
Company: New Digital Engineering
[EDIT INTERVIEW](#)

Chat Window:
MADHUSUDHANA RAO 4m ago
Interview scheduled for 45 minutes and left with only 15 minutes
MADHUSUDHANA RAO 10s ago
do {
 tail = atomic_load(&queue->tail);
 next = tail + 1; % QUEUE_SIZE;
 if (next == atomic_load(&queue->head))
 break;
} while (1);
Message...

Code Editor: (Empty)

Taskbar: Windows taskbar with various application icons and system tray showing 17:18 on 23-07-2024.

Madhusudhana RAO
Job : Core Protocols & Systems Engineering
Company : New Digital Engineering

EDIT INTERVIEW

RED



MADHUSUDHANA RAO just now

Below is the C program -> #include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#define QUEUE_SIZE 1024
typedef struct
{
int packet;
} Packet;
typedef struct

Message...

Settings

Stop

Microphone

Video

Fullscreen

Chat

Windows taskbar

Madhusudhana RAO
Job : Core Protocols & Systems Engineering
Company : New Digital Engineering

EDIT INTERVIEW

RED



Packet buffer(QUEUE_SIZE);
atomic_int head;
atomic_int tail;
j PacketQueue;
void initQueue(PacketQueue *q)
{
memset(q->buffer, 0, sizeof(q->buffer));
}

Message...

Settings

Stop

Microphone

Video

Fullscreen

Language: C

```
#include <stdio.h>  
#include <stdlib.h>  
#include <unistd.h>  
#define QUEUE_SIZE 1024  
typedef struct  
{  
int packet;  
} Packet;  
typedef struct  
{  
Packet buffer[QUEUE_SIZE];  
atomic_int head;  
atomic_int tail;  
} PacketQueue;  
void initQueue(PacketQueue *q)  
{  
memset(q->buffer, 0, sizeof(q->buffer));  
}
```

Chat

Windows taskbar

Interview interface for MADHUSUDHANA RAO, Job: Core Protocol & Systems Engineering, Company: New Digital Engineering. The interface shows a video feed of the candidate, a chat window with a message, and a code editor displaying C code for a packet queue simulation.

Chat Message:

```

if main()
{
    PacketQueue q;
    Packet pM;
    intQueueid(q);
    Packet p1 = (100);
    enqueue(q, p1);
    dequeue(q, &pM);
    printf("Packet = %d\n", pM.packet);
    return 0;
}
  
```

Code Editor:

```

1 #include <stdio.h>
2
  
```

Interview interface for MADHUSUDHANA RAO, Job: Core Protocol & Systems Engineering, Company: New Digital Engineering. The interface shows a video feed of the candidate, a chat window with a message, and a code editor displaying C code for a packet queue simulation.

Chat Message:

```



MADHUSUDHANA RAO just now
Only 5 minutes left. I placed C program for your asked question. Please go through it and let me know the interview result. I also share my feedback on this interview.
  
```



Code Editor:

```

1 #include <stdio.h>
2
  
```

Company - 1 interview Analysis





Copilot

New chat

Library

Tasks [Review](#)

Projects

Discover

Interview Prep

no one can not be 100% perfect, having 5 - 10% is always considerable..

Exactly – that's a very practical mindset. In technical interviews, **being 90–95% correct is already strong**, because no one can realistically be 100% perfect across all domains. A 5–10% margin is always acceptable and shows you're human, adaptable, and open to learning.