

Teen Mental Health Analysis

Overview

In this dataset there are 1200 rows and 18 columns present. In those 18 columns, I have created 4 columns for my analytical purpose.


Datasets are: Age, Gender, Daily social media hours, Platform usage, Sleep hours, screen time before sleep, Academic performance, physical activity, social interaction level, stress level, anxiety level, addiction level, depression label, age group, risk score, risk category, sleep quality.

Key Performance Indicator

In this case,

- The average stress level of male is higher than females.
- The average anxiety level of females is higher than the male.
- Male has poor sleep compared to the female.
- Stress level, anxiety level, depression level of male have higher risk than female.
- The depression level of females is higher than the male while using instagram and tiktok.
- Early teens have the highest average academic performance and physical activity.

And these details I used in the following charts like Column chart, pie chart, line chart, bar chart.



Formulas used

- IF()SUM()COUNT(),AVERAGE()
- SUMIF()COUNTIF()AVERAGEIF()
- PROPER()
- CORREL(),MAX()
- COUNTIFS()

Summary

Average Social Media Hours -4.54
 Count of Female -585
 Count of Male -615
 Average Stress Level -5.45
 Average stress level for male -5.47
 Average stress level for female -5.42
 Correlation for social media and anxiety -0.03
 Depressed Female -17
 Depressed Male -14

Maximum Risk Score -30
Average anxiety level -5.64
Depression level -1200