{master}
myadav@border1.tkn> file show /var/log/messages | no-more
Apr 20 16:45:00 border1 newsyslog[68185]: logfile turned over due to size>256K
Apr 20 16:45:14.589 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65
Apr 20 16:45:14.638 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29
Apr 20 16:45:18.156 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65
Apr 20 16:45:26.221 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 16:45:27.270 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn last message repeated 6 times
Apr 20 16:45:27.387 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.388 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.388 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.388 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.388 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.372 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.389 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.389 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.389 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.389 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.390 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.390 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.390 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.390 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.391 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.392 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.397 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.402 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.373 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.406 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.410 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.415 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.420 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.424 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.429 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.433 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.438 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.442 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.447 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.452 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.374 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.456 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.375 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.461 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.375 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.466 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.375 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.470 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.375 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 16:45:27.467 border1.tkn last message repeated 162 times
Apr 20 16:45:47.514 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65
Apr 20 16:45:47.538 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29
Apr 20 16:45:50.214 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65
Apr 20 16:46:06.758 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 16:46:07.252 border1.tkn rpd[14034]: bgp_recv: peer 152.195.113.129 (External AS 65400): received unexpected EOF
Apr 20 16:46:07.252 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 16:46:07.256 border1.tkn bfdd[4125]: BFD Session 152.195.113.129 (IFL 544) state Up -> Down LD/RD(522/139) Up time:00:03:41 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 16:46:07.257 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 522, new state: down, interface: ae65.0, peer addr: 152.195.113.129
Apr 20 16:46:16.434 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:52977) Foreign(0x80000001:33015)
Apr 20 16:46:16.843 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65
Apr 20 16:46:16.938 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29
Apr 20 16:46:21.303 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29,

member of ae65

Apr 20 16:46:40.647 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 16:46:42.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:46:48.039 border1.tkn last message repeated 3 times

Apr 20 16:46:48.366 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:46:48.438 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:46:50.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:46:52.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:46:52.393 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:46:54.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:46:56.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:46:56.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:46:58.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:46:58.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 16:47:00.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:47:04.038 border1.tkn last message repeated 2 times

Apr 20 16:47:06.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:06.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:47:08.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:08.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:47:08.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:10.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:10.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:47:10.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:12.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:12.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 16:47:12.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:14.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:14.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:16.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:16.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:18.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:18.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:20.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:20.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:21.948 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:47:22.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 16:47:22.038 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:47:22.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:24.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 16:47:25.484 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:47:36.462 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55150) Foreign(0x80000001:33015)

Apr 20 16:47:54.235 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 16:47:54.302 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:47:54.338 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus

up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:47:57.533 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:48:27.798 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:48:27.838 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:48:31.605 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:48:34.978 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 16:48:56.432 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50966) Foreign(0x80000001:33015)

Apr 20 16:48:57.612 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:48:57.638 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:49:01.667 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:49:30.782 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:49:30.838 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:49:34.759 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:49:50.366 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 16:49:50.488 border1.tkn last message repeated 5 times

Apr 20 16:50:05.017 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:50:05.038 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:50:07.867 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:50:16.342 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60358) Foreign(0x80000001:33015)

Apr 20 16:50:22.244 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 16:50:37.532 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:50:37.538 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:50:40.968 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:51:03.201 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 16:51:10.128 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:51:10.138 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:51:13.048 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:51:15.956 border1.tkn rpd[14034]: bgp_recv: peer 152.195.113.129 (External AS 65400): received unexpected EOF

Apr 20 16:51:15.956 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from Established to Idle (event Closed) (instance

master)

Apr 20 16:51:15.960 border1.tkn bfdd[4125]: BFD Session 152.195.113.129 (IFL 544) state Up -> Down LD/RD(524/143) Up time:00:04:28 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 16:51:15.961 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 524, new state: down, interface: ae65.0, peer addr: 152.195.113.129

Apr 20 16:51:36.450 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63980) Foreign(0x80000001:33015)

Apr 20 16:51:41.334 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:51:41.338 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:51:44.118 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:51:49.376 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 16:52:13.688 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:52:13.738 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:52:17.209 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:52:47.923 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:52:47.938 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:52:50.251 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 16:52:51.285 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:52:56.327 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54388) Foreign(0x80000001:33015)

Apr 20 16:53:20.273 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:53:20.338 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:53:24.379 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:53:31.422 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 16:53:52.380 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:53:52.438 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:53:55.439 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:54:16.369 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49920) Foreign(0x80000001:33015)

Apr 20 16:54:25.222 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:54:25.238 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:54:27.519 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:54:57.406 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes

to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 16:54:58.720 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:54:58.738 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:55:02.600 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:55:18.262 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 16:55:32.136 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:55:32.239 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:55:35.600 border1.tkn rpd[14034]: bgp_recv: peer 152.195.113.129 (External AS 65400): received unexpected EOF

Apr 20 16:55:35.600 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 16:55:35.601 border1.tkn bfdd[4125]: BFD Session 152.195.113.129 (IFL 544) state Up -> Down LD/RD(525/146) Up time:00:03:39 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 16:55:35.601 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 525, new state: down, interface: ae65.0, peer addr: 152.195.113.129

Apr 20 16:55:35.702 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:55:36.336 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58148) Foreign(0x80000001:33015)

Apr 20 16:55:59.644 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 16:56:03.915 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:56:03.938 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:56:08.755 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:56:13.016 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 16:56:36.023 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:56:36.038 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:56:38.819 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:56:56.337 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51984) Foreign(0x80000001:33015)

Apr 20 16:57:09.111 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:57:09.138 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:57:12.901 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:57:42.527 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:57:42.538 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:57:45.970 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29

Apr 20 16:57:45.970 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:57:46.270 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 16:58:15.779 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:58:15.838 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:58:16.288 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51267) Foreign(0x80000001:33015)

Apr 20 16:58:18.061 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:58:27.866 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer

Apr 20 16:58:46.411 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:58:46.438 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:58:51.128 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:59:19.584 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:59:19.638 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:59:22.221 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 16:59:24.619 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 16:59:36.398 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50466) Foreign(0x80000001:33015)

Apr 20 16:59:53.749 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 16:59:53.838 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 16:59:56.301 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 17:00:14.277 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:00:26.333 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 17:00:26.338 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 17:00:30.381 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 17:00:31.679 border1.tkn bfdd[4125]: BFD Session 152.195.113.129 (IFL 544) state Up -> Down LD/RD(526/148) Up time:00:04:12 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.

Apr 20 17:00:31.679 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 526, new state: down, interface: ae65.0, peer addr: 152.195.113.129

Apr 20 17:00:31.680 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from Established to Idle (event BfdDown) (instance master)

Apr 20 17:00:56.087 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:00:56.378 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54828) Foreign(0x80000001:33015)

Apr 20 17:01:00.323 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29

Apr 20 17:01:00.323 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 17:01:00.338 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 17:01:03.458 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 17:01:09.139 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:01:32.512 border1.tkn kernel: ae_linkstate_ifd_change: MDOWN received for interface et-0/0/29, member of ae65

Apr 20 17:01:32.538 border1.tkn mib2d[14098]: SNMP_TRAP_LINK_DOWN: ifIndex 540, ifAdminStatus up(1), ifOperStatus down(2), ifName et-0/0/29

Apr 20 17:01:34.550 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 17:01:36.415 border1.tkn rpd[14034]: bgp_recv: peer 152.195.113.129 (External AS 65400): received unexpected EOF

Apr 20 17:01:36.415 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:01:36.418 border1.tkn bfdd[4125]: BFD Session 152.195.113.129 (IFL 544) state Up -> Down LD/RD(527/150) Up time:00:00:19 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:01:36.419 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 527, new state: down, interface: ae65.0, peer addr: 152.195.113.129

Apr 20 17:01:40.037 border1.tkn kernel: KERN_LACP_INTF_STATE_CHANGE: lacp_update_state_userspace: cifd et-0/0/29 - ATTACHED state - acting as standby link

Apr 20 17:01:40.641 border1.tkn kernel: KERN_LACP_INTF_STATE_CHANGE: lacp_update_state_userspace: cifd et-0/0/29 - CD state - ready to carry traffic

Apr 20 17:01:45.349 border1.tkn kernel: ae_linkstate_ifd_change: MUP received for interface et-0/0/29, member of ae65

Apr 20 17:01:46.165 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:01:46.165 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:01:46.166 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(523/142) Up time:00:18:14 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:01:46.166 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 523, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:02:10.799 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 152.195.113.129 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:02:16.397 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54789) Foreign(0x80000001:33015)

Apr 20 17:02:18.294 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:02:42.285 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:02:50.492 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:03:24.306 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:03:36.483 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive

Apr 20 17:03:50.433 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60691) Foreign(0x80000001:33015)
Apr 20 17:04:01.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:04:05.038 border1.tkn last message repeated 2 times
Apr 20 17:04:11.038 border1.tkn last message repeated 3 times
Apr 20 17:04:13.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:13.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:04:15.048 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:15.048 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:04:17.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:17.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:04:19.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:25.038 border1.tkn last message repeated 3 times
Apr 20 17:04:26.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:26.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:27.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:28.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:28.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:29.048 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:04:30.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:30.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:32.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:32.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:34.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:34.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:36.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:36.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:38.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:38.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:40.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:40.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:42.048 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:04:42.048 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:04:56.387 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:61117) Foreign(0x80000001:33015)
Apr 20 17:05:10.293 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:05:19.201 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 23 bytes to 152.195.113.129 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:05:22.949 border1.tkn sshd[68715]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: myadav
Apr 20 17:05:22.950 border1.tkn sshd[68715]: Accepted publickey for myadav from 2606:2800:4002:39:efb7:3031:df6e:5810 port 44710 ssh2: RSA 8a:8c:f6:0c:fe:f7:dc:94:5d:eb:ec:25:c6:bd:2c:9d
Apr 20 17:05:36.673 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:05:36.673 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:05:36.674 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(530/156) Up time:00:03:12 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:05:36.674 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 530, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:05:52.528 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 17:06:08.778 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)

2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:06:16.396 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54002) Foreign(0x80000001:33015)

Apr 20 17:06:22.023 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:06:22.023 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:06:22.025 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(531/157) Up time:00:00:06 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:06:22.025 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 531, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:06:54.152 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:07:08.498 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:07:08.498 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:07:08.500 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(532/159) Up time:00:00:08 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:07:08.500 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 532, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:07:36.331 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49352) Foreign(0x80000001:33015)

Apr 20 17:07:38.303 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:07:40.683 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:07:53.928 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:07:53.928 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:07:53.932 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(533/161) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:07:53.934 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 533, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:08:20.761 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:08:26.878 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:08:56.476 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:65198) Foreign(0x80000001:33015)

Apr 20 17:08:59.765 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.928 border1.tkn last message repeated 6 times

Apr 20 17:08:59.943 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes

to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily

unavailable

Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.943 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.944 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.944 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.944 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.944 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.944 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.945 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.945 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.945 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes

to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.945 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.946 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.928 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.946 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.946 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.950 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.955 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.960 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.965 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.969 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily

unavailable

Apr 20 17:08:59.974 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.979 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.983 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.988 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.929 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.993 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.997 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.002 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.007 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.012 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.017 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes

to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily

unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.022 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.027 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:08:59.930 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:09:00.029 border1.tkn last message repeated 159 times
Apr 20 17:09:17.193 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:09:17.193 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:09:17.195 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(534/163) Up time:00:00:43 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:09:17.195 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 534, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:09:49.328 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:10:06.314 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:10:12.686 border1.tkn kernel: hw.chassis.startup_time update to 1492544997.540706
Apr 20 17:10:19.695 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:10:19.695 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:10:19.699 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(535/165) Up time:00:00:22 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:10:19.699 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 535, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:10:48.980 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:10:54.038 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:11:27.344 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:11:27.462 border1.tkn last message repeated 4 times
Apr 20 17:11:36.473 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49252) Foreign(0x80000001:33015)
Apr 20 17:11:46.024 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):

received unexpected EOF

Apr 20 17:11:46.024 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:11:46.026 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(536/167) Up time:00:00:43 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:11:46.027 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 536, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:11:52.551 border1.tkn sshd[68749]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 17:11:52.552 border1.tkn sshd[68749]: Accepted publickey for svc_nae from 108.161.240.134 port 62675 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 17:12:18.201 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:12:26.984 border1.tkn sshd[68872]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 17:12:26.986 border1.tkn sshd[68872]: Accepted publickey for svc_nae from 108.161.240.134 port 58603 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 17:12:34.323 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:12:49.774 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 537, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:12:49.774 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(537/169) Up time:00:00:25 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.
Apr 20 17:12:49.775 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:12:49.775 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:12:56.417 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63170) Foreign(0x80000001:33015)
Apr 20 17:13:17.200 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:13:28.535 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:13:59.176 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:14:07.096 border1.tkn sshd[65686]: Received disconnect from 108.161.240.134: 11: disconnected by user
Apr 20 17:14:07.097 border1.tkn inetd[4120]: /usr/sbin/sshd[65686]: exited, status 255
Apr 20 17:14:16.494 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63183) Foreign(0x80000001:33015)
Apr 20 17:14:18.395 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:14:18.395 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:14:18.397 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(538/172) Up time:00:00:42 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:14:18.397 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 538, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:14:31.047 border1.tkn sshd[68998]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae

Apr 20 17:14:31.048 border1.tkn sshd[68998]: Accepted publickey for svc_nae from 108.161.240.134 port

35127 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33

Apr 20 17:14:50.502 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:15:02.332 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:15:22.139 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:15:22.139 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 539, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:15:22.139 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(539/173) Up time:00:00:22 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.

Apr 20 17:15:22.139 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:15:36.532 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51527) Foreign(0x80000001:33015)

Apr 20 17:15:45.419 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:15:56.506 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:16:29.175 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:16:45.344 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:16:45.344 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:16:45.346 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(540/175) Up time:00:00:39 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:16:45.346 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 540, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:16:56.343 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:57171) Foreign(0x80000001:33015)

Apr 20 17:17:17.477 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:17:30.341 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:17:30.618 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:17:30.619 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:17:30.620 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(541/177) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:17:30.620 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 541, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:18:02.740 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)

(instance master)

Apr 20 17:18:13.644 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:18:16.492 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:65479) Foreign(0x80000001:33015)

Apr 20 17:18:36.852 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:18:52.813 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:18:52.813 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:18:52.814 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(542/179) Up time:00:00:43 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:18:52.814 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 542, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:19:24.916 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:19:36.367 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54440) Foreign(0x80000001:33015)

Apr 20 17:19:38.131 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:6025:f::2 (External AS 65400) failed: Connection reset by peer

Apr 20 17:19:38.131 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:19:38.132 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(543/181) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:19:38.132 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 543, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:19:58.353 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:20:10.250 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:20:25.496 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:20:25.496 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:20:25.500 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(544/183) Up time:00:00:09 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:20:25.500 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 544, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:20:41.864 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:20:56.359 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58413) Foreign(0x80000001:33015)

Apr 20 17:20:57.622 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:21:21.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 17:21:22.633 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down

LD/RD(545/185) Up time:00:00:16 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.
Apr 20 17:21:22.633 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 545, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:21:22.634 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event BfdDown) (instance master)
Apr 20 17:21:23.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:21:29.038 border1.tkn last message repeated 3 times
Apr 20 17:21:31.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:31.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:21:33.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:33.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:21:35.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:35.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:21:37.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:37.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:21:39.047 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:41.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:43.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:43.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:43.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:45.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:45.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:45.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:47.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:47.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:21:47.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:49.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:49.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:51.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:51.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:53.046 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:53.047 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:54.757 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:21:55.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:55.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:57.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:57.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:21:59.046 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:21:59.046 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:22:16.534 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:56996) Foreign(0x80000001:33015)
Apr 20 17:22:20.302 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:22:20.302 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:22:20.306 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(546/186) Up time:00:00:16 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:22:20.306 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 546, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:22:26.362 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS

54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:22:52.401 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:23:10.088 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:23:25.060 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:23:36.427 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:64144) Foreign(0x80000001:33015)
Apr 20 17:23:47.745 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:23:47.745 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:23:47.747 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(547/188) Up time:00:00:46 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:23:47.747 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 547, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:24:19.843 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:24:50.473 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:24:50.474 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:24:50.476 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(548/190) Up time:00:00:24 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.
Apr 20 17:24:50.476 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 548, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:24:54.370 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:24:56.380 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50573) Foreign(0x80000001:33015)
Apr 20 17:25:22.575 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:25:38.309 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:25:55.773 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:25:55.880 border1.tkn last message repeated 6 times
Apr 20 17:26:16.451 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:26:16.452 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55894) Foreign(0x80000001:33015)
Apr 20 17:26:16.451 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:26:16.456 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down

LD/RD(549/192) Up time:00:00:47 Local diag: AdminDown Remote diag: None Reason: Received Upstream

Destroy Session.

Apr 20 17:26:16.457 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 549, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:26:25.073 border1.tkn sshd[69174]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: interconnect

Apr 20 17:26:25.075 border1.tkn sshd[69174]: Accepted publickey for interconnect from 108.161.253.200 port 37075 ssh2: RSA eb:6c:a0:c6:3f:d8:ff:0f:25:90:4e:a1:a4:05:a8:21

Apr 20 17:26:37.559 border1.tkn inetd[4120]: /usr/sbin/sshd[69174]: exited, status 255

Apr 20 17:26:48.545 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:27:20.212 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:27:20.212 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:27:20.213 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(550/194) Up time:00:00:24 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:27:20.213 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 550, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:27:22.380 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:27:36.364 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:56196) Foreign(0x80000001:33015)

Apr 20 17:27:52.307 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:28:06.532 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer

Apr 20 17:28:25.332 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:28:25.462 border1.tkn last message repeated 3 times

Apr 20 17:28:44.206 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:28:44.206 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:28:44.208 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(551/196) Up time:00:00:45 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:28:44.208 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 551, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:28:56.460 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:65088) Foreign(0x80000001:33015)

Apr 20 17:29:16.344 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:29:48.361 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:29:48.361 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:29:48.361 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(552/198) Up time:00:00:25 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received

ADMINDOWN from PEER.

Apr 20 17:29:48.362 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 552,

Apr 20 17:29:48.362 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 552, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:29:50.388 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:30:16.387 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63849) Foreign(0x80000001:33015)

Apr 20 17:30:20.455 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:30:34.760 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer

Apr 20 17:30:53.708 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:30:53.839 border1.tkn last message repeated 4 times

Apr 20 17:31:11.799 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:31:11.799 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:31:11.801 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(553/200) Up time:00:00:44 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:31:11.801 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 553, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:31:36.418 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:62428) Foreign(0x80000001:33015)

Apr 20 17:31:43.901 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:32:17.133 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:32:18.397 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:32:56.399 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:61674) Foreign(0x80000001:33015)

Apr 20 17:33:02.981 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:33:11.489 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:33:11.489 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:33:11.492 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(554/202) Up time:00:01:21 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:33:11.492 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 554, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:33:43.586 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:34:02.183 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:34:02.183 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer

2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

master)
Apr 20 17:34:02.184 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(555/204) Up time:00:00:11 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:34:02.184 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 555, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:34:16.422 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51312) Foreign(0x80000001:33015)
Apr 20 17:34:34.298 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:34:46.407 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:35:08.378 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable
Apr 20 17:35:08.485 border1.tkn last message repeated 5 times
Apr 20 17:35:31.205 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:35:36.540 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58319) Foreign(0x80000001:33015)
Apr 20 17:35:39.064 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:35:39.064 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:35:39.065 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(556/206) Up time:00:00:58 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:35:39.065 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 556, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:36:11.162 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:36:25.576 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF
Apr 20 17:36:25.576 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)
Apr 20 17:36:25.577 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(557/208) Up time:00:00:08 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.
Apr 20 17:36:25.577 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 557, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:36:56.398 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:59402) Foreign(0x80000001:33015)
Apr 20 17:36:57.702 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)
Apr 20 17:37:12.097 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(558/210) Up time:00:00:07 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received ADMINDOWN from PEER.
Apr 20 17:37:12.100 border1.tkn kernel: jsr_prl_recv_ack_msg(): received PRL ACK message on non-active socket w/handle 0x100014800000053
Apr 20 17:37:12.097 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 558,

new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:37:12.098 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer

Apr 20 17:37:12.098 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event BfdDown) (instance master)

Apr 20 17:37:14.415 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:37:44.256 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:37:57.110 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:37:57.111 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:37:57.112 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(559/213) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:37:57.112 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 559, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:37:59.427 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:38:16.473 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49176) Foreign(0x80000001:33015)

Apr 20 17:38:29.223 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:38:41.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 17:38:42.385 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400): received unexpected EOF

Apr 20 17:38:42.385 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance master)

Apr 20 17:38:42.386 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down LD/RD(560/214) Up time:00:00:06 Local diag: AdminDown Remote diag: None Reason: Received Upstream Destroy Session.

Apr 20 17:38:42.386 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 560, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:38:43.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:47.043 border1.tkn last message repeated 2 times
Apr 20 17:38:49.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:38:49.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:51.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:38:51.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:53.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:38:53.045 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:55.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:38:55.044 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:57.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:38:57.045 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:38:59.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:39:01.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:39:03.046 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:03.047 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:39:03.047 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:05.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:05.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 17:39:05.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:07.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 17:39:07.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:07.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:09.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:09.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:11.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:11.040 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:13.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:13.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:14.502 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:39:15.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:15.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:17.046 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:17.047 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:19.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:39:19.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:39:29.665 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:39:29.666 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance
master)
Apr 20 17:39:29.665 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(561/216) Up time:00:00:08 Local diag: NbrSignal Remote diag: CtlExpire Reason: Received
ADMINDOWN from PEER.
Apr 20 17:39:29.665 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 561,
new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:39:36.529 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:65255) Foreign(0x80000001:33015)
Apr 20 17:39:42.431 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS
54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:40:01.795 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:40:27.646 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133):
received unexpected EOF
Apr 20 17:40:53.740 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:40:53.740 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance
master)
Apr 20 17:40:53.742 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(562/218) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream
Destroy Session.
Apr 20 17:40:53.742 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 562,
new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:40:56.425 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:56950) Foreign(0x80000001:33015)
Apr 20 17:41:25.864 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:41:39.093 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:41:39.093 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance

master)
Apr 20 17:41:39.097 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down

Apr 20 17:41:39.097 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(563/220) Up time:00:00:06 Local diag: AdminDown Remote diag: None Reason: Received Upstream
Destroy Session.
Apr 20 17:41:39.099 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 563,
new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:41:52.683 border1.tkn sshd[69379]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 17:41:52.685 border1.tkn sshd[69379]: Accepted publickey for svc_nae from 108.161.240.134 port
33856 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 17:42:10.462 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS
54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)
Apr 20 17:42:12.419 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:42:16.433 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:51789) Foreign(0x80000001:33015)
Apr 20 17:42:25.646 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:42:25.646 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance
master)
Apr 20 17:42:25.647 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(564/222) Up time:00:00:06 Local diag: AdminDown Remote diag: None Reason: Received Upstream
Destroy Session.
Apr 20 17:42:25.647 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 564,
new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:42:27.055 border1.tkn sshd[69502]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 17:42:27.069 border1.tkn sshd[69502]: Accepted publickey for svc_nae from 108.161.240.134 port
57501 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 17:42:55.866 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133):
received unexpected EOF
Apr 20 17:42:59.043 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:43:12.293 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:43:12.294 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance
master)
Apr 20 17:43:12.297 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(565/224) Up time:00:00:06 Local diag: AdminDown Remote diag: None Reason: Received Upstream
Destroy Session.
Apr 20 17:43:12.299 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 565,
new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2
Apr 20 17:43:36.405 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:63636) Foreign(0x80000001:33015)
Apr 20 17:43:44.422 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck)
(instance master)
Apr 20 17:43:57.492 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:6025:f::2 (External AS 65400):
received unexpected EOF
Apr 20 17:43:57.492 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer
2606:2800:6025:f::2 (External AS 65400) changed state from Established to Idle (event Closed) (instance
master)
Apr 20 17:43:57.493 border1.tkn bfdd[4125]: BFD Session 2606:2800:6025:f::2 (IFL 544) state Up -> Down
LD/RD(566/226) Up time:00:00:04 Local diag: AdminDown Remote diag: None Reason: Received Upstream

Destroy Session.
Apr 20 17:43:57.493 border1.tkn bfdd[4125]: BFDD_TRAP_SHOP_STATE_DOWN: local discriminator: 566,

Apr 20 17:43:54.133 border1.tkn bfdd[743]: BFDD_TRAP_STATE_IF_2_DOWN: local discriminator: 668, new state: down, interface: ae65.0, peer addr: 2606:2800:6025:f::2

Apr 20 17:44:30.682 border1.tkn sshd[69627]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae

Apr 20 17:44:30.684 border1.tkn sshd[69627]: Accepted publickey for svc_nae from 108.161.240.134 port 47006 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33

Apr 20 17:44:38.483 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:44:39.060 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2606:2800:6025:f::2 (External AS 65400) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:44:56.539 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50389) Foreign(0x80000001:33015)

Apr 20 17:45:13.151 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 30 bytes to 2606:2800:6025:f::2 (External AS 65400) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:45:24.087 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:46:16.530 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60479) Foreign(0x80000001:33015)

Apr 20 17:47:06.520 border1.tkn rpd[14034]: bgp_recv_open: peer 2001:de8:5::5:4104:1 (External AS 54104): received NOTIFICATION code 6 (Cease) subcode 1 (Maximum Number of Prefixes Reached)

Apr 20 17:47:36.490 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50679) Foreign(0x80000001:33015)

Apr 20 17:47:48.909 border1.tkn rpd[14034]: RPD_BGP_NEIGHBOR_STATE_CHANGED: BGP peer 2001:de8:5::5:4104:1 (External AS 54104) changed state from EstabSync to Established (event RsyncAck) (instance master)

Apr 20 17:47:48.910 border1.tkn rpd[14034]: BGP_WRITE_WOULD_BLOCK: bgp_send: sending 19 bytes to 2001:de8:5::5:4104:1 (External AS 54104) blocked (no spooling requested): Resource temporarily unavailable

Apr 20 17:47:52.309 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:48:56.497 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51223) Foreign(0x80000001:33015)

Apr 20 17:49:53.676 border1.tkn sshd[69761]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: brdavidson

Apr 20 17:49:53.677 border1.tkn sshd[69761]: Accepted publickey for brdavidson from 2606:2800:4002:39:efb7:3031:df6e:5810 port 45169 ssh2: RSA cc:74:0d:35:31:90:ba:a3:67:f0:dc:d4:25:52:f1:28

Apr 20 17:50:02.541 border1.tkn sshd[69761]: Received disconnect from 2606:2800:4002:39:efb7:3031:df6e:5810: 11: disconnected by user

Apr 20 17:50:02.542 border1.tkn inetd[4120]: /usr/sbin/sshd[69761]: exited, status 255

Apr 20 17:50:16.461 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:64488) Foreign(0x80000001:33015)

Apr 20 17:50:20.530 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:51:36.551 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60191) Foreign(0x80000001:33015)

Apr 20 17:52:48.753 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

Apr 20 17:52:56.432 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55060) Foreign(0x80000001:33015)

Apr 20 17:54:16.465 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55819) Foreign(0x80000001:33015)

Apr 20 17:55:16.976 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer

Apr 20 17:55:36.581 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive

timer expiration Local(0x80000001:57615) Foreign(0x80000001:33015)

Apr 20 17:55:59.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 17:56:07.038 border1.tkn last message repeated 4 times
Apr 20 17:56:08.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:09.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:56:10.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:11.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:56:12.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:13.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:56:14.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:15.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 17:56:16.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:22.038 border1.tkn last message repeated 3 times
Apr 20 17:56:22.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:23.043 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:24.040 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 17:56:24.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:25.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:26.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:27.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:28.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:29.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:30.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:31.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:32.043 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:33.042 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:34.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:35.041 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:36.043 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:37.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:38.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 17:56:39.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 17:56:56.592 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:53215) Foreign(0x80000001:33015)
Apr 20 17:57:45.196 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 17:58:16.551 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60075) Foreign(0x80000001:33015)
Apr 20 17:59:36.543 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63347) Foreign(0x80000001:33015)
Apr 20 18:00:13.422 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:00:56.538 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49803) Foreign(0x80000001:33015)
Apr 20 18:02:16.464 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58734) Foreign(0x80000001:33015)
Apr 20 18:02:41.642 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:03:36.555 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55128) Foreign(0x80000001:33015)
Apr 20 18:04:56.604 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:57565) Foreign(0x80000001:33015)
Apr 20 18:05:09.863 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:06:16.571 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55842) Foreign(0x80000001:33015)

Apr 20 18:07:36.484 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55196) Foreign(0x80000001:33015)

Apr 20 18:07:38.086 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:08:56.495 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:56828) Foreign(0x80000001:33015)
Apr 20 18:09:39.198 border1.tkn inetd[4120]: /usr/sbin/sshd[68715]: exited, status 255
Apr 20 18:10:06.308 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:10:09.377 border1.tkn kernel: hw.chassis.startup_time update to 1492544997.540704
Apr 20 18:11:33.998 border1.tkn sshd[69803]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:11:34.012 border1.tkn sshd[69803]: Accepted publickey for svc_nae from 108.161.240.134 port 34955 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:11:36.635 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:61636) Foreign(0x80000001:33015)
Apr 20 18:12:08.243 border1.tkn sshd[69928]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:12:08.244 border1.tkn sshd[69928]: Accepted publickey for svc_nae from 108.161.240.134 port 49683 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:12:08.884 border1.tkn sshd[69924]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: myadav
Apr 20 18:12:08.886 border1.tkn sshd[69924]: Accepted publickey for myadav from 2606:2800:4002:39:efb7:3031:df6e:5810 port 45391 ssh2: RSA 8a:8c:f6:0c:fe:f7:dc:94:5d:eb:ec:25:c6:bd:2c:9d
Apr 20 18:12:34.530 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:12:56.481 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:65120) Foreign(0x80000001:33015)
Apr 20 18:13:19.045 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:13:27.042 border1.tkn last message repeated 4 times
Apr 20 18:13:28.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:29.042 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:13:30.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:31.044 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:13:32.045 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:33.044 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:13:34.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:35.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:13:36.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:40.039 border1.tkn last message repeated 2 times
Apr 20 18:13:41.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:42.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:43.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:43.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:44.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:13:45.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:45.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:47.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:47.044 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:49.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:49.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:51.044 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:51.044 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:53.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:53.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:55.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:13:55.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:57.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 18:13:57.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:13:59.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable

Apr 20 18:14:15.581 border1.tkn sshd[70073]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:14:15.583 border1.tkn sshd[70073]: Accepted publickey for svc_nae from 108.161.240.134 port 61990 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:14:16.602 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58173) Foreign(0x80000001:33015)
Apr 20 18:15:02.749 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:15:36.601 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:57164) Foreign(0x80000001:33015)
Apr 20 18:16:56.617 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:59791) Foreign(0x80000001:33015)
Apr 20 18:17:30.972 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:18:12.237 border1.tkn sshd[70203]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: jvyas
Apr 20 18:18:12.239 border1.tkn sshd[70203]: Accepted publickey for jvyas from 108.161.240.134 port 48658 ssh2: RSA e5:f6:7e:72:25:43:c4:f2:66:06:1e:58:6f:e5:4a:b0
Apr 20 18:18:16.659 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63282) Foreign(0x80000001:33015)
Apr 20 18:19:36.646 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55446) Foreign(0x80000001:33015)
Apr 20 18:19:59.199 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:20:56.631 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:62594) Foreign(0x80000001:33015)
Apr 20 18:22:16.502 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:57064) Foreign(0x80000001:33015)
Apr 20 18:22:27.419 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:23:36.537 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54778) Foreign(0x80000001:33015)
Apr 20 18:24:02.777 border1.tkn sshd[70216]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: netengdashboard
Apr 20 18:24:02.791 border1.tkn sshd[70216]: Accepted publickey for netengdashboard from 108.161.253.200 port 38559 ssh2: RSA ac:8c:4b:15:1c:66:96:72:f5:eb:70:79:fc:a3:de:5b
Apr 20 18:24:07.504 border1.tkn sshd[70337]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: netengdashboard
Apr 20 18:24:07.506 border1.tkn sshd[70337]: Accepted publickey for netengdashboard from 108.161.253.200 port 55563 ssh2: RSA ac:8c:4b:15:1c:66:96:72:f5:eb:70:79:fc:a3:de:5b
Apr 20 18:24:56.361 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:24:56.588 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54932) Foreign(0x80000001:33015)
Apr 20 18:25:54.744 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:25:54.745 border1.tkn kernel: veriexec: no signatures for device. file='/usr/share/ui/support/default-junos-show' fsid=119 fileid=5798 gen=0 uid=0 pid=70354
Apr 20 18:25:55.411 border1.tkn file: gstatd is starting.
Apr 20 18:25:55.619 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:25:59.384 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:25:59.391 border1.tkn mgd[70592]: UI_CHILD_EXEC: Child exec failed for command '/usr/sbin/shmlogctl': No such file or directory
Apr 20 18:25:59.393 border1.tkn mgd[70591]: UI_CHILD_EXITED: Child exited: PID 70592, status 1, command '/usr/sbin/shmlogctl'
Apr 20 18:25:59.410 border1.tkn dyn-sess-prof: show_shm_statistics : Command supported only on BBE. current platform pvi-model : 261

Apr 20 18:26:03.465 border1.tkn mgd[69933]: UI_CHILD_SIGNALED: Child received signal: PID 70350, signal Terminated, command='/usr/libexec/ui/show-support'

Apr 20 18:26:06.049 border1.tkn mgd[70591]: UI_CHILD_SIGNALED: Child received signal: PID 70599, signal Terminated, command='/usr/bin/rtinfo'
Apr 20 18:26:07.134 border1.tkn kernel: veriexec: no signatures for device. file='/usr/share/ui/support/default-junos-show' fsid=119 fileid=5798 gen=0 uid=0 pid=70604
Apr 20 18:26:07.181 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:07.857 border1.tkn file: gstatd is starting.
Apr 20 18:26:08.075 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:12.276 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:12.283 border1.tkn mgd[70842]: UI_CHILD_EXEC: Child exec failed for command '/usr/sbin/shmlogctl': No such file or directory
Apr 20 18:26:12.285 border1.tkn mgd[70841]: UI_CHILD_EXITED: Child exited: PID 70842, status 1, command '/usr/sbin/shmlogctl'
Apr 20 18:26:12.302 border1.tkn dyn-sess-prof: show_shm_statistics : Command supported only on BBE. current platform pvi-model : 261
Apr 20 18:26:16.584 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:53326) Foreign(0x80000001:33015)
Apr 20 18:26:18.391 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:18.392 border1.tkn kernel: veriexec: no signatures for device. file='/usr/share/ui/support/dc-support' fsid=119 fileid=5788 gen=0 uid=0 pid=70850
Apr 20 18:26:18.456 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:24.138 border1.tkn last message repeated 9 times
Apr 20 18:26:26.099 border1.tkn sshd[70882]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: interconnect
Apr 20 18:26:26.100 border1.tkn sshd[70882]: Accepted publickey for interconnect from 108.161.253.200 port 38836 ssh2: RSA eb:6c:a0:c6:3f:d8:ff:0f:25:90:4e:a1:a4:05:a8:21
Apr 20 18:26:29.204 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:34.279 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:26:38.636 border1.tkn inetd[4120]: /usr/sbin/sshd[70882]: exited, status 255
Apr 20 18:26:39.444 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:27:05.281 border1.tkn last message repeated 5 times
Apr 20 18:27:23.866 border1.tkn last message repeated 3 times
Apr 20 18:27:24.585 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:27:28.933 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:27:34.098 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:27:36.667 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55851) Foreign(0x80000001:33015)
Apr 20 18:27:39.261 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:28:06.681 border1.tkn last message repeated 5 times
Apr 20 18:28:56.152 border1.tkn last message repeated 9 times
Apr 20 18:28:56.518 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54039) Foreign(0x80000001:33015)
Apr 20 18:29:02.867 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:29:33.453 border1.tkn last message repeated 6 times
Apr 20 18:29:48.851 border1.tkn last message repeated 3 times
Apr 20 18:29:49.358 border1.tkn mgd[69933]: UI_CHILD_SIGNALED: Child received signal: PID 70600, signal Terminated, command='/usr/libexec/ui/show-support'
Apr 20 18:29:52.805 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:29:53.923 border1.tkn cli: login_getclass: unknown class 'j-idle-timeout'
Apr 20 18:29:55.034 border1.tkn mgd[71137]: UI_CHILD_SIGNALED: Child received signal: PID 71138, signal Broken pipe, command='/usr/sbin/cprod'
Apr 20 18:30:16.539 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:55008) Foreign(0x80000001:33015)
Apr 20 18:30:37.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable

Apr 20 18:30:43.038 border1.tkn last message repeated 3 times
Apr 20 18:30:45.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable

Apr 20 18:30:45.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:30:47.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:30:47.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:30:49.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:30:49.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:30:51.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:30:51.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:30:53.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:30:53.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:30:55.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:30:59.038 border1.tkn last message repeated 2 times
Apr 20 18:31:00.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:01.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:31:01.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:02.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:03.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:04.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:05.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:06.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:07.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:08.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:09.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:10.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:11.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:12.048 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:13.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:14.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:15.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:16.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:31:17.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:31:36.569 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:56003) Foreign(0x80000001:33015)
Apr 20 18:32:21.025 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:32:56.597 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:61897) Foreign(0x80000001:33015)
Apr 20 18:34:16.572 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63925) Foreign(0x80000001:33015)
Apr 20 18:34:49.245 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:35:36.528 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:50807) Foreign(0x80000001:33015)
Apr 20 18:36:56.570 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:52460) Foreign(0x80000001:33015)
Apr 20 18:37:17.463 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:38:16.674 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54606) Foreign(0x80000001:33015)
Apr 20 18:39:36.592 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:63457) Foreign(0x80000001:33015)
Apr 20 18:39:45.702 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:40:56.558 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60809) Foreign(0x80000001:33015)

Apr 20 18:41:32.377 border1.tkn sshd[71170]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:41:32.378 border1.tkn sshd[71170]: Accepted publickey for svc_nae from 108.161.240.134 port

38076 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:42:07.527 border1.tkn sshd[71291]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:42:07.528 border1.tkn sshd[71291]: Accepted publickey for svc_nae from 108.161.240.134 port
51043 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:42:13.925 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133):
received unexpected EOF
Apr 20 18:42:16.656 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:57507) Foreign(0x80000001:33015)
Apr 20 18:43:36.523 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:51224) Foreign(0x80000001:33015)
Apr 20 18:44:12.838 border1.tkn sshd[71412]: (pam_sm_acct_mgmt): DEBUG: PAM_USER: svc_nae
Apr 20 18:44:12.840 border1.tkn sshd[71412]: Accepted publickey for svc_nae from 108.161.240.134 port
48871 ssh2: RSA 11:c4:cf:bb:a6:3b:7b:8b:d0:ab:ff:b2:5f:2a:0c:33
Apr 20 18:44:42.145 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133):
received unexpected EOF
Apr 20 18:44:56.715 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:63996) Foreign(0x80000001:33015)
Apr 20 18:46:16.657 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:58296) Foreign(0x80000001:33015)
Apr 20 18:47:10.367 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133):
received unexpected EOF
Apr 20 18:47:36.620 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive
timer expiration Local(0x80000001:60846) Foreign(0x80000001:33015)
Apr 20 18:47:54.040 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:48:02.040 border1.tkn last message repeated 4 times
Apr 20 18:48:04.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:04.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:48:06.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:06.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:48:08.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:08.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:48:10.040 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:10.040 border1.tkn xntpd[14088]: NTP Server 192.229.151.180 is Unreachable
Apr 20 18:48:12.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:16.039 border1.tkn last message repeated 2 times
Apr 20 18:48:18.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:18.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:20.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:20.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::181 is Unreachable
Apr 20 18:48:21.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:22.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:23.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:24.041 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:25.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:26.039 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:27.038 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:28.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:29.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:30.038 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:31.040 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:32.040 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:33.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:34.041 border1.tkn xntpd[14088]: NTP Server 2606:2800:9::180 is Unreachable
Apr 20 18:48:35.041 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable

Apr 20 18:48:37.039 border1.tkn xntpd[14088]: NTP Server 192.229.151.181 is Unreachable
Apr 20 18:48:56.639 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive

timer expiration Local(0x80000001:53405) Foreign(0x80000001:33015)
Apr 20 18:49:38.584 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:50:16.614 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:49396) Foreign(0x80000001:33015)
Apr 20 18:51:36.556 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:54832) Foreign(0x80000001:33015)
Apr 20 18:52:06.807 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF
Apr 20 18:52:56.625 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60792) Foreign(0x80000001:33015)
Apr 20 18:54:16.736 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:51940) Foreign(0x80000001:33015)
Apr 20 18:54:35.031 border1.tkn rpd[14034]: bgp_recv: read from peer 2606:2800:4002:8::f207 (Internal AS 15133) failed: Connection reset by peer
Apr 20 18:54:57.831 border1.tkn mgd[70206]: UI_DBASE_LOGIN_EVENT: User 'jvyas' entering configuration mode
Apr 20 18:55:36.637 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:60490) Foreign(0x80000001:33015)
Apr 20 18:56:56.714 border1.tkn kernel: tcp_timer_keep: Dropping socket connection due to keepalive timer expiration Local(0x80000001:58623) Foreign(0x80000001:33015)
Apr 20 18:57:03.254 border1.tkn rpd[14034]: bgp_recv: peer 2606:2800:4002:8::f207 (Internal AS 15133): received unexpected EOF

{master}
myadav@border1.tkn>