

Rload

default ▾

val arqData = sqlContext.read.format("com.databricks.spark.csv").option("header", "true").load("/home/scarfacc/1

arqData: org.apache.spark.sql.Dataset[org.apache.spark.sql.Row] = [ticker: string, dimension: string ... 22 more fields]

Took 35 sec. Last updated by anonymous at February 14 2017, 10:25:02 AM.

FINISHED

val comp_data = sqlContext.read.format("com.databricks.spark.csv").option("header", "true").load("/home/scarfacc/1

comp_data: org.apache.spark.sql.Dataset[org.apache.spark.sql.Row] = [ticker: string, dimension: string ... 91 more fields]

Took 2 sec. Last updated by anonymous at February 14 2017, 10:40:37 AM.

FINISHED

comp_data.toDF().registerTempTable("compData")

warning: there was one deprecation warning; re-run with -deprecation for details

Took 1 sec. Last updated by anonymous at February 14 2017, 10:42:06 AM.

FINISHED

arqData.toDF().registerTempTable("arqDataTable")

warning: there was one deprecation warning; re-run with -deprecation for details

Took 2 sec. Last updated by anonymous at February 14 2017, 10:25:20 AM.


FINISHED

%sql

select * from compData where dimension='ARQ' and ticker='AAPL'

▼

settings ▾



Zeppelin


Rload

FINISHED

default ▾

 settings

● Stacked ○ Stream ○ Expanded



Took 0 sec. Last updated by anonymous at February 15 2017, 12:10:53 PM. (outdated)


```
%sql
```

FINISHED

▶ ↖ ↗ ↘ ↙ 📖 ⚙️

```
select calendardate, price, eps from compData where dimension='ARQ' and ticker='AAPL'
```


 settings




Took 0 sec. Last updated by anonymous at February 15 2017, 12:11:18 PM. (outdated)

```
%sql
```

FINISHED

▶ ↻ 📖 ⚙️

```
select ticker, SUM(marketcap) as total_marketcap from compData where dimension='ARQ' GROUP BY ticker ORDER BY total_marketcap
```



arqData.printSchema

FINISHED ▶ ⌵ 📖 ⚙

```
root
|-- ticker: string (nullable = true)
|-- dimension: string (nullable = true)
|-- calendardate: string (nullable = true)
|-- assets: string (nullable = true)
|-- assetsc: string (nullable = true)
|-- capex: string (nullable = true)
|-- cor: string (nullable = true)
|-- currentratio: string (nullable = true)
|-- ebit: string (nullable = true)
|-- ebt: string (nullable = true)
|-- eps: string (nullable = true)
|-- gp: string (nullable = true)
|-- grossmargin: string (nullable = true)
|-- intexp: string (nullable = true)
|-- liabilities: string (nullable = true)
|-- netinc: string (nullable = true)
|-- netmargin: string (nullable = true)
```

Took 0 sec. Last updated by anonymous at January 29 2017, 9:35:32 AM.

%r

arq <- read.csv(file = "/home/scarface/Desktop/sem-3/capstone/ARQ_Data_Indicators.csv")

save(arq, file="arq.rdata")

load("arq.rdata")

nrow(arq)

[1] 89206

FINISHED ▶ ⌵ 📖 ⚙

Took 6 sec. Last updated by anonymous at January 29 2017, 9:43:42 AM.

%r

View(arq)

FINISHED ▶ ⌵ 📖 ⚙



Zeppelin

Task 13 sec. Last updated by anonymous at January 29 2017, 9:45:29 AM.

Rload

```
%spark.r
print(arq)
```



FINISHED default

1	A	ARQ	31-03-2011	8044000000	4598000000
2	A	ARQ	30-06-2011	8649000000	5096000000
3	A	ARQ	30-09-2011	8753000000	5223000000
4	A	ARQ	31-12-2011	9057000000	5569000000
5	A	ARQ	31-03-2012	9099000000	5715000000
6	A	ARQ	30-06-2012	9413000000	6010000000
7	A	ARQ	30-09-2012	9757000000	4211000000
8	A	ARQ	31-12-2012	10536000000	4629000000
9	A	ARQ	31-03-2013	10653000000	4712000000
10	A	ARQ	30-06-2013	10587000000	4818000000
11	A	ARQ	30-09-2013	10278000000	4584000000
12	A	ARQ	31-12-2013	10686000000	4983000000
13	A	ARQ	31-03-2014	10638000000	5073000000
14	A	ARQ	30-06-2014	11026000000	5377000000
15	A	ARQ	30-09-2014	10380000000	4834000000
16	A	ARQ	31-12-2014	10831000000	5500000000
17	A	ARQ	31-03-2015	7519000000	3654000000
18	A	ARQ	30-06-2015	7412000000	3620000000

Took 14 sec. Last updated by anonymous at January 29 2017, 9:48:47 AM.

```
arqData
```

ERROR

```
<console>:26: error: not found: value arqData
      arqData
      ^
```

Took 26 sec. Last updated by anonymous at February 14 2017, 10:20:02 AM.

READY