

iecr	conditions	Boolean	Is Emergency Contact Required	Optional
<u>status</u>	root	Object	Status of the API call	Mandatory
dc	conditions	Object	Conditions for document Id	Mandatory
ida	dc	Boolean	Is documentID applicable	Optional
idm	dc	Boolean	Is documentID mandatory	Optional

BOOKING API

The following section describes the availability methods exposed via the API to Book.


1. INSTANT BOOK
2. HOLD
3. CONFIRM FARE BEFORE TICKET
4. CONFIRM-BOOK (TICKETING AFTER HOLD)

Book method is to **hold the Booking or Direct Ticketing**. After Submitting the passenger & contact details for the selected itinerary ,BookingResponse will be given with bookingId and status of submitted request.

1. While submitting BookingRequest it will be validated then taking forward to booking, in case of any validation failure, Error Message will be given in response.
2. After validation,Booking will be created in the Tripjack System by deducting Payment ,and the Supplier Side will be done. (BookingDetails Api has to be used to GET PNR and TicketNumber if any and Order Status must be Success).
3. In case of any fare jump , PNR and Ticket Number will be not generated, and can directly coordinate with Tripjack Customer Support.

1: INSTANT BOOK (With Payment Info)

This method is used to book the reviewed/selected flight confirming instantly with Airline and Tripjack by passing Payment Information, Travellers and Contact Details , If Any GST also can be passed.



URL: <https://apitest.tripjack.com/oms/v1/air/book>

Request Method : POST

The amount sent in the Book Request should be Gross Fare (TF from AirReviewResponse).

Sample : [Click to here to take examples](#) Cases to verify before integration :

- **With GST & Passport**
- **With SSR**

Notes on Booking Request :

Case :1 : SSR - List of Meal, Baggage - In Request code which is selected by customer Vs on segment key (AirReviewResponse → “tripInfos” under segment will be having unique key called id which is key)


Case :2 : In Case of GST (all fields of GST has to be passed) with Valid and as IATA Standard have to be used.

Case 3 : In case of SME fares , GST will be mandatory , in that case have to verify AirReviewResponse Conditions (igm and gstappl need to be true) & have to pass GST Info in booking.

Case 4 : In case of **iecr is mandatory** in Review Response , in book request contactInfo (Emergency contact name,contact email and contact number) are mandatory to be passed in request. (Note : Email, Contact Number which is sent in contact info where ticket copy is not delivered to mentioned norms).

Case 5 : In case document Id is mandatory in review response, in book request traveller info document id is mandatory to be passed.

Sample Request View (Without SSR) :



Description :

bookingId : Booking Id from AirReviewResponse

- **paymentInfos** - Payment for the booking to Tripjack (List<PaymentInofs>)
 - amount - total payable amount to Tripjack for the booking (TF from AirReviewResponse)
- **deliveryInfo** - Delivery Details Related to Booking (which need to be passed to supplier)
 - emails - Booking Email Id (It should be valid email id)
 - contacts - Valid Contact Number (Followed with country code and valid mobile number)

- Example (+919500112233)

- **contactInfo** - Emergency Contact Details Related to Booking (which need to be passed to supplier).
 - emails - Emergency Email Id (It should be valid email id) - which is used by airline
 - contacts - Valid Contact Number (Followed with country code and valid mobile number)

- Example (+919500112233) - which is used by airline

ecn - Emergency Contact Name - which is used by airline

- **travellerInfo** - List of Traveller which flight to be booked
 - **ti** - Title of the Traveller
 - **Adult:** Mr,Mrs,Ms
 - **Child:** Ms, Master
 - **Infant :** Ms, Master
- **pt** - PaxType - ADULT,CHILD, INFANT (Values should be Caps)
- **fN** - First Name of the Traveller
- **IN** - Last Name of the Traveller (Key : lowercase “L”N)
- **dob** - Traveller Date Of Birth (YYYY-MM-DD Format)
- **pNum** - Passport Number
- **eD** - Expiry Date of the passport (YYYY-MM-DD Format)
- **pNat** - Passport Nationality (Passport Issued Country) - IATA Country Code(2-Letter)
- **pid** - Passport Issue Date (YYYY-MM-DD Format)
- **pan** - Pan card of the Traveller
- **ssrBaggageInfos** (List of baggage on segment selected)
 - **key** : Segment Key from AirReviewResponse
 - **code** : Customer Selected SSR Code on Corresponding Segment

ssrMealInfos

- **key** : Segment Key from AirReviewResponse
- **code** : Customer Selected SSR Code on Corresponding Segment

ssrSeatInfos

- **key** : Segment Key from AirReviewResponse
- **code** : Customer Selected SSR Code on Corresponding Segment

ssrExtraServiceInfos

- **key** : Segment Key from AirReviewResponse
- **code** : Customer Selected SSR Code on Corresponding Segment

di - Document ID when required

- **gstInfo** - GST Which needs to be passed for billing and supplier - **all fields under gst are mandatory.**
 - gstNumber - Valid 15 digit GST Number (mandatory)
 - registeredName - GST Registered Name (maximum 35 characters as IATA standard) (mandatory)
 - Email - GST Email
 - Mobile - GST Mobile
 - Address - GST Registered Address (maximum 70 characters as IATA standard)

Request Payload:

Key	Parent	Type	Description	Mandatory/ Optional
bookingId	root	String	Booking id which is generated at Review.	Mandatory
paymentInfos	root	Array of Objects	Object containing the payment details of Booking. Do not send paymentInfos in case of Hold booking.	Mandatory
amount	paymentInfos	number	Total cost for the Booking	Mandatory
travellerInfo	root	Array of Objects	List of traveller details object	Mandatory

gstInfo	root	Object	Object containing GST info	Mandatory
gstNumber	gstInfo	String	GST number	Mandatory
registeredName	gstInfo	String	GST name	Mandatory
deliveryInfo	root	Object	Object containing the details of delivery emails and mobile numbers	Mandatory
contactInfo	root	Object	Object containing the emergency contact details (emails, mobile numbers and contact name)	Optional

Response:

Key	Parent	Type	Description	Mandatory/ Optional
bookingId	root	String	Booking id which is generated at Review.	Mandatory


status	root	Object	Status of the APi call	Mandatory
------------------------	------	--------	------------------------	-----------

2: HOLD (WithOut PaymentInfo)

Book method is to **hold the Booking** . After Submitting passenger & contact details for the selected itinerary, BookingResponse will be given with bookingId and status of submitted request.

1. While submitting BookingRequest will be validated then taking forward to booking, in case of any validation failure, Error Message will be given in response.
2. After validation , Booking will be done and Supplier Booking is Success in BookingDetails API Call will get PNR and TicketNumber if any.
3. In case of any fare jump, PNR and Ticket Number will be not generated. And can directly coordinate with Customer Support.

Which is the same as **INSTANT BOOK (request should not have paymentInfo)**. Flow For Hold & Hold Confirm Ticket :



Sample Payloads : [Click to here to take examples](#)

Sample Request View :

```
{
  bookingId : "TJ1XXXXXX123"
  travellerInfo : [
    {
      pt : "ADULT"
      ti : "Mr"
      fN : "XXXX"
      IN : "XXXXX"
      pNum : "PXXXXXX5"
      pid : "2018-04-07"
      eD : "2026-04-06"
      pNat : "IN"
      dob : "1998-03-09"
    }
  ]
  gstInfo : {
    gstNumber : "XXXXXXXXXXXXXX"
    registeredName : "XXXXXXXXXXXX"
    mobile : "9511223344"
    email : "test@test.com"
    address : "Valid 70 digit characters IATA Standard"
  }
  deliveryInfo : {
    emails : [
      {
        0 : "xxxxxxx@xxx.com"
      }
    ]
    contacts : [
      {
        0 : "XXXXXXXXXXXX"
      }
    ]
  }
}
```

CONFIRM-FARE BEFORE TICKETING (BEFORE CONFIRM TICKETING)

This method is used to Validate the fare for PNR is available or not , if the fare is not available it will give "Fare No Longer available or if time limit of hold booking is expired".

URL: <https://apitest.tripjack.com/oms/v1/air/fare-validate>

Method: POST

Sample Payloads : [Click to here to take examples](#)

Sample Request View :

```
{
  bookingId : "TJ1XXXXXXXXXX"
}
```

Sample Response View :

Case : 1 : If Successful , Fare & Booking class still valid to confirm on Supplier before ticketing.

```
{
  bookingId : "TJ119001813950"
  status
    success : true
    httpStatus : 200
}
```

Case : 2: If fare or booking class is not available on the Supplier side for Hold PNR.

```
{
  status
    success : false
    httpStatus : 400
  errors
    0
      errCode : "1071"
      message : "Fare is no longer available for this booking"
      details : "Fare is no longer available for this booking"
}
```

Case : 3 : If the **Hold time limit is expired** for the Hold PNR.

```
{
  status
    success : false
    httpStatus : 400
  errors
    0
      errCode : "1059"
      message : "Hold time limit expired"
      details : "Hold time limit expired"
}
```

Case : 4: In case of fare alert from airline end.

```
{
  bookingId : "TJ1105160806332"
  alerts
    0
      oldFare : 25506.91
      newFare : 28195.3
      type : "FAREALERT"
  status
    success : true
    httpStatus : 200
}
```

Request Payload:

Key	Parent	Type	Description	Mandatory/ Optional
bookingId	root	String	Id of the booking which needs to be released	Mandatory

Response:

Key	Parent	Type	Description	Mandatory/ Optional
status	root	Object	Status of the API call	Mandatory

CONFIRM-BOOK (HOLD BOOKING TO CONFIRM)

This method is used to confirm the hold(blocked) ticket by making payment to the booking and confirming the ticket (after the fare confirmation before ticketing api).

URL: <https://apitest.tripjack.com/oms/v1/air/confirm-book>

Method: POST

Sample Payloads : [Click to here to take example](#)

Sample Request View :

```
{
  bookingId : "TJS100400003508"
  paymentInfos
    0
      amount : "30930.50"
}
```

Case : 1: If fare or booking class is not available on the Supplier side for Holded PNR.

```
{
  status
    success : false
    httpStatus : 400
  errors
    0
      errCode : "1071"
      message : "Fare is no longer available for this booking"
      details : "Fare is no longer available for this booking"
}
```

Case : 2 : If the Hold time limit is expired for the Holded PNR.

```
{
  status
    success : false
    httpStatus : 400
  errors
    0
      errCode : "1059"
      message : "Hold time limit expired"
      details : "Hold time limit expired"
}
```

Request Payload:

Key	Parent	Type	Description	Mandatory/ Optional
bookingId	root	String	Booking id which is generated at Review.	Mandatory
paymentInfos	root	Array of Objects	Object containing the payment details of Booking.	Mandatory
amount	paymentInfos	number	Total cost for the Booking	Mandatory

Response:

Key	Parent	Type	Description	Mandatory/ Optional
status	root	Object	Status of the API call	Mandatory
bookingId	root	String	Booking id which is already generated.	Mandatory

RETRIEVE BOOKING: (BookingDetail)

The following section describes the Booking detail methods exposed via the API to Retrieve.

1. Booking Detail
2. Detailed Booking Information (Included from Version 1.5)

Booking Detail

This method is used to retrieve booking details and booking status of an existing booking using BookingId. It is typically used after a booking has been made to capture a current snapshot of the reservation to get sync of PNR,ticket number.