




Logical | Physical | New View

Post | 11:50



Simulation Panel

Event List

Time	Time (sec)	Event Device
1	0.004	-
2	0.004	-
3	0.005	Switch 1
4	0.005	Switch 1
5	0.005	Switch 1
6	0.005	Switch 1

Simulation Controls

Start Simulation | Continue Simulation | Captured to: 0.004 s


Map Controls

Navigation: Previous, Play/Pause, Next


Event List Filter: Visible Events

AC, ARP, BGP, DHCP, DNS, EIGRP, EXRP, EXRPV6, FTP, HSRP, IGRP, ISIS, L2TP, LDP, LLDP, OSPF, OSPFV6, RIPv2, RIPv6, RIPV2, RIPV6, SSH, SNMP, STP, STPV2, STPV6, TACACS, TELNET, TFTP, Tunnel, UDP, USB, VTP

Log Events | Show Events



Logical Physical 75.41%



Simulation Period

Event 1.001

Via	Timestamp:	Last Device	All Device	Type
F.240	Switch4	Switch2	STP	
F.240	Switch4	PCs	STP	
F.240	Switch4	Switch0	STP	
F.257	—	Switch4	OTF	
F.258	Switch0	PCs	OTF	
G.247	—	Switch1	STP	
G.248	Switch1	Switch0	STP	
Via G.251	—	Switch1	STP	

Reset Simulation ☒ Constant Delay

Captured By:
02010

New Controls



Event List Filter: Value Events

[illegible]

Call if there's

Draw Advice

Time: 38.12.28.72%  PLAY CONTROLS   



Automatic Disease Connection Not

Automatic Change Detection Tool

② **Screen 1** –

Age	Gender
-----	--------

Toggle POV Last Window

File	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Size	...
------	-------------	--------	-------------	------	-------	-----------	----------	------	-----

Success/Fail	PCI	PCI	CDP	1000	N	0	0
--------------	-----	-----	-----	------	---	---	---

© 2006 Blackwell Publishing Ltd, *Journal of Internal Medicine* 260: 105–114

0077 Monthly cloudy 11:14 02-05-2024