

Show databases;

```
MariaDB [(none)]> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| phpmyadmin |
| student |
| test |
+-----+
6 rows in set (0.050 sec)
```

Create databases school;

```
MariaDB [(none)]> create database school;
Query OK, 1 row affected (0.002 sec)
```

Use school;

```
MariaDB [(none)]> use school;
Database changed
```

Create table school(ID int PRIMARY KEY AUTO_INCREMENT, Name varchar(30) NOT NULL, Class int(10));

```
MariaDB [school]> create table school(ID int PRIMARY KEY AUTO_INCREMENT, Name varchar(30) NOT NULL, Class int(10));
Query OK, 0 rows affected (0.015 sec)
```

Alter table school add column mobile bigint UNIQUE;

```
MariaDB [school]> alter table school add column mobile bigint UNIQUE;
Query OK, 0 rows affected (0.053 sec)
Records: 0  Duplicates: 0  Warnings: 0
```

Describe school;

```
MariaDB [school]> describe school;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra          |
+-----+-----+-----+-----+-----+-----+
| ID    | int(11)       | NO   | PRI | NULL    | auto_increment |
| Name  | varchar(30)   | NO   |     | NULL    |                 |
| Class | int(10)       | YES  |     | NULL    |                 |
| mobile| bigint(20)    | YES  | UNI | NULL    |                 |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.023 sec)
```