


MySQL 8.0 Command Line Cli
Enter password: *******
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 15
Server version: 8.0.46 MySQL Community Server - GPL
Copyright (c) 2000, 2026, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> USE college;
Database changed
mysql> SELECT SID, Name, DOB
-> FROM student;
+-----+-------+------------+
| SID | Name | DOB |
+-----+-------+------------+
101	Rahul	2006-01-15
102	Rahul	2006-03-20
103	Rahul	2005-07-10
104	Rahul	2006-05-12
105	Rahul	2005-11-25
+-----+-------+------------+
5 rows in set (0.00 sec)
mysql> DESC student;
+--------+-------------+------+-----+---------+-------+
| Field | Type | Null | Key | Default | Extra |
+--------+-------------+------+-----+---------+-------+
SID	int	NO	PRI	NULL	
Name	varchar(50)	NO		NULL	
DOB	date	NO		NULL	
DeptID	int	NO	MUL	NULL	
Email	varchar(100)	YES	UNI	NULL	
Age	int	YES		18	
+--------+-------------+------+-----+---------+-------+
6 rows in set (0.01 sec)


MySQL 8.0 Command Line Cli
| course |
| department |
| departrment |
| faculty |
| project |
| student |
6 rows in set (0.00 sec)
mysql> DESC faculty;
Field	Type	Null	Key	Default	Extra
FacultyID	int	NO	PRI	NULL	
FacultyName	varchar(50)	YES		NULL	
DeptID	int	YES	MUL	NULL	
Age	int	YES		NULL	
4 rows in set (0.00 sec)
mysql> SELECT * FROM faculty
-> WHERE JoiningDate < '2014-11-01';
ERROR 1054 (42S22): Unknown column 'JoiningDate' in 'where clause'
mysql> ALTER TABLE faculty
-> ADD JoiningDate DATE;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0

```
Query OK, 0 rows affected (0.03 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> UPDATE faculty
    -> SET JoiningDate = '2013-05-10'
    -> WHERE FacultyName = 'Priya';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> UPDATE faculty
    -> SET JoiningDate = '2013-05-10'
    -> WHERE FacultyName = 'Priya';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 1  Changed: 0  Warnings: 0

mysql> UPDATE faculty
    -> SET JoiningDate = '2015-06-15'
    -> WHERE FacultyName = 'Mohan';
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> SELECT * FROM faculty
    -> WHERE JoiningDate < '2014-11-01';
+-----------+-------------+--------+------+-------------+
| FacultyID | FacultyName | DeptID | Age  | JoiningDate |
+-----------+-------------+--------+------+-------------+
|       101 | Priya       |      1 | NULL | 2013-05-10  |
+-----------+-------------+--------+------+-------------+
1 row in set (0.01 sec)

mysql> SHOW TABLES;
+-------------------+
| Tables_in_college |
+-------------------+
| course            |
| department        |
| departrment       |
| faculty           |
| project           |
| student           |
+-------------------+
```

```
1 row in set (0.01 sec)

mysql> SHOW TABLES;
+------------------+
| Tables_in_college |
+------------------+
| course           |
| department       |
| departrment      |
| faculty          |
| project          |
| student          |
+------------------+
6 rows in set (0.00 sec)

mysql> SELECT * FROM course
    -> WHERE HallID <> 'H001';
ERROR 1054 (42S22): Unknown column 'HallID' in 'where clause'
mysql> DESC course;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| CourseID   | int         | NO   | PRI | NULL    |       |
| CourseName | varchar(50) | YES  |     | NULL    |       |
| DeptID     | int         | YES  | MUL | NULL    |       |
+------------+-------------+------+-----+---------+-------+
3 rows in set (0.00 sec)

mysql> SELECT * FROM student
    -> WHERE Name LIKE '%sh';
Empty set (0.01 sec)

mysql> SELECT * FROM student
    -> WHERE Name LIKE '%sh';
Empty set (0.00 sec)

mysql> SELECT * FROM student
    -> WHERE Name LIKE '%sh';
Empty set (0.00 sec)
```

```
mysql> UPDATE student
    -> SET City = 'Chennai'
    -> WHERE Name = 'Arun';
Query OK, 0 rows affected (0.00 sec)
Rows matched: 0  Changed: 0  Warnings: 0

mysql> SELECT * FROM student
    -> WHERE City LIKE '%Sal%';
Empty set (0.00 sec)

mysql> SELECT * FROM student
    -> WHERE Name NOT LIKE '______';
+-----+-------+------------+--------+-----------------+------+--------+------+
| SID | Name  | DOB        | DeptID | Email           | Age  | Gender | City |
+-----+-------+------------+--------+-----------------+------+--------+------+
| 101 | Rahul | 2006-01-15 |      1 | arun@gmail.com  |   20 | NULL   | NULL |
| 102 | Rahul | 2006-03-20 |      2 | priya@gmail.com |   20 | NULL   | NULL |
| 103 | Rahul | 2005-07-10 |      3 | kavin@gmail.com |   21 | NULL   | NULL |
| 104 | Rahul | 2006-05-12 |      4 | divya@gmail.com |   20 | NULL   | NULL |
| 105 | Rahul | 2005-11-25 |      5 | rahul@gmail.com |   21 | NULL   | NULL |
+-----+-------+------------+--------+-----------------+------+--------+------+
5 rows in set (0.00 sec)

mysql> SELECT * FROM student
    -> WHERE Name LIKE '%am%';
```