User guide

Turn your Python programs into a practical file you can hand in. Each program gets its question, code, sample input and sample output, styled like Python IDLE.

Make your file in five steps

01

Add your programs

Upload `.py` files, drag them onto the page, paste code, or click **Blank program**. One file can hold many programs (see page 2).

02

Check the question

The comment or docstring at the top of each program becomes its question. Edit it in the **Question** box if it needs fixing.

03

Type the sample input

Type what you would enter when the program runs: **one line for each** `input()`, in order. Leave it empty if the program has no `input()`.

04

Press Run

The program runs in your browser and fills in **Sample output**. If it gets stuck, press **Stop**.

05

Download

Add your name and class, choose the layout, then click **Download .docx** or **Download PDF**.

One line of sample input for each input()

This is the step most people get wrong. When the program asks for input, the site gives it the **next line** of Sample input, from top to bottom.

CODE

program_1.py (3.13)

```
# Q1. Find the sum of two numbers.
a = int(input("Enter a: "))  1
b = int(input("Enter b: "))  2
print("Sum =", a + b)
```

SAMPLE INPUT — 2 input() calls

```
12  1
30  2
```

SAMPLE OUTPUT

IDLE Shell 3.13

```
>>> Enter a: 12
    Enter b: 30
    Sum = 42
```

After you press **Run**, the Shell shows each prompt in blue with the value you typed after it in black, exactly as IDLE does.

Getting the sample input right

Type only the values

Sample input is what you would type at the keyboard, not code. Writing `a = 12` gives the error ValueError: invalid literal for int().

✓ `12`

✗ `a = 12`

One input(), several values: one line

If the program reads several values at once with `input().split()`, put them on the same line, separated by spaces.

✓ `4 8 15 16 23`

✗
```
4
8
15
```

Order matters

Lines are used from top to bottom. For a program that asks for a sentence and then a word, the sentence goes first.

✓
```
I like tea
tea
```

Too few lines?

The program gets an empty value and the status shows **Needs more input**. Add the missing line and run again. Extra lines are simply not used.

`Needs more input` status

Many programs in one file

Write all your programs in one `.py` file and drop it onto the site once. Put a line with only `# %%` before each program, and the site splits the file into separate programs, each with its own question and its own Sample input box.

`# ---` and `# ===` work as separators too.

> **Writing in VS Code?** Use `# %%`. VS Code shows a **Run Cell** button above each program, so you can test them one at a time before uploading.

Writing the question

Start each program with a comment or a docstring. Numbering such as `Q1.`, `1.` or `Question 1:` is removed automatically, because the file numbers programs itself.

string_programs.py

```python
# %%
# Q1. Convert a string into
# uppercase and lowercase.
s = input("Enter a string: ")
print("Upper:", s.upper())
print("Lower:", s.lower())

# %%
# Q2. Count the words in
# a sentence.
s = input("Enter a sentence: ")
words = s.split()
print("Words:", len(words))
```

Run and Stop

Run fills in Sample output. Errors appear in red, just like IDLE. Fix the code, or keep the error if that is what you want to show.

While a program runs, **Run** turns into **Stop**. A program that never ends is stopped automatically after 8 seconds. If you change code after running it, downloading runs it again for you.

Programs that can't run in the browser

The site runs Python in your browser, which supports most school programs but not these:

- Writing files, `pickle` and `csv`
- MySQL connectivity with `mysql.connector`
- `numpy` and `pandas`
- `match` / `case` and the `:=` operator

For these, run the program in IDLE or VS Code on your computer. Then type or paste its output into **Sample output**. The site keeps your text as it is.

> Paste the output **last**. If you change the code or input afterwards, the site runs the program again when you download, and replaces your text.

Download options

Setting	What it does
Programs per page	**1 per page** starts every program on a new page. **2 per page** saves paper; a program that doesn't fit continues on the next page.
Code style	**IDLE windows** draws the code and output as IDLE windows. **Simple boxes** uses plain bordered boxes.
Cover page	Adds a first page with the title, your name and an index of all programs.
Colour the code	Colours keywords, strings and comments with IDLE's colours.
Version	The Python version shown in the window titles, such as 3.13. It doesn't change how the code runs.
Word or PDF	Choose **.docx** if you or your teacher want to edit it. Choose **PDF** to print or submit it as it is.

If something goes wrong

What you see	What to do
ValueError: invalid literal for int()	Sample input has extra text, such as `a=12` or a word where a number belongs. Keep only the values.
Needs more input	Add one line to Sample input for each `input()`, then run again.
The program keeps running	Press **Stop**, then check for a loop that never ends.
<built-in method upper ...>	Brackets are missing. Write `s.upper()`, not `s.upper`.
My programs are gone	Programs are saved in the browser you used, on that device only. Private windows forget them when closed.
PDF won't download	Refresh the page and try again. On iPhone, opening the site in a private tab also helps.

Still stuck, or have an idea? Use **Feedback** at the top right of the site.