

Dharavath Sai Prasad Naik

Pandas Cheat Sheet

Import Export Data

- pd.read_csv(filename): Read data from a CSV file.
- pd.read_table(filename): Read data from a delimited text file.
- pd.read_excel(filename): Read data from an Excel file.
- pd.read_sql(query, connection_object):
 Read data from a SQL table/database.
- pd.read_json(json_string): Read data from a JSON formatted string, URL, or file.
- pd.read_html(url): Parse an HTML URL, string, or file to extract tables to a list of DataFrames.
- pd.DataFrame(dict): Create a DataFrame from a dictionary (keys as column names, values as lists).
- df.to_csv(filename): Write to a CSV file.
- df.to_excel(filename): Write to an Excel file.
- df.to_sql(table_nm, connection_object):
 Write to a SQL table.
- df.to_json(filename): Write to a file in JSON format.

Inspect Data

- **df.head():** View the first 5 rows of the DataFrame.
- df.tail(): View the last 5 rows of the DataFrame.
- df.sample(): View the random 5 rows of the DataFrame.
- df.shape: Get the dimensions of the DataFrame.
- df.info(): Get a concise summary of the DataFrame.
- df.describe(): Summary statistics for numerical columns.
- df.dtypes: Check data types of columns.
- df.columns: List column names.
- df.index: Display the index range.

Select Index Data

- df['column']: Select a single column.
- df[['col1', 'col2']]: Select multiple columns.
- df.iloc[0]: Select the first row by position.
- df.loc[0]: Select the first row by index label.
- df.iloc[0, 0]: Select a specific element by position.
- df.loc[0, 'column']: Select a specific element by label.df[df['col'] > 5]: Filter rows where
- column > 5.
- df.iloc[0:5, 0:2]: Slice rows and columns.
- df.set_index('column'): Set a column as the index.

Cleaning Data

- df.isnull(): Check for null values.
- df.notnull(): Check for non-null values.
- df.dropna(): Drop rows with null values.
- df.fillna(value): Replace null values with a specific value.
- df.replace(1, 'one'): Replace specific values.
- df.rename(columns={'old': 'new'}):
 Rename columns.
- df.astype('int'): Change data type of a column.
- df.drop_duplicates(): Remove duplicate rows.
- df.reset_index(): Reset the index.

Sort Filter Data

 df.sort_values('col'): Sort by column in ascending order

in ascending order.
 df.sort_values('col', ascending=False): Sort by column in descending order.

descending order.
 df.sort_values(['col1', 'col2'], ascending=[True, False]): Sort by multiple columns.

df[df['col'] > 5]: Filter rows based on

condition.

• df.query('col > 5'): Filter using a query string.

• df.sample(5): Randomly select 5

rows.

• df.nlargest(3, 'col'): Get top 3 rows by column.

• df.nsmallest(3, 'col'): Get bottom 3

rows by column.

 df.filter(like='part'): Filter columns by substring.

Group Data

- df.groupby('col'): Group by a column.
- df.groupby('col').mean(): Mean of groups.
- df.groupby('col').sum(): Sum of groups.
- df.groupby('col').count(): Count non-null values in groups.
- df.groupby('col')['other_col'].max(): Max value in another column for groups.
- groups.
 df.pivot_table(values='col', index='group', aggfunc='mean'):
 Create a pivot table.
- df.agg({'col1': 'mean', 'col2': 'sum'}): Aggregate multiple columns.
- df.apply(np.mean): Apply a function to columns.
- df.transform(lambda x: x + 10):
 Transform data column-wise.

Merge Join Data

pd.concat([df1, df2]): Concatenate
 DataFrames vertically.
 pd.concat([df1, df2], axis=1):

 pd.concat([df1, df2], axis=1):
 Concatenate DataFrames horizontally.

- df1.merge(df2, on='key'): Merge two DataFrames on a key.
- df1.join(df2): SQL-style join.
- df1.append(df2): Append rows of one DataFrame to another.
- pd.merge(df1, df2, how='outer', on='key'): Outer join.
- pd.merge(df1, df2, how='inner', on='key'): Inner join.
- pd.merge(df1, df2, how='left', on='key'): Left join.
- pd.merge(df1, df2, how='right', on='key'): Right join.

Statistical Operations

- df.mean(): Column-wise mean.
- df.median(): Column-wise median.
- df.std(): Column-wise standard deviation.
- df.var(): Column-wise variance.
- df.sum(): Column-wise sum.
- df.min(): Column-wise minimum.
- df.max(): Column-wise maximum.
- df.count(): Count of non-null values per column.
- df.corr(): Correlation matrix.

Data Visualization

- df.plot(kind='line'): Line plot.
- df.plot(kind='bar'): Vertical bar plot.
- df.plot(kind='barh'): Horizontal bar plot.
- df.plot(kind='hist'): Histogram.
- df.plot(kind='box'): Box plot.
- df.plot(kind='kde'): Kernel density estimation plot.
- df.plot(kind='pie', y='col'): Pie chart.
- df.plot.scatter(x='c1', y='c2'):
 Scatter plot.
- df.plot(kind='area'): Area plot.

Found Helpful?



Follow for more!