

JavaScript Array Methods – Practice Tasks

Student Names (push() & pop())

- 1 Create an array called students with three names.
- 2 Add one more student using push().
- 3 Remove the last student using pop().
- 4 Display the final array.

Daily Routine (unshift() & shift())

- 1 Create an array of your daily activities.
- 2 Add "Wake Up" at the beginning using unshift().
- 3 Remove the first activity using shift().
- 4 Print the updated array.

Shopping Cart (length)

- 1 Create an array of shopping items.
- 2 Display all the items.
- 3 Find the total number of items using length.
- 4 Print the total count.

Find Your Favourite Food (indexOf())

- 1 Create an array of your favourite foods.
- 2 Find the position of "Pizza" using indexOf().
- 3 Print the index value.
- 4 If the item is not found, display a message.

Movie Collection (includes())

- 1 Create an array of movie names.
- 2 Check whether "Leo" is present in the array.
- 3 Display the appropriate availability message.

Weekend Plans (slice())

- 1 Create an array containing seven days of the week.
- 2 Extract only Saturday and Sunday using slice().
- 3 Display the weekend days.

Employee List (splice())

- 1 Create an array of employee names.

- 2 Remove one employee using splice().
- 3 Add two new employees at the same position.
- 4 Display the updated array.

Online Shopping Cart (Multiple Methods)

- 1 Initial items: Laptop, Mouse, Keyboard.
- 2 Add "Headphones" to the cart.
- 3 Remove "Keyboard".
- 4 Check whether "Mouse" is available.
- 5 Display the total number of items.
- 6 Extract the first two items.
- 7 Print the final cart.

Mobile Store Management

- 1 Create an array of mobile brands: Samsung, Apple, Vivo, Oppo, Realme.
- 2 Add "OnePlus" at the end.
- 3 Add "Nokia" at the beginning.
- 4 Remove "Realme".
- 5 Find the index of "Apple".
- 6 Check whether "Samsung" exists.
- 7 Display the total number of brands.
- 8 Extract the first three brands.
- 9 Print the final array.

Mini Project – Student Attendance System

- 1 Create an array of student names.
- 2 Add a new student.
- 3 Remove an absent student.
- 4 Check whether a particular student is present.
- 5 Find the student's position in the array.
- 6 Display the total number of students.
- 7 Show the first five students.
- 8 Replace one student's name using splice().
- 9 Print the final attendance list.

Array Methods Reference

- push() - Add items at the end
- pop() - Remove the last item

- `unshift()` - Add items at the beginning
- `shift()` - Remove the first item
- `length` - Count the number of items
- `indexOf()` - Find the position of an item
- `includes()` - Check whether an item exists
- `slice()` - Extract items from an array
- `splice()` / `splice()` - Add, remove, or replace items