Http (Beta)

Adding the Http script:

In index.html:

```
<script src="node_modules/angular2/bundles/http.dev.js"/>
```

Http Class

```
http.get(url)
    .map(response => response.json());
http.post(url, JSON.stringify(obj))
    .map(response => response.json());
```

Other methods:

```
http.put()
http.delete()
http.patch()
```

Http (Beta)

Using Http Class

In the service:

```
import {Http} from 'angular2/http';

@Injectable()
export class PostService {
    constructor(private _http: Http) {}

    getPosts() {
        return this._http.get(url).map(res => res.json());
    }
}
```

In the component:

```
import {HTTP_PROVIDERS} from 'angular2/core';

@Component({
    providers: [PostService, HTTP_PROVIDERS]
})
export class AppComponent implements OnInit {
    posts: any[];

    ngOnInit() {
        this._postService.getPosts()
            .subscribe(posts => this.posts = posts);
    }
}
```

Http (Beta)

Component's Lifecycle Hooks

- OnInit: to execute logic after component's data-bound properties have been initialized.
- OnChanges: to execute logic if any bindings have changed
- AfterContentInit: to execute logic when a component's content (<ng-content>) has been fully initialized.
- AfterContentChecked: to execute logic after every check of component's content.
- AfterViewInit: to execute logic when a component's view has been fully initialized.
- AfterViewChecked: to execute logic after every check of component's view.
- OnDestroy: to execute clean up logic when a component is destroyed.

These interfaces have a method with the same name as the interface name, prefixed with "ng".

```
export class AppComponent implements OnInit {
    ngOnInit() {
    }
}
```

Http (Beta)

Showing a Loader Icon

In the view:

```
<i *ngIf="isLoading" class="fa fa-spinner fa-spin fa-3x"></i></i>
```

Http (Beta)

Jsonp Class

Only supports get().

In the component:

```
import {JSONP_PROVIDERS} from 'angular2/core';

@Component({
    providers: [PostService, JSONP_PROVIDERS]
})
```

Adding Custom Request Headers

```
var headers = new Headers({
        "key": "value"
});

var options = new RequestOptions({ headers: headers });

http.get(url, options);
```