

HMS MMA API Documentation

Source collection: HMS_MMA_API.postman_collection.json

Total requests: 305

Folder	Requests
Activity	4
Approvals	22
Auth	8
Dashboard	1
Engagements / Affiliations	11
Engagements / Associates	7
Engagements / Committee	21
Engagements / Press Media	7
Events	15
Imports	1
Kyc	2
Magazines / Delivery Batches	5
Magazines / Generate Labels	1
Magazines / Label Batches	3
Magazines / Members	3
Magazines / Pauses	6
Magazines / Returns	6
Magazines / Subscriptions	6
Masters / Deletion Reasons	5
Masters / Districts	5
Masters / Document Types	5
Masters / Gotras	5
Masters / Membership	12
Masters / Native Places	5
Masters / Personal Masters	1
Masters / Postal Codes	6
Masters / Qualifications	5
Masters / Service Types	5
Masters / States	5
Masters / Taluks	5
Members	2
Members / Documents	4
Members / Profiles	2
Members / Public Registration	1
Members / Members	8
Members / Membership Credit	2

Folder	Requests
Members / Service Opt-ins	5
Misc	2
Notifications / Callbacks	1
Notifications / Campaigns	8
Notifications / Devices	2
Notifications / Expiry Reminders	1
Notifications / Inbox	4
Notifications / Send Bulk	1
Notifications / Send Individual	1
Notifications / Templates	7
Receipts	15
Reports / Export Logs	1
Reports / Labels	1
Reports / Magazine Returns	1
Reports / Members	4
Reports / Receipts	2
Reports / Saved	5
Reports / Summary	1
Reports / Unapproved Members	1
System	6
Users	2
Users / Modules	8
Users / Permissions	1
Users / Roles	9
Users / Users	4

Activity

Method	Name	URL / Params	Body
GET	Read Member Activity	{{baseUrl}}/activity/members	none
GET	Read Member Timeline	{{baseUrl}}/activity/members/{member_id}/timeline	none
GET	Read User Activity	{{baseUrl}}/activity/users	none
GET	Read User Activity Summary	{{baseUrl}}/activity/users/summary	none

Approvals

Method	Name	URL / Params	Body
GET	Read Deletion Requests	{{baseUrl}}/approvals/deletion-requests	none
POST	Request Deletion	{{baseUrl}}/approvals/deletion-requests?member_id=1 Params: member_id	none
PUT	Bulk Approve Deletions	{{baseUrl}}/approvals/deletion-requests/bulk-approve?ids=[1]¬e=string Params: ids, note	raw
PUT	Bulk Reject Deletions	{{baseUrl}}/approvals/deletion-requests/bulk-reject?ids=[1]¬e=string Params: ids, note	raw
PUT	Approve Deletion	{{baseUrl}}/approvals/deletion-requests/{id}/approve	none
PUT	Reject Deletion	{{baseUrl}}/approvals/deletion-requests/{id}/reject?note=string Params: note	none
GET	Read Profile Changes	{{baseUrl}}/approvals/profile-changes	none
PUT	Bulk Approve Profile Changes	{{baseUrl}}/approvals/profile-changes/bulk-approve?ids=[1]¬e=string Params: ids, note	raw
PUT	Bulk Reject Profile Changes	{{baseUrl}}/approvals/profile-changes/bulk-reject?ids=[1]¬e=string Params: ids, note	raw
PUT	Approve Profile Change	{{baseUrl}}/approvals/profile-changes/{id}/approve	none
PUT	Reject Profile Change	{{baseUrl}}/approvals/profile-changes/{id}/reject?note=string Params: note	none
GET	Read Generic Requests	{{baseUrl}}/approvals/requests	none
PUT	Bulk Approve Generic Requests	{{baseUrl}}/approvals/requests/bulk-approve?ids=[1]¬e=string Params: ids, note	raw
PUT	Bulk Reject Generic Requests	{{baseUrl}}/approvals/requests/bulk-reject?ids=[1]¬e=string Params: ids, note	raw
PUT	Approve Generic Request	{{baseUrl}}/approvals/requests/{id}/approve	none
PUT	Reject Generic Request	{{baseUrl}}/approvals/requests/{id}/reject?note=string Params: note	none
GET	Read Type Changes	{{baseUrl}}/approvals/type-changes	none
POST	Request Type Change	{{baseUrl}}/approvals/type-changes?member_id=1&requested_type_id=1 Params: member_id, requested_type_id	none
PUT	Bulk Approve Type Changes	{{baseUrl}}/approvals/type-changes/bulk-approve?ids=[1]¬e=string Params: ids, note	raw
PUT	Bulk Reject Type Changes	{{baseUrl}}/approvals/type-changes/bulk-reject?ids=[1]¬e=string Params: ids, note	raw
PUT	Approve Type Change	{{baseUrl}}/approvals/type-changes/{id}/approve	none
PUT	Reject Type Change	{{baseUrl}}/approvals/type-changes/{id}/reject?note=string Params: note	none

Auth

Method	Name	URL / Params	Body
POST	Change Password	{{baseUrl}}/auth/change-password?current_password=string&new_password=string Params: current_password, new_password	raw
POST	Forgot Password	{{baseUrl}}/auth/forgot-password?mobile=string Params: mobile	raw
POST	Login	{{baseUrl}}/auth/login?username={{username}}&password={{password}} Params: username, password	urlencoded
POST	Logout	{{baseUrl}}/auth/logout?refresh_token=string Params: refresh_token	raw
GET	Read Me	{{baseUrl}}/auth/me	none
PUT	Update My Profile	{{baseUrl}}/auth/me?username=string&name=string&email=string&mobile=string&mobile_country_code=string Params: username, name, email, mobile, mobile_country_code	raw
POST	Refresh Token	{{baseUrl}}/auth/refresh?refresh_token=string Params: refresh_token	raw
POST	Reset Password	{{baseUrl}}/auth/reset-password?token=string&new_password=string Params: token, new_password	raw

Dashboard

Method	Name	URL / Params	Body
GET	Get Dashboard	{{baseUrl}}/dashboard/	none

Engagements / Affiliations

Method	Name	URL / Params	Body
GET	Read Affiliations	{{baseUrl}}/engagements/affiliations	none
POST	Create Affiliation	{{baseUrl}}/engagements/affiliations?group_name=string&contact_person=string&contact_number=string&address=string&magazine_enabled=True Params: group_name, contact_person, contact_number, address, magazine_enabled	raw
DELETE	Delete Affiliation	{{baseUrl}}/engagements/affiliations/{id}	none
GET	Read Affiliation	{{baseUrl}}/engagements/affiliations/{id}	none
PUT	Update Affiliation	{{baseUrl}}/engagements/affiliations/{id}?group_name=string&contact_person=string&contact_number=string&address=string&magazine_enabled=True Params: group_name, contact_person, contact_number, address, magazine_enabled	raw
GET	Read Affiliation Contacts	{{baseUrl}}/engagements/affiliations/{id}/contacts	none
POST	Add Affiliation Contact	{{baseUrl}}/engagements/affiliations/{id}/contacts?name=string&mobile=string&email=string&designation=string Params: name, mobile, email, designation	raw
DELETE	Delete Affiliation Contact	{{baseUrl}}/engagements/affiliations/{id}/contacts/{contact_id}	none
PUT	Update Affiliation Contact	{{baseUrl}}/engagements/affiliations/{id}/contacts/{contact_id}?name=string&mobile=string&email=string&designation=string Params: name, mobile, email, designation	raw
GET	Get Affiliation Magazine Setting	{{baseUrl}}/engagements/affiliations/{id}/magazine-setting	none
PUT	Put Affiliation Magazine Setting	{{baseUrl}}/engagements/affiliations/{id}/magazine-setting?enabled=True&address_override=string Params: enabled, address_override	raw

Engagements / Associates

Method	Name	URL / Params	Body
GET	Read Associates	{{baseUrl}}/engagements/associates	none
POST	Create Associate	{{baseUrl}}/engagements/associates?name=string&organization=string&mobile=string&email=string&address=string&magazine_enabled=True Params: name, organization, mobile, email, address, magazine_enabled	raw
DELETE	Delete Associate	{{baseUrl}}/engagements/associates/{id}	none
GET	Read Associate	{{baseUrl}}/engagements/associates/{id}	none
PUT	Update Associate	{{baseUrl}}/engagements/associates/{id}?name=string&organization=string&mobile=string&email=string&address=string&magazine_enabled=True Params: name, organization, mobile, email, address, magazine_enabled	raw
GET	Get Associate Magazine Setting	{{baseUrl}}/engagements/associates/{id}/magazine-setting	none
PUT	Put Associate Magazine Setting	{{baseUrl}}/engagements/associates/{id}/magazine-setting?enabled=True&address_override=string Params: enabled, address_override	raw

Engagements / Committee

Method	Name	URL / Params	Body
GET	Read Committee Categories	{{baseUrl}}/engagements/committee/categories	none
POST	Create Committee Category	{{baseUrl}}/engagements/committee/categories?name_en=string&name_kn=string&display_on_website=True Params: name_en, name_kn, display_on_website	raw
DELETE	Delete Committee Category	{{baseUrl}}/engagements/committee/categories/{id}	none
GET	Read Committee Category	{{baseUrl}}/engagements/committee/categories/{id}	none
PUT	Update Committee Category	{{baseUrl}}/engagements/committee/categories/{id}?name_en=string&name_kn=string&display_on_website=True Params: name_en, name_kn, display_on_website	raw
GET	Read Committee Members	{{baseUrl}}/engagements/committee/members	none
POST	Create Committee Member	{{baseUrl}}/engagements/committee/members?category_id=1&subcategory_id=1&term_id=1&member_name=string&designation=string&display_on_website=True&hms_member_id=1 Params: category_id, subcategory_id, term_id, member_name, designation, display_on_website, hms_member_id	raw
DELETE	Delete Committee Member	{{baseUrl}}/engagements/committee/members/{id}	none
GET	Read Committee Member	{{baseUrl}}/engagements/committee/members/{id}	none
PUT	Update Committee Member	{{baseUrl}}/engagements/committee/members/{id}?category_id=1&subcategory_id=1&term_id=1&member_name=string&designation=string&display_on_website=True&hms_member_id=1 Params: category_id, subcategory_id, term_id, member_name, designation, display_on_website, hms_member_id	raw
GET	Read Committee Subcategories	{{baseUrl}}/engagements/committee/subcategories	none
POST	Create Committee Subcategory	{{baseUrl}}/engagements/committee/subcategories?category_id=1&name_en=string&name_kn=string&display_on_website=True Params: category_id, name_en, name_kn, display_on_website	raw
DELETE	Delete Committee Subcategory	{{baseUrl}}/engagements/committee/subcategories/{id}	none
GET	Read Committee Subcategory	{{baseUrl}}/engagements/committee/subcategories/{id}	none
PUT	Update Committee Subcategory	{{baseUrl}}/engagements/committee/subcategories/{id}?category_id=1&name_en=string&name_kn=string&display_on_website=True Params: category_id, name_en, name_kn, display_on_website	raw
GET	Read Committee Terms	{{baseUrl}}/engagements/committee/terms	none
POST	Create Committee Term	{{baseUrl}}/engagements/committee/terms?term_name=string&start_date=string&end_date=string&is_current=False Params: term_name, start_date, end_date, is_current	raw
DELETE	Delete Committee Term	{{baseUrl}}/engagements/committee/terms/{id}	none
GET	Read Committee Term	{{baseUrl}}/engagements/committee/terms/{id}	none
PUT	Update Committee Term	{{baseUrl}}/engagements/committee/terms/{id}?term_name=string&start_date=string&end_date=string&is_current=True Params: term_name, start_date, end_date, is_current	raw
GET	Read Website Committee	{{baseUrl}}/engagements/committee/website	none

Engagements / Press Media

Method	Name	URL / Params	Body
GET	Read Press Media	{{baseUrl}}/engagements/press-media	none
POST	Create Press Media	{{baseUrl}}/engagements/press-media?organization_name=string&reporter_name=string&mobile=string&email=string&address=string&magazine_enabled=True Params: organization_name, reporter_name, mobile, email, address, magazine_enabled	raw
DELETE	Delete Press Media	{{baseUrl}}/engagements/press-media/{id}	none
GET	Read Press Media One	{{baseUrl}}/engagements/press-media/{id}	none
PUT	Update Press Media	{{baseUrl}}/engagements/press-media/{id}?organization_name=string&reporter_name=string&mobile=string&email=string&address=string&magazine_enabled=True Params: organization_name, reporter_name, mobile, email, address, magazine_enabled	raw
GET	Get Press Magazine Setting	{{baseUrl}}/engagements/press-media/{id}/magazine-setting	none
PUT	Put Press Magazine Setting	{{baseUrl}}/engagements/press-media/{id}/magazine-setting?enabled=True&address_override=string Params: enabled, address_override	raw

Events

Method	Name	URL / Params	Body
GET	Read Events	{{baseUrl}}/events/	none
POST	Create Event	{{baseUrl}}/events/?title=string&description=string&event_date=2026-10-04&location=string&invitation_file_path=string Params: title, description, event_date, location, invitation_file_path	raw
GET	Read Upcoming Events	{{baseUrl}}/events/upcoming	none
POST	Upload Event Attachment	{{baseUrl}}/events/{event_id}/attachment?file=string Params: file	formdata
POST	Link Member	{{baseUrl}}/events/{event_id}/links?member_id=1 Params: member_id	none
POST	Notify Event Members	{{baseUrl}}/events/{event_id}/notify	none
GET	Read Participants	{{baseUrl}}/events/{event_id}/participants	none
POST	Add Participant	{{baseUrl}}/events/{event_id}/participants?participant_name=string&participant_role=string&participant_type=GUEST&member_id=1 Params: participant_name, participant_role, participant_type, member_id	raw
DELETE	Remove Participant	{{baseUrl}}/events/{event_id}/participants/{participant_id}	none
PUT	Update Participant	{{baseUrl}}/events/{event_id}/participants/{participant_id}?participant_name=string&participant_role=string&participant_type=string&member_id=1 Params: participant_name, participant_role, participant_type, member_id	raw
DELETE	Delete Event	{{baseUrl}}/events/{id}	none
GET	Read Event	{{baseUrl}}/events/{id}	none
PUT	Update Event	{{baseUrl}}/events/{id}?title=string&description=string&event_date=2026-10-04&location=string&invitation_file_path=string Params: title, description, event_date, location, invitation_file_path	raw
GET	Read Event Detail	{{baseUrl}}/events/{id}/detail	none
POST	Upload Invitation	{{baseUrl}}/events/{id}/invitation?file=string Params: file	formdata

Imports

Method	Name	URL / Params	Body
POST	Import Postal Codes	{{baseUrl}}/imports/postal-codes/import?file=string Params: file	formdata

Kyc

Method	Name	URL / Params	Body
GET	Kyc Preview	{{baseUrl}}/kyc/{token}	none
POST	Kyc Submit	{{baseUrl}}/kyc/{token}	raw

Magazines / Delivery Batches

Method	Name	URL / Params	Body
GET	Read Delivery Batches	{{baseUrl}}/magazines/delivery-batches	none
POST	Create Delivery Batch	{{baseUrl}}/magazines/delivery-batches?batch_name=string&issue_month_year=string&dispatch_date=2026-10-04&status=PENDING Params: batch_name, issue_month_year, dispatch_date, status	raw
DELETE	Delete Delivery Batch	{{baseUrl}}/magazines/delivery-batches/{batch_id}	none
GET	Read Delivery Batch	{{baseUrl}}/magazines/delivery-batches/{batch_id}	none
PUT	Update Delivery Batch	{{baseUrl}}/magazines/delivery-batches/{batch_id}?batch_name=string&issue_month_year=string&dispatch_date=2026-10-04&status=string Params: batch_name, issue_month_year, dispatch_date, status	raw

Magazines / Generate Labels

Method	Name	URL / Params	Body
POST	Generate Labels	{{baseUrl}}/magazines/generate-labels?issue_month_year=string Params: issue_month_year	none

Magazines / Label Batches

Method	Name	URL / Params	Body
GET	Read Label Batches	{{baseUrl}}/magazines/label-batches	none
GET	Read Label Batch	{{baseUrl}}/magazines/label-batches/{batch_id}	none
GET	Download Label Pdf	{{baseUrl}}/magazines/label-batches/{batch_id}/pdf	none

Magazines / Members

Method	Name	URL / Params	Body
POST	Send Kyc Reminders	{{baseUrl}}/magazines/members/kyc-reminders	none
GET	Member Monthly Marks	{{baseUrl}}/magazines/members/{member_id}/monthly	none
POST	Send Kyc Link	{{baseUrl}}/magazines/members/{member_id}/send-kyc-link	none

Magazines / Pauses

Method	Name	URL / Params	Body
GET	Read Pauses	{{baseUrl}}/magazines/pauses	none
POST	Pause Subscription	{{baseUrl}}/magazines/pauses?subscription_id=1&pause_start_date=2026-10-04&pause_end_date=2026-10-04&reason=string Params: subscription_id, pause_start_date, pause_end_date, reason	raw
DELETE	Delete Pause	{{baseUrl}}/magazines/pauses/{pause_id}	none
GET	Read Pause	{{baseUrl}}/magazines/pauses/{pause_id}	none
PUT	Update Pause	{{baseUrl}}/magazines/pauses/{pause_id}?pause_end_date=2026-10-04&reason=string Params: pause_end_date, reason	raw
POST	Resume Pause	{{baseUrl}}/magazines/pauses/{pause_id}/resume	none

Magazines / Returns

Method	Name	URL / Params	Body
GET	Read Returns	{{baseUrl}}/magazines/returns	none
POST	Create Return	{{baseUrl}}/magazines/returns?subscription_id=1&issue_month_year=string&return_date=2026-10-04&return_reason=string&follow_up_status=PENDING Params: subscription_id, issue_month_year, return_date, return_reason, follow_up_status	raw
GET	Repeat Returns	{{baseUrl}}/magazines/returns/repeat	none
DELETE	Delete Return	{{baseUrl}}/magazines/returns/{return_id}	none
GET	Read Return	{{baseUrl}}/magazines/returns/{return_id}	none
PUT	Update Return	{{baseUrl}}/magazines/returns/{return_id}?return_reason=string&follow_up_status=string Params: return_reason, follow_up_status	raw

Magazines / Subscriptions

Method	Name	URL / Params	Body
GET	Read Subscriptions	{{baseUrl}}/magazines/subscriptions	none
POST	Create Subscription	{{baseUrl}}/magazines/subscriptions?member_id=1&delivery_status=ACTIVE&address_override=string¬es=string Params: member_id, delivery_status, address_override, notes	raw
DELETE	Delete Subscription	{{baseUrl}}/magazines/subscriptions/{sub_id}	none
GET	Read Subscription	{{baseUrl}}/magazines/subscriptions/{sub_id}	none
PUT	Update Subscription	{{baseUrl}}/magazines/subscriptions/{sub_id}?delivery_status=string&address_override=string¬es=string Params: delivery_status, address_override, notes	raw
GET	Subscription Monthly Marks	{{baseUrl}}/magazines/subscriptions/{sub_id}/monthly	none

Masters / Deletion Reasons

Method	Name	URL / Params	Body
GET	Read Deletion Reasons	{{baseUrl}}/masters/deletion-reasons	none
POST	Create Deletion Reason	{{baseUrl}}/masters/deletion-reasons?name_en=string&name_kn=string&applies_to=string&status=True Params: name_en, name_kn, applies_to, status	raw
DELETE	Delete Deletion Reason	{{baseUrl}}/masters/deletion-reasons/{id}	none
GET	Read Deletion Reason	{{baseUrl}}/masters/deletion-reasons/{id}	none
PUT	Update Deletion Reason	{{baseUrl}}/masters/deletion-reasons/{id}?name_en=string&name_kn=string&applies_to=string&status=True Params: name_en, name_kn, applies_to, status	raw

Masters / Districts

Method	Name	URL / Params	Body
GET	Read Districts	{{baseUrl}}/masters/districts	none
POST	Create District	{{baseUrl}}/masters/districts?name_en=string&name_kn=string&code=string&state_id=1&status=True Params: name_en, name_kn, code, state_id, status	raw
DELETE	Delete District	{{baseUrl}}/masters/districts/{id}	none
GET	Read District	{{baseUrl}}/masters/districts/{id}	none
PUT	Update District	{{baseUrl}}/masters/districts/{id}?name_en=string&name_kn=string&code=string&state_id=1&status=True Params: name_en, name_kn, code, state_id, status	raw

Masters / Document Types

Method	Name	URL / Params	Body
GET	Read Document Types	{{baseUrl}}/masters/document-types	none
POST	Create Document Type	{{baseUrl}}/masters/document-types?code=string&name_en=string&name_kn=string&is_required=False&status=True Params: code, name_en, name_kn, is_required, status	raw
DELETE	Delete Document Type	{{baseUrl}}/masters/document-types/{id}	none
GET	Read Document Type	{{baseUrl}}/masters/document-types/{id}	none
PUT	Update Document Type	{{baseUrl}}/masters/document-types/{id}?code=string&name_en=string&name_kn=string&is_required=True&status=True Params: code, name_en, name_kn, is_required, status	raw

Masters / Gotras

Method	Name	URL / Params	Body
GET	Read Gotras	{{baseUrl}}/masters/gotras	none
POST	Create Gotras	{{baseUrl}}/masters/gotras?name_en=string&name_kn=string&status=True Params: name_en, name_kn, status	raw
DELETE	Delete Gotras	{{baseUrl}}/masters/gotras/{id}	none
GET	Read Gotras Item	{{baseUrl}}/masters/gotras/{id}	none
PUT	Update Gotras	{{baseUrl}}/masters/gotras/{id}?name_en=string&name_kn=string&status=True Params: name_en, name_kn, status	raw

Masters / Membership

Method	Name	URL / Params	Body
GET	Read Membership Credit Settings	{{baseUrl}}/masters/membership-credit-settings	none
PUT	Update Membership Credit Settings	{{baseUrl}}/masters/membership-credit-settings	raw
POST	Reset Membership Credit Settings	{{baseUrl}}/masters/membership-credit-settings/reset	none
GET	Read Membership Types	{{baseUrl}}/masters/membership-types	none
POST	Create Membership Type	{{baseUrl}}/masters/membership-types?code=string&name_en=string&name_kn=string&description=string&status=True Params: code, name_en, name_kn, description, status	raw
DELETE	Delete Membership Type	{{baseUrl}}/masters/membership-types/{id}	none
GET	Read Membership Type	{{baseUrl}}/masters/membership-types/{id}	none
PUT	Update Membership Type	{{baseUrl}}/masters/membership-types/{id}?code=string&name_en=string&name_kn=string&description=string&status=True Params: code, name_en, name_kn, description, status	raw
GET	Read Membership Type Prices	{{baseUrl}}/masters/membership-types/{id}/prices	none
POST	Create Membership Type Price	{{baseUrl}}/masters/membership-types/{id}/prices?amount=100.0¤cy=INR&effective_from=2026-10-04&change_reason=string Params: amount, currency, effective_from, change_reason	raw
GET	Read Membership Type Current Price	{{baseUrl}}/masters/membership-types/{id}/prices/current	none
PUT	Update Membership Type Price	{{baseUrl}}/masters/membership-types/{id}/prices/{price_id}?amount=100.0¤cy=string&effective_from=2026-10-04&effective_to=2026-10-04&change_reason=string Params: amount, currency, effective_from, effective_to, change_reason	raw

Masters / Native Places

Method	Name	URL / Params	Body
GET	Read Native Places	{{baseUrl}}/masters/native-places	none
POST	Create Native Places	{{baseUrl}}/masters/native-places?name_en=string&name_kn=string&status=True&district_id=1 Params: name_en, name_kn, status, district_id	raw
DELETE	Delete Native Places	{{baseUrl}}/masters/native-places/{id}	none
GET	Read Native Places Item	{{baseUrl}}/masters/native-places/{id}	none
PUT	Update Native Places	{{baseUrl}}/masters/native-places/{id}?name_en=string&name_kn=string&status=True&district_id=1 Params: name_en, name_kn, status, district_id	raw

Masters / Personal Masters

Method	Name	URL / Params	Body
GET	Read Personal Masters Overview	{{baseUrl}}/masters/personal-masters	none

Masters / Postal Codes

Method	Name	URL / Params	Body
GET	Read Postal Codes	{{baseUrl}}/masters/postal-codes	none
POST	Create Postal Code	{{baseUrl}}/masters/postal-codes?pincode=string&post_office_name=string&state_id=1&district_id=1&taluk_id=1&status=True Params: pincode, post_office_name, state_id, district_id, taluk_id, status	raw
GET	Postal Codes Template	{{baseUrl}}/masters/postal-codes/template	none
DELETE	Delete Postal Code	{{baseUrl}}/masters/postal-codes/{id}	none
GET	Read Postal Code	{{baseUrl}}/masters/postal-codes/{id}	none
PUT	Update Postal Code	{{baseUrl}}/masters/postal-codes/{id}?pincode=string&post_office_name=string&state_id=1&district_id=1&taluk_id=1&status=True Params: pincode, post_office_name, state_id, district_id, taluk_id, status	raw

Masters / Qualifications

Method	Name	URL / Params	Body
GET	Read Qualifications	{{baseUrl}}/masters/qualifications	none
POST	Create Qualifications	{{baseUrl}}/masters/qualifications?name_en=string&name_kn=string&status=True Params: name_en, name_kn, status	raw
DELETE	Delete Qualifications	{{baseUrl}}/masters/qualifications/{id}	none
GET	Read Qualifications Item	{{baseUrl}}/masters/qualifications/{id}	none
PUT	Update Qualifications	{{baseUrl}}/masters/qualifications/{id}?name_en=string&name_kn=string&status=True Params: name_en, name_kn, status	raw

Masters / Service Types

Method	Name	URL / Params	Body
GET	Read Service Types	{{baseUrl}}/masters/service-types	none
POST	Create Service Type	{{baseUrl}}/masters/service-types?code=string&name_en=string&name_kn=string&description=string&status=True Params: code, name_en, name_kn, description, status	raw
DELETE	Delete Service Type	{{baseUrl}}/masters/service-types/{id}	none
GET	Read Service Type	{{baseUrl}}/masters/service-types/{id}	none
PUT	Update Service Type	{{baseUrl}}/masters/service-types/{id}?code=string&name_en=string&name_kn=string&description=string&status=True Params: code, name_en, name_kn, description, status	raw

Masters / States

Method	Name	URL / Params	Body
GET	Read States	{{baseUrl}}/masters/states	none
POST	Create State	{{baseUrl}}/masters/states?name_en=string&name_kn=string&code=string&country_code=IND&status=True Params: name_en, name_kn, code, country_code, status	raw
DELETE	Delete State	{{baseUrl}}/masters/states/{id}	none
GET	Read State	{{baseUrl}}/masters/states/{id}	none
PUT	Update State	{{baseUrl}}/masters/states/{id}?name_en=string&name_kn=string&code=string&status=True Params: name_en, name_kn, code, status	raw

Masters / Taluks

Method	Name	URL / Params	Body
GET	Read Taluks	{{baseUrl}}/masters/taluks	none
POST	Create Taluk	{{baseUrl}}/masters/taluks?name_en=string&name_kn=string&code=string&district_id=1&status=True Params: name_en, name_kn, code, district_id, status	raw
DELETE	Delete Taluk	{{baseUrl}}/masters/taluks/{id}	none
GET	Read Taluk	{{baseUrl}}/masters/taluks/{id}	none
PUT	Update Taluk	{{baseUrl}}/masters/taluks/{id}?name_en=string&name_kn=string&code=string&district_id=1&status=True Params: name_en, name_kn, code, district_id, status	raw

Members

Method	Name	URL / Params	Body
GET	Read Members	{{baseUrl}}/members/	none
POST	Create Member	{{baseUrl}}/members/?first_name_en=string&middle_name_en=string&last_name_en=string&full_name_kn=string&gender=string&date_of_birth=2026-10-04&father_husband_name=string&blood_group=string&native_place_id=1&native_place_text=string&qualification_id=1&qualification_text=string&gotra_id=1&gotra_text=string&occupation=string&aadhaar_number=string&whatsapp_number=string&referred_by_member_id=1&mobile=string&mobile_country_code=+91&alternate_mobile=string&email=string&address_line1=string&address_line2=string&locality=string&area=string&place=string&grama=string&village=string&label_point=string&address_remarks=string&address_line1_kn=string&address_line2_kn=string&locality_kn=string&state_id=1&district_id=1&taluk_id=1&pincode_id=1&registration_source=ONLINE Params: first_name_en, middle_name_en, last_name_en, full_name_kn, gender, date_of_birth, father_husband_name, blood_group, native_place_id, native_place_text, qualification_id, qualification_text, gotra_id, gotra_text, occupation, aadhaar_number, whatsapp_number, referred_by_member_id, mobile, mobile_country_code, alternate_mobile, email, address_line1, address_line2, locality, area, place, grama, village, label_point, address_remarks, address_line1_kn, address_line2_kn, locality_kn, state_id, district_id, taluk_id, pincode_id, registration_source	raw

Members / Documents

Method	Name	URL / Params	Body
POST	Upload Member Document	{{baseUrl}}/members/documents/?member_id=1&document_type_id=1&file=string Params: member_id, document_type_id, file	formdata
DELETE	Delete Member Document	{{baseUrl}}/members/documents/{doc_id}	none
PUT	Verify Member Document	{{baseUrl}}/members/documents/{doc_id}?verification_status=string Params: verification_status	raw
GET	Download Member Document	{{baseUrl}}/members/documents/{doc_id}/file	none

Members / Profiles

Method	Name	URL / Params	Body
POST	Request Profile Change	{{baseUrl}}/members/profile-changes/?member_id=1 Params: member_id	raw
GET	Read Member Profile	{{baseUrl}}/members/{id}/profile	none

Members / Public Registration

Method	Name	URL / Params	Body
POST	Public Register Member	{{baseUrl}}/members/public-register?first_name_en=string&middle_name_en=string&last_name_en=string&full_name_kn=string&gender=string&date_of_birth=2026-10-04&father_husband_name=string&blood_group=string&native_place_id=1&native_place_text=string&qualification_id=1&qualification_text=string&gotra_id=1&gotra_text=string&occupation=string&aadhaar_number=string&whatsapp_number=string&referred_by_member_id=1&mobile=string&mobile_country_code=+91&alternate_mobile=string&email=string&address_line1=string&address_line2=string&locality=string&area=string&place=string&grama=string&village=string&label_point=string&address_remarks=string&address_line1_kn=string&address_line2_kn=string&locality_kn=string&state_id=1&district_id=1&taluk_id=1&pincode_id=1&registration_source=ONLINE Params: first_name_en, middle_name_en, last_name_en, full_name_kn, gender, date_of_birth, father_husband_name, blood_group, native_place_id, native_place_text, qualification_id, qualification_text, gotra_id, gotra_text, occupation, aadhaar_number, whatsapp_number, referred_by_member_id, mobile, mobile_country_code, alternate_mobile, email, address_line1, address_line2, locality, area, place, grama, village, label_point, address_remarks, address_line1_kn, address_line2_kn, locality_kn, state_id, district_id, taluk_id, pincode_id, registration_source	raw

Members / Members

Method	Name	URL / Params	Body
DELETE	Delete Member	{{baseUrl}}/members/{id}?reason=string Params: reason	none
GET	Read Member	{{baseUrl}}/members/{id}	none
PUT	Update Member	{{baseUrl}}/members/{id}?first_name_en=string&middle_name_en=string&last_name_en=string&full_name_kn=string&gender=string&date_of_birth=2026-10-04&father_husband_name=string&blood_group=string&native_place_id=1&native_place_text=string&qualification_id=1&qualification_text=string&gotra_id=1&gotra_text=string&occupation=string&aadhaar_number=string&whatsapp_number=string&referred_by_member_id=1&mobile=string&mobile_country_code=string&alternate_mobile=string&email=string&address_line1=string&address_line2=string&locality=string&area=string&place=string&grama=string&village=string&label_point=string&address_remarks=string&address_line1_kn=string&address_line2_kn=string&locality_kn=string&state_id=1&district_id=1&taluk_id=1&pincode_id=1 Params: first_name_en, middle_name_en, last_name_en, full_name_kn, gender, date_of_birth, father_husband_name, blood_group, native_place_id, native_place_text, qualification_id, qualification_text, gotra_id, gotra_text, occupation, aadhaar_number, whatsapp_number, referred_by_member_id, mobile, mobile_country_code, alternate_mobile, email, address_line1, address_line2, locality, area, place, grama, village, label_point, address_remarks, address_line1_kn, address_line2_kn, locality_kn, state_id, district_id, taluk_id, pincode_id	raw
PUT	Approve Member	{{baseUrl}}/members/{id}/approve	none
GET	List Member Documents	{{baseUrl}}/members/{id}/documents	none
POST	Create Membership	{{baseUrl}}/members/{id}/memberships?membership_type_id=1&status=ACTIVE&family_membership_number=string Params: membership_type_id, status, family_membership_number	raw
POST	Upload Member Photo	{{baseUrl}}/members/{id}/photo?file=string Params: file	formdata
POST	Request Member Activation	{{baseUrl}}/members/{id}/request-activation	none

Members / Membership Credit

Method	Name	URL / Params	Body
GET	Read Membership Credit	{{baseUrl}}/members/{id}/membership-credit	none
POST	Recalculate Membership Credit	{{baseUrl}}/members/{id}/membership-credit/recalculate	none

Members / Service Opt-ins

Method	Name	URL / Params	Body
GET	Read Member Service Optins	{{baseUrl}}/members/{id}/service-optins	none
POST	Create Service Optin	{{baseUrl}}/members/{id}/service-optins?service_type_id=1&status=ACTIVE&opted_via=ADMIN&linked_type=string&linked_id=1¬es=string Params: service_type_id, status, opted_via, linked_type, linked_id, notes	raw
POST	Bulk Set Service Optins	{{baseUrl}}/members/{id}/service-optins/bulk?opt_in=[1]&opt_out=[1]&opted_via=string Params: opt_in, opt_out, opted_via	raw
DELETE	Delete Service Optin	{{baseUrl}}/members/{id}/service-optins/{optin_id}	none
PUT	Update Service Optin	{{baseUrl}}/members/{id}/service-optins/{optin_id}?status=string¬es=string&linked_type=string&linked_id=1 Params: status, notes, linked_type, linked_id	raw

Misc

Method	Name	URL / Params	Body
GET	Root	{{baseUrl}}/	none
GET	Health	{{baseUrl}}/health	none

Notifications / Callbacks

Method	Name	URL / Params	Body
POST	Notification Callback	<code>{{baseUrl}}/notifications/callbacks?message_id=1&status_update=string&updated_at_provider=2026-10-04T00:00:00Z</code> Params: message_id, status_update, updated_at_provider	raw

Notifications / Campaigns

Method	Name	URL / Params	Body
GET	Read Campaigns	{{baseUrl}}/notifications/campaigns	none
POST	Create Campaign	{{baseUrl}}/notifications/campaigns?campaign_name=string&template_id=1&target_audience=string&scheduled_at=2026-10-04T00:00:00Z&status=PENDING Params: campaign_name, template_id, target_audience, scheduled_at, status	raw
POST	Create Csv Campaign	{{baseUrl}}/notifications/campaigns/csv?campaign_name=string&template_id=1&file=string Params: campaign_name, template_id, file	formdata
DELETE	Delete Campaign	{{baseUrl}}/notifications/campaigns/{campaign_id}	none
GET	Read Campaign	{{baseUrl}}/notifications/campaigns/{campaign_id}	none
PUT	Update Campaign	{{baseUrl}}/notifications/campaigns/{campaign_id}?campaign_name=string&template_id=1&target_audience=string&scheduled_at=2026-10-04T00:00:00Z Params: campaign_name, template_id, target_audience, scheduled_at	raw
GET	Read Campaign Recipients	{{baseUrl}}/notifications/campaigns/{campaign_id}/recipients	none
POST	Send Campaign	{{baseUrl}}/notifications/campaigns/{campaign_id}/send	none

Notifications / Devices

Method	Name	URL / Params	Body
POST	Register Device	<code>{{baseUrl}}/notifications/devices?device_token=string&platform=FCM&device_name=string</code> Params: device_token, platform, device_name	raw
DELETE	Deregister Device	<code>{{baseUrl}}/notifications/devices/{token_id}</code>	none

Notifications / Expiry Reminders

Method	Name	URL / Params	Body
POST	Send Expiry Reminders	{{baseUrl}}/notifications/expiry-reminders	none

Notifications / Inbox

Method	Name	URL / Params	Body
GET	Read Inbox	{{baseUrl}}/notifications/inbox	none
POST	Broadcast Inbox	{{baseUrl}}/notifications/inbox/broadcast?title=string&body=string&source=MA NUAL Params: title, body, source	raw
GET	Read Inbox Unread Count	{{baseUrl}}/notifications/inbox/unread-count	none
POST	Mark Inbox Read	{{baseUrl}}/notifications/inbox/{notification_id}/read	none

Notifications / Send Bulk

Method	Name	URL / Params	Body
POST	Send Bulk Notification	{{baseUrl}}/notifications/send-bulk?template_id=1 Params: template_id	raw

Notifications / Send Individual

Method	Name	URL / Params	Body
POST	Send Individual Notification	{{baseUrl}}/notifications/send-individual?member_id=1&template_id=1 Params: member_id, template_id	raw

Notifications / Templates

Method	Name	URL / Params	Body
GET	Read Templates	{{baseUrl}}/notifications/templates	none
POST	Create Template	{{baseUrl}}/notifications/templates?template_name=string&provider_template_id=string&language=en&content=string&purpose=GENERAL&status=True Params: template_name, provider_template_id, language, content, purpose, status	raw
DELETE	Delete Template	{{baseUrl}}/notifications/templates/{template_id}	none
GET	Read Template	{{baseUrl}}/notifications/templates/{template_id}	none
PUT	Update Template	{{baseUrl}}/notifications/templates/{template_id}?template_name=string&provider_template_id=string&language=string&content=string&purpose=string&status=True Params: template_name, provider_template_id, language, content, purpose, status	raw
PUT	Update Template Approval Status	{{baseUrl}}/notifications/templates/{template_id}/approval-status?provider_approval_status=PENDING&provider_template_id=string¬e=string Params: provider_approval_status, provider_template_id, note	raw
GET	Read Template Variables	{{baseUrl}}/notifications/templates/{template_id}/variables	none

Receipts

Method	Name	URL / Params	Body
GET	Read Receipts	{{baseUrl}}/receipts/	none
POST	Create Receipt	{{baseUrl}}/receipts/?receipt_date=2026-10-04&receipt_type=string&payer_name=string&payment_mode=string&transaction_reference=string&gross_amount=100.0&discount_amount=0.0&net_amount=100.0&source=ONLINE&is_renewal=False&cheque_number=string&cheque_date=2026-10-04¬es=string&items=[]&allocations=[] Params: receipt_date, receipt_type, payer_name, payment_mode, transaction_reference, gross_amount, discount_amount, net_amount, source, is_renewal, cheque_number, cheque_date, notes, items, allocations	raw
GET	Read Allocations	{{baseUrl}}/receipts/allocations	none
GET	Read Renewals Due	{{baseUrl}}/receipts/renewals-due	none
GET	Read Receipt Tracking	{{baseUrl}}/receipts/tracking	none
DELETE	Delete Receipt	{{baseUrl}}/receipts/{id}	none
GET	Read Receipt	{{baseUrl}}/receipts/{id}	none
PUT	Update Receipt	{{baseUrl}}/receipts/{id}?receipt_date=2026-10-04&receipt_type=string&payer_name=string&payment_mode=string&transaction_reference=string&gross_amount=100.0&discount_amount=100.0&net_amount=100.0&source=ONLINE&is_renewal=True&cheque_number=string&cheque_date=2026-10-04¬es=string Params: receipt_date, receipt_type, payer_name, payment_mode, transaction_reference, gross_amount, discount_amount, net_amount, source, is_renewal, cheque_number, cheque_date, notes	raw
POST	Activate Member From Receipt	{{baseUrl}}/receipts/{id}/activate-member	none
POST	Allocate Receipt	{{baseUrl}}/receipts/{id}/allocate?member_id=1&associate_id=1&membership_id=1&allocated_amount=100.0 Params: member_id, associate_id, membership_id, allocated_amount	raw
GET	Read Receipt Allocations	{{baseUrl}}/receipts/{id}/allocations	none
DELETE	Remove Allocation	{{baseUrl}}/receipts/{id}/allocations/{allocation_id}	none
POST	Cancel Receipt	{{baseUrl}}/receipts/{id}/cancel?reason=string Params: reason	raw
POST	Create Payment Transaction	{{baseUrl}}/receipts/{id}/payment-transactions?gateway_reference=string&status=string&amount=100.0 Params: gateway_reference, status, amount	raw
POST	Create Refund	{{baseUrl}}/receipts/{id}/refund?amount=100.0&status=PENDING&refund_reference=string Params: amount, status, refund_reference	raw

Reports / Export Logs

Method	Name	URL / Params	Body
GET	Read Export Logs	{{baseUrl}}/reports/export-logs	none

Reports / Labels

Method	Name	URL / Params	Body
GET	Report Labels	{{baseUrl}}/reports/labels	none

Reports / Magazine Returns

Method	Name	URL / Params	Body
GET	Report Magazine Returns	{{baseUrl}}/reports/magazine-returns	none

Reports / Members

Method	Name	URL / Params	Body
GET	Report Members	{{baseUrl}}/reports/members	none
GET	Report Members By Gender	{{baseUrl}}/reports/members/by-gender	none
GET	Report Members By Geography	{{baseUrl}}/reports/members/by-geography	none
GET	Report Members By Membership Type	{{baseUrl}}/reports/members/by-membership-type	none

Reports / Receipts

Method	Name	URL / Params	Body
GET	Report Receipts	{{baseUrl}}/reports/receipts	none
GET	Report Receipts By Member	{{baseUrl}}/reports/receipts/by-member	none

Reports / Saved

Method	Name	URL / Params	Body
GET	Read Saved Reports	{{baseUrl}}/reports/saved	none
POST	Create Saved Report	{{baseUrl}}/reports/saved?name=string&report_key=string&language=en&is_shared=False Params: name, report_key, language, is_shared	raw
DELETE	Delete Saved Report	{{baseUrl}}/reports/saved/{id}	none
GET	Read Saved Report	{{baseUrl}}/reports/saved/{id}	none
PUT	Update Saved Report	{{baseUrl}}/reports/saved/{id}?name=string&language=string&is_shared=True Params: name, language, is_shared	raw

Reports / Summary

Method	Name	URL / Params	Body
GET	Report Summary	{{baseUrl}}/reports/summary	none

Reports / Unapproved Members

Method	Name	URL / Params	Body
GET	Report Unapproved	{{baseUrl}}/reports/unapproved-members	none

System

Method	Name	URL / Params	Body
GET	Read Attachments	{{baseUrl}}/system/attachments	none
GET	Read Error Logs	{{baseUrl}}/system/error-logs	none
GET	Download File	{{baseUrl}}/system/files?path=string Params: path	none
GET	Read Organisation Settings	{{baseUrl}}/system/settings	none
PUT	Update Organisation Settings	{{baseUrl}}/system/settings?name_en=string&name_kn=string&address_en=string&address_kn=string®istration_no=string&iso_cert_no=string&logo_path=string&website=string&phone=string&mobile=string&email=string&print_header_enabled=True&receipt_footer_note_en=string&receipt_footer_note_kn=string&president_title_en=string&president_title_kn=string&secretary_title_en=string&secretary_title_kn=string&treasurer_title_en=string&treasurer_title_kn=string&pay_mode_cash_en=string&pay_mode_cash_kn=string&pay_mode_cheque_en=string&pay_mode_cheque_kn=string&pay_mode_dd_en=string&pay_mode_dd_kn=string&pay_mode_upi_en=string&pay_mode_upi_kn=string¬ify_email_enabled=True¬ify_sms_enabled=True¬ify_whatsapp_enabled=True¬ify_reply_to_email=string¬ify_footer_note=string Params: name_en, name_kn, address_en, address_kn, registration_no, iso_cert_no, logo_path, website, phone, mobile, email, print_header_enabled, receipt_footer_note_en, receipt_footer_note_kn, president_title_en, president_title_kn, secretary_title_en, secretary_title_kn, treasurer_title_en, treasurer_title_kn, pay_mode_cash_en, pay_mode_cash_kn, pay_mode_cheque_en, pay_mode_cheque_kn, pay_mode_dd_en, pay_mode_dd_kn, pay_mode_upi_en, pay_mode_upi_kn, notify_email_enabled, notify_sms_enabled, notify_whatsapp_enabled, notify_reply_to_email, notify_footer_note	raw
POST	Upload Organisation Logo	{{baseUrl}}/system/settings/logo?file=string Params: file	formdata

Users

Method	Name	URL / Params	Body
GET	Read Users	{{baseUrl}}/users/	none
POST	Create User	{{baseUrl}}/users/?name=string&username=string&email=string&mobile=string&mobile_country_code=+91&status=True&password=string&role_id=1 Params: name, username, email, mobile, mobile_country_code, status, password, role_id	raw

Users / Modules

Method	Name	URL / Params	Body
GET	Read Modules	{{baseUrl}}/users/modules	none
POST	Create Module	{{baseUrl}}/users/modules?code=string&name_en=string&name_kn=string&description=string&status=True&icon=string&parent_id=1&opens_module_id=1&route=string&display_order=0&min_rank_level=1 Params: code, name_en, name_kn, description, status, icon, parent_id, opens_module_id, route, display_order, min_rank_level	raw
GET	My Menu	{{baseUrl}}/users/modules/menu	none
GET	Privilege Tree	{{baseUrl}}/users/modules/privilege-tree	none
DELETE	Delete Module	{{baseUrl}}/users/modules/{module_id}	none
GET	Read Module	{{baseUrl}}/users/modules/{module_id}	none
PUT	Update Module	{{baseUrl}}/users/modules/{module_id}?name_en=string&name_kn=string&description=string&status=True&icon=string&parent_id=1&opens_module_id=1&route=string&display_order=1&min_rank_level=1 Params: name_en, name_kn, description, status, icon, parent_id, opens_module_id, route, display_order, min_rank_level	raw
POST	Link Privileges	{{baseUrl}}/users/modules/{module_id}/link-privileges	raw

Users / Permissions

Method	Name	URL / Params	Body
GET	Read Permissions	{{baseUrl}}/users/permissions	none

Users / Roles

Method	Name	URL / Params	Body
GET	Read Roles	{{baseUrl}}/users/roles	none
POST	Create Role	{{baseUrl}}/users/roles?name=string&code=string&description=string&status=True&rank_level=99&is_all_access=False&module_id=1 Params: name, code, description, status, rank_level, is_all_access, module_id	raw
DELETE	Delete Role	{{baseUrl}}/users/roles/{role_id}	none
GET	Read Role	{{baseUrl}}/users/roles/{role_id}	none
PUT	Update Role	{{baseUrl}}/users/roles/{role_id}?name=string&description=string&status=True&rank_level=1&is_all_access=True&module_id=1 Params: name, description, status, rank_level, is_all_access, module_id	raw
GET	List Role Permissions	{{baseUrl}}/users/roles/{role_id}/permissions	none
POST	Grant Role Permission	{{baseUrl}}/users/roles/{role_id}/permissions	none
PUT	Set Role Permissions	{{baseUrl}}/users/roles/{role_id}/permissions?permission_codes=["string"]&approval_required_codes=[] Params: permission_codes, approval_required_codes	raw
DELETE	Revoke Role Permission	{{baseUrl}}/users/roles/{role_id}/permissions/{permission_id}	none

Users / Users

Method	Name	URL / Params	Body
DELETE	Delete User	{{baseUrl}}/users/{id}	none
GET	Read User	{{baseUrl}}/users/{id}	none
PUT	Update User	{{baseUrl}}/users/{id}?username=string&name=string&email=string&mobile=string&mobile_country_code=string&status=True&role_id=1&password=string Params: username, name, email, mobile, mobile_country_code, status, role_id, password	raw
GET	Get User Permissions	{{baseUrl}}/users/{user_id}/permissions	none