

Cucumber Report

05-Sep-2022, 8:41:20 pm

Start : Sep 05, 8:41:19.209 pm

End : Sep 05, 8:41:19.596 pm

Duration : 0.387 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 0


SKIPPED - 7



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Renew Fleet feature</u>	0.387 s	1	0	1	0	7	0	0	7





#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	0.387 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	7	0	0	7	0.385 s

Renew Fleet feature

FAILED	DURATION - 0.387 s	Scenarios		Steps	
/ 8:41:19.209 pm // 8:41:19.596 pm /		Total - 1		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 7	

IRP Renew fleet

<div>FAILED</div> <div>DURATION - 0.385 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 8:41:19.211 pm // 8:41:19.596 pm /				
Renew Fleet feature				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - AppHooks.Application_Hooks.launchBrowser(io.cucumber.java.Scenario)</p> <p>java.lang.NoClassDefFoundError: org/openqa/selenium/interactions/HasTouchScreen at java.base/java.lang.ClassLoader.defineClass1(Native Method) at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1012) at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:150) at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:862) at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:760) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:681) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:639) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520) at com.qa.factory.Driver_Factory.init_driver(Driver_Factory.java:23) at AppHooks.Application_Hooks.launchBrowser(Application_Hooks.java:32)</p> <p>Caused by: java.lang.ClassNotFoundException: org.openqa.selenium.interactions.HasTouchScreen at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520) at java.base/java.lang.ClassLoader.defineClass1(Native Method)</p>	FAILED	0.365 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1012) at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:150) at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:862) at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:760) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:681) at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:639) at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188) at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520) at com.qa.factory.Driver_Factory.init_driver(Driver_Factory.java:23) at AppHooks.Application_Hooks.launchBrowser(Application_Hooks.java:32) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User login as Internal user	SKIPPED	0.001 s
2	When User will navigate to IRP	SKIPPED	0.000 s
3	Then User will navigate to renew fleet and input all the details	SKIPPED	0.001 s
4	Then User will add, amend or delete vehicle as per the requirement	SKIPPED	0.000 s
5	Then User will navigate to billing to verify as well to adjust the cost	SKIPPED	0.000 s
6	And User will navigate to payment	SKIPPED	0.000 s
7	Then User will assign the inventory	SKIPPED	0.000 s
	AFTER - AppHooks.Application_Hooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "AppHooks.Application_Hooks.driver" is null at AppHooks.Application_Hooks.quitBrowser(Application_Hooks.java:50)		