Duration : 0.371 s Start: Sep 05, 9:52:10.507 pm End: Sep 05, 9:52:10.878 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Renew Fleet feature	0.371 s	1	0	1	0	7	0	0	7

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Renew Fleet feature	1	0	1	0	0.371 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	Renew Fleet feature	IRP Renew fleet	7	0	0	7	0.368 s	

DETAILED SECTION -- 5 --

Renew Fleet feature

FAILED	DURATION - 0.371 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 9:52:10.507 pm //	9:52:10.878 pm /	Pass - 0	1	Pass - 0	7
		Fail - 1		Fail - 0	🖊 ' 🕖
		Skip - 0		Skip - 7	

IRP Renew fleet



#	Step / Hook Details	Status	Duration
	BEFORE - AppHooks.Application_Hooks.launchBrowser(io.cucumber.java.Scenario)	FAILED	0.351 s
	java.lang.NoClassDefFoundError: org/openqa/selenium/interactions/HasTouchScreen		
	at java.base/java.lang.ClassLoader.defineClass1(Native Method)		
	at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1012)		
	at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:150)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:862)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:760)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:681)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:639)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)		
	at com.qa.factory.Driver_Factory.init_driver(Driver_Factory.java:23)		
	at AppHooks.Application_Hooks.launchBrowser(Application_Hooks.java:28)		
	Caused by: java.lang.ClassNotFoundException: org.openqa.selenium.interactions.HasTouchScreen		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)		
	at java.base/java.lang.ClassLoader.defineClass1(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.ClassLoader.defineClass(ClassLoader.java:1012)		
	at java.base/java.security.SecureClassLoader.defineClass(SecureClassLoader.java:150)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.defineClass(BuiltinClassLoader.java:862)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(BuiltinClassLoader.java:760)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(BuiltinClassLoader.java:681)		
	at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:639)		
	at java.base/jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(ClassLoaders.java:188)		
	at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)		
	at com.qa.factory.Driver_Factory.init_driver(Driver_Factory.java:23)		
	at AppHooks.Application_Hooks.launchBrowser(Application_Hooks.java:28)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuiteSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1063) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	Given User login as Internal user	SKIPPED	0.000 s
2	When User will navigate to IRP	SKIPPED	0.000 s
3	Then User will navigate to renew fleet and input all the details	SKIPPED	0.000 s
4	Then User will add, amend or delete vehicle as per the requirement	SKIPPED	0.000 s
5	Then User will navigate to billing to verify as well to adjust the cost	SKIPPED	0.000 s
6	And User will navigate to payment	SKIPPED	0.000 s
7	Then User will assign the inventory	SKIPPED	0.000 s
	AFTER - AppHooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at AppHooks.Application_Hooks.tearDown(Application_Hooks.java:58)		
	AFTER - AppHooks.Application_Hooks.quitBrowser()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at AppHooks.Application_Hooks.quitBrowser(Application_Hooks.java:46)		