

# Cucumber Report

18-Oct-2022, 1:13:41 pm

**Start : Oct 18, 12:45:55.505 pm**

**End : Oct 18, 1:13:40.406 pm**

**Duration : 27 m 44.901 s**

Features





PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 1  
SKIPPED - 0

Steps


PASSED - 11  
FAILED - 1  
SKIPPED - 3



<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<i>Renew Fleet feature</i>		27 m 44.901 s		1	0	1	0	15	11	1	3




#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	27 m 44.901 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	15	11	1	3	27 m 44.898 s



## Renew Fleet feature






## IRP Renew fleet



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	1 m 4.925 s
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.954 s
2	When User will navigate to the IRPLink	PASSED	44.027 s
	AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.468 s

#	Step / Hook Details	Status	Duration
			
3	Then User will provide all the Account Number Details to start with IRP Transaction  AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	4.687 s
4	Then User will navigate to account section and fill the data  AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	29.519 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated."  AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	39.992 s
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."  AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)	PASSED	1 m 9.382 s
		PASSED	0.467 s

#	Step / Hook Details	Status	Duration
	<p>anyname</p> 		
7	Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."	PASSED	32.059 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.524 s
8	Then User will navigate to Add vehicle and validate the message "IRPVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVEH004 : [I] Vehicle amended successfully."	PASSED	42.274 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.550 s
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVEH246 : [I] Vehicle(s) deleted successfully."	PASSED	16.351 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.514 s
10	And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully"	PASSED	13.020 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.498 s
11	Then User will navigate to vehicle list to update existing vehicle	PASSED	31.892 s
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.501 s
12	<p>Then User will navigate to billing to verify as well to adjust the cost &amp; Waive Fees "IRPBILL09 : [E] Manual adj. reason is required."</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=106.0.1370.47) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [5b19b0bee7cc10d74aeb5afec27b6c76, findElements {using=xpath, value=/input[contains(@id,'FeeDetailRows_')and contains(@id,'_FeeAmount'))]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 106.0.1370.47, ms:edgeOptions: {debuggerAddress: localhost:51158}, msedge: {msedgedriverVersion: 106.0.1370.47 (4e0bb7311a0a..., userDataDir: C:\Users\saima\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51158/devtoo..., se:cdpVersion: 106.0.1370.47, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b19b0bee7cc10d74aeb5afec27b6c76 at jdk.internal.reflect.GeneratedConstructorAccessor59.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569)</pre>	FAILED	21 m 8.381 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:179) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:102) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:402) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:394) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElements(DefaultElementLocator.java:87) at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:37) at jdk.proxy2/jdk.proxy2.\$Proxy33.size(Unknown Source) at com.pages.BillingTab.FetchTable_FeeAmount(BillingTab.java:445) at Parallel.RWC_001.user_will_navigate_to_billing_to_verify_as_well_to_adjust_the_cost_waive_fees(RWC_001.java:688)   at ?.User will navigate to billing to verify as well to adjust the cost &amp; Waive Fees "IRPBILL09 : [E] Manual adj. reason is required. "(file:///D:/WorkingDirectory/CelticProject_Framework-main/src/test/resources/parallel/RWC_001.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - AppHooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=106.0.1370.47) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge. EdgeDriver Command: [5b19b0bee7cc10d74aeb5afec27b6c76, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 106.0.1370.47, ms:edgeOptions: {debuggerAddress: localhost:51158}, msedge: {msedgedriverVersion: 106.0.1370.47 (4e0bb7311a0..., userDataDir: C:\Users\saaima\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51158/devtoo..., se:cdpVersion: 106.0.1370.47, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b19b0bee7cc10d74aeb5afec27b6c76 at jdk.internal.reflect.GeneratedConstructorAccessor59.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at com.qa.util.Generic_Functions.getByteScreenshot(Generic_Functions.java:35) at AppHooks.Application_Hooks.as(Application_Hooks.java:48) </pre>	FAILED	0.003 s
13	And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then User will navigate to supplement continuance and validate the meesage "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.000 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.000 s
	<p>AFTER - AppHooks.Application_Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=106.0.1370.47) Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.33', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [5b19b0bee7cc10d74aeb5afec27b6c76, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 106.0.1370.47, ms:edgeOptions: {debuggerAddress: localhost:51158}, msedge: {msedgedriverVersion: 106.0.1370.47 (4e0bb7311a0a..., userDataDir: C:\Users\saima\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51158/devtoo..., se:cdpVersion: 106.0.1370.47, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5b19b0bee7cc10d74aeb5afec27b6c76 at jdk.internal.reflect.GeneratedConstructorAccessor59.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:624) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:628) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:353) at AppHooks.Application_Hooks.tearDown(Application_Hooks.java:69)</pre>	FAILED	0.003 s