

Cucumber Report

02-Nov-2022, 3:49:46 pm

Start : Nov 02, 3:33:19.792 pm

End : Nov 02, 3:49:44.804 pm

Duration : 16 m 25.012 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0

Scenarios


PASSED - 0
FAILED - 1
SKIPPED - 0

Steps


PASSED - 12
FAILED - 1
SKIPPED - 3



Feature				Scenario				Step			
Name		Duration		T	P	F	S	T	P	F	S
<u>Renew Fleet feature</u>		16 m 25.012 s		1	0	1	0	16	12	1	3




#	Feature Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	1	0	1	0	16 m 25.012 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Renew Fleet feature</u>	<u>IRP Renew fleet</u>	16	12	1	3	16 m 25.010 s




Renew Fleet feature





IRP Renew fleet



#	Step / Hook Details	Status	Duration
1	Given User login as a Internal user	PASSED	31.844 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.578 s
2	When User will navigate to the IRPLink	PASSED	51.213 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.539 s


#	Step / Hook Details	Status	Duration
			
3	Then User will provide all the Account Number Details to start with IRP Transaction AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	5.854 s
		PASSED	0.570 s
4	Then User will navigate to account section and fill the data AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	20.154 s
		PASSED	0.675 s
5	Then User will navigate to Fleet section and fill the data and validate message "IRPACC00 : [I] Renewal account has been generated." Message in Fleet Screen IRPACC00 : [I] Renewal account has been generated.	PASSED	3 m 8.024 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.556 s
			
6	Then User will navigate to Distance section and fill the data and validate message "IRPFLT01 : [I] Renewal fleet has been generated." "[I] MCE: IRP status successfully updated."	PASSED	1 m 12.981 s

#	Step / Hook Details	Status	Duration
	<p>Message in Distance Screen RPFLT01 : [I] Renewal fleet has been generated.</p> <p>Message in Distance Screen[I] MCE: IRP status successfully updated.</p>		
	<p>AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.460 s
7	<p>Then User will navigate to Weight group section and fill the data ans validate message "IRPMLG13 : [I] Renewal Distance has been generated."</p> <p>Message in Weight Group Screen RPMLG13 : [I] Renewal Distance has been generated.</p>	PASSED	24.309 s
	<p>AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.585 s
8	<p>Then User will navigate to Add vehicle and validate the message "IRPVVEH375 : [I] Please search the VIN first to process a vehicle." "IRPVVEH491 : [W] New Plate Required flag set for this vehicle to Yes." "IRPVVEH004 : [I] Vehicle amended successfully."</p> <p>Message in Amend Vehicle Screen RPVVEH375 : [I] Please search the VIN first to process a vehicle.</p> <p>Message in Amend Vehicle Screen RPVVEH491 : [W] New Plate Required flag set for this vehicle to Yes.</p> <p>Message in Amend Vehicle Screen RPVVEH004 : [I] Vehicle amended successfully.</p> <p>Message in Amend Vehicle Screen RPVVEH491 : [W] New Plate Required flag set for this vehicle to Yes.</p> <p>Message in Amend Vehicle Screen RPVVEH004 : [I] Vehicle amended successfully.</p>	PASSED	1 m 29.548 s
	<p>AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario)</p> <p>anyname</p> 	PASSED	0.656 s
9	Then User will Delete vehicle as per the requiremnet and validate the message "IRPVVEH246 : [I] Vehicle(s) deleted successfully."	PASSED	29.115 s

#	Step / Hook Details	Status	Duration
	Message in Delete Vehicle ScreenIRPVEH246 : [I] Vehicle(s) deleted successfully.		
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.617 s
10	And User will confirm cancel "GEN1062 : [I] Cancellation completed successfully" Message in Vehicle Cancel ScreenGEN1062 : [I] Cancellation completed successfully	PASSED	26.074 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.529 s
11	Then User will navigate to vehicle list to update existing vehicle	PASSED	1 m 5.753 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	0.644 s
12	Then User will navigate to billing to verify as well to adjust the cost & Waive Fees "IRPBILL09 : [E] Manual adj. reason is required." Message in Billing ScreenIRPBILL09 : [E] Manual adj. reason is required.	PASSED	4 m 46.384 s
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname	PASSED	0.421 s

#	Step / Hook Details	Status	Duration
			
13	<p>And User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."</p> <p>Message in Payment ScreenGEN24 : [I] Invoice report generated successfully.</p> <p>Message in Payment ScreenIRPREP28 : [I] Billing completed successfully.</p> <p>Message in Payment ScreenGEN1239 : [I] TVR generated successfully.</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='btnAddToCart']' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:356) at com.celtic.automation.cmcs.pages.PaymentTab.clickAddtoCart(PaymentTab.java:87) at parallel.RWC_001.user_will_navigate_to_payment_tab_to_input_the_data_and_validate_message(RWC_001.java:998) at ?.User will navigate to Payment Tab to input the data and validate message "GEN24 : [I] Invoice report generated successfully." "IRPREP28 : [I] Billing completed successfully." "GEN1239 : [I] TVR generated successfully."(file:///D:/WorkingDirectory/updated_celtic_project-main/src/test/resources/parallel/RWC_001.feature:15) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='btnAddToCart']"} (Session info: MicrosoftEdge=107.0.1418.26) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.3.0', revision: 'a4995e2c09*' System info: host: 'SAIMADHURI', ip: '192.168.1.35', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa. selenium.edge.EdgeDriver Command: [eb8d9a70b740a910a53ecfe7c53b0a4f, findElement {using>xpath, value=/input[@id='btnAddToCart']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 107.0.1418.26, ms:edgeOptions: {debuggerAddress: localhost:64861}, msedge: {msedgedriverVersion: 107.0.1418.26 (801aa30e9054..., userDataDir: C:\Users\saima\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64861/devtoo... , se:cdpVersion: 107.0.1418.26, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: eb8d9a70b740a910a53ecfe7c53b0a4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</pre>	FAILED	1 m 20.988 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:569) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:387) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:379) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy32.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.celtic.automation.cmcs.util.ElementUtil.clickElement(ElementUtil.java:356) at com.celtic.automation.cmcs.pages.PaymentTab.clickAddtoCart(PaymentTab.java:87) at parallel.RWC_001.user_will_navigate_to_payment_tab_to_input_the_data_and_validate_message(RWC_001.java:998) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at io.cucumber.java.Invoker.invoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - apphooks.Application_Hooks.as(io.cucumber.java.Scenario) anyname 	PASSED	1.402 s
14	Then User will navigate to supplement continuance and validate the message "GENPAY01 : [E] This transaction already exists in the cart."	SKIPPED	0.002 s
15	Then User will navigate to payment tab and fill the requirement	SKIPPED	0.000 s
16	And user will validate message "Payment Receipt generated successfully" "Credentials generated successfully."	SKIPPED	0.001 s
	AFTER - apphooks.Application_Hooks.tearDown(io.cucumber.java.Scenario) IRP_Renew_fleet	PASSED	2.152 s

#	Step / Hook Details	Status	Duration
			