## B.Tech (Honours)(Data Science/Artificial Intelligence) 3rd Semester, Class Test - I, December, 2022

(AICTE Scheme)

(Computer Science and Engineering Branch)

### **Database Management System**

	(B000375 (022))	
Time	Allowed: 2 hours Maximum Mark	cs:40
	Minimum Pass Mark	s: 14
	ROUNO-300012871042	
Note:	Attempt any two parts from (b), (c), and (d) of each question.	lsory.
	(viii) The figure in the right-hand margin indicates marks.	
I.(a)	What is key? Write about various keys in brief.	[4]
(b)	Compare file oriented approach and database system approach. Write the advantages and disadvantages of database system approach.	[8]
(c)	Discuss database system structure with neat diagram & their various components.	[8]
(d)	Explain E-R diagram. Make an E-R diagram of library management system	[8]
II.(a)	Write the roles and responsibilities of DBA.	[4]
(b)	What is meant by relational calculus? Describe with their types and example.	[8]
(c)	Explain relational algebra with their various operations.	[8]
(d)	Explain various join operations with an example.	[8]

# B.Tech (Honours) (Data Science/Artificial Intelligence)

3<sup>rd</sup> Semester, Class Test - 1, December, 2022

(AICTE Scheme)

(Computer Science and Engineering Branch)

# Computer Organization and Architecture (B000373(022))

Time Allowed: 2 hours

Divisor= 0101
 Find remainder and quotient?

_	Maximum Marks  Poll No-300012821042  Maximum Marks  Minimum Pass Marks	
No	Attempt any two parts from (b), (c), and (d) of each question.  (iv) The figure in the right-hand margin indicates marks.	
I.	(a) Explain Control Unit organization and difference between Hardwired Control Unit and Micro-Programmed Control Unit.	[4]
	(b) Explain all the different ways in which location of operand is specified in an instruction called as addressing modes.	[8]
	(c) Explain Look-ahead carry generator.	[8]
	<ul> <li>(d) Write a program to evaluate the arithmetic statement:</li> <li>X = A+B/C*(D+E)-F</li> <li>a. Using a memory type computer with three address instructions.</li> <li>b. Using a general register computer with two address instructions.</li> <li>c. Using an accumulator type computer with one address instructions.</li> </ul>	[8]
II.	(a)Describe all the methods of obtaining 2's Complement of a given number: Express 39 in 8-bit 2's complement form.	- [4]
	(b)Design the flowchart for signed binary multiplication or Booth algorithm using 2's complement numbers: a. (-9) x (-13).	[8]
	(c)Draw neat flowchart for restoring division method with the evaluation- Dividend= 1010 Divisor= 0011 Find remainder and quotient?	[8]
	(d)Draw neat flowchart for non- restoring division method with the evaluation- Dividend= 1011	[8]

### B.Tech (Honours)(Data Science/Artificial Intelligence)

3rd Semester, Class Test - I, December, 2022

(AICTE Scheme)

(Computer Science and Engineering Branch)

### **Probability and Statistics**

(B000371(022))

Time Allowed: 2 hours

ROUNO - 3000128 2 10 42

Maximum Marks: 40

Minimum Pass Marks: 14

Note:

- (i) Each question contains four parts. Part (a) of each question is compulsory. Attempt any two parts from (b), (c), and (d) of each question.
- (ii) The figure in the right-hand margin indicates marks.
- I. (a) What do you mean by Probability. Write two properties of probability of events from a sample space. Check whether the following can serve as probability distribution:
  - a.  $f(x) = \frac{x-2}{2}$  for x=1,2,3,4
  - b.  $g(x) = \frac{x^2}{25}$  for x=0,1,2,3,4
  - (b) Define Random Variable, its domain and codomain with an example. Write its two types. Two cards are drawn successively with replacement from a well-shuffled deck of 52 cards. Find the probability distribution of the number of Kings.
  - (c) What is Mean and Variance of a random variable. Let a pair of dice be thrown and the random variable X be the sum of the numbers that appear on the two dice. Find the mean and variance of X.
  - (d) What is Bayes Theorem. Given three identical boxes I, II and III, each containing two coins. In box I, both coins are gold coins, in box II, both are silver coins and in the box III, there is one gold and one silver coin. A person chooses a box at random and takes out a coin. If the coin is of gold, what is the probability that the coin was chosen from bag I?
- II. (a) What is Binomial Distribution. What is the probability density function of getting [4] 'r' success in random experiment of 'n' trials. What is its mean and variance.

[8]

[8]

- (b) If a fair coin is tossed 10 times, find the probability of getting:(a) exactly six heads.
  - (b) at least six heads.
  - (c) at most six heads.
  - (d) zero heads.
- (c) What is Geometric Distribution. Write its probability density function, mean and standard deviation. Find the probability that in successive tosses of a fair die, a 3 will come up for the first time on the fifth toss.
- (d) Explain Exponential Distribution with an example. Write its mean and variance. Suppose the life of a mobile battery is exponentially distributed with parameter 'lambda' = 0.001 day. What is the probability that a battery will last more than 1200 days.

## B.Tech (Honours)(Data Science/Artificial Intelligence)

3rd Semester, Class Test - I, December, 2022

(AICTE Scheme)

(Computer Science and Engineering Branch)

# Analysis and Design of Algorithm

(B000372(022))

Ti	me All	Maximum Marks: 4  Minimum Pass Marks: 1  ROUNO-300013821042	0 4
No	ote:	<ul> <li>(i) Each question contains four parts. Part (a) of each question is compulsory.         Attempt any two parts from (b), (c), and (d) of each question.     </li> <li>(ii) The figure in the right-hand margin indicates marks.</li> </ul>	
I.	(a)	Define Algorithm, Time Complexity and Space Complexity. Arrange following rate of growth in increasing order.	[4]
		$2^n, n \log n, n^2, 1, n, \log n, n!, n^3$	
	(b)	Explain why analysis of algorithms is important with example? Explain: WorstCase, Best Case & Average Case Complexity with example.	[8]
	(c)	Explain various properties of an algorithm with example supporting the importance of those properties.	[8]
	(d)	Explain divide and conquer and dynamic programming with the help of example. Differentiate between divide and conquer and dynamic programming.	[8]
II.	(a)	Why is sorting techniques studied in details? Explain the importance with the help of an example.	[4]
	(b)	Explain counting sort with the help of an example and code. Also, how is counting sort different from other sorting techniques like bubble sort or inserting sort or others.	[8]
	(c)	Explain radix sort with the help of an example and code. Also explain the complexity of radix sort.	e [8]
	(d)	Discuss the time and space complexity analysis of Fibonacci sequence with the help of an example. Can this be improved by using dynamic programming? Explain the answer.	[8]

## B.Tech (Honours)(Data Science/Artificial Intelligence)

3rd Semester, Class Test - 1, December, 2022

#### (AICTE Scheme)

(Computer Science and Engineering Branch)

#### Discrete Structure

(B000374(022))

Time Allowed: 2 hours


Maximum Marks: 40 Minimum Pass Marks: 14

[4]

## ROLL NO -300012821042

- Note:
- (i) Each question contains four parts. Part (a) of each question is compulsory.Attempt any two parts from (b), (c), and (d) of each question.
- (ii) The figure in the right-hand margin indicates marks.
- (a) Define Inclusion–Exclusion Principle. Write application of Inclusion–Exclusion
   [4]
  - (b) Explain Define power sets of a set and find the power set of S = {1, 2, 3}.

    Principle of Mathematical Induction and by using mathematical inductionmethod provethat:
  - $1 + 3 + 5 + \cdots + (2n 1) = n^2$
  - (c) Construct the truth table of the compound proposition  $(p \lor \neg q) \to (p \land q)$ . Find the [8] output for logic circuit. Construct the truth table of logic circuit.



- (d) Define Basic Logic Gate and explain NOR Gate and NAND Gate. Construct the truth table of all logic gate. Explain equivalence relation with example.
- II (a) State and prove De Morgan's Laws by using truth table.
  - (b) Explain Quantifiers with example. What are the negations of the statements  $\forall x(x^2 > x)$  and  $\exists x(x^2 = 2)$ ? Show that  $\neg \forall x(P(x) \rightarrow Q(x))$  and  $\exists x(P(x) \land \neg Q(x))$  are logically equivalent. [8]
  - (c) Define Logical Equivalences. Show that  $(p \to q) \land (p \to r)$  and  $p \to (q \land r)$  are logically equivalent. [8]
  - (d) Find an explicit formula for the Fibonacci numbers. What is the solution of the recurrence relation  $a_n = 6a_{n-1} 9a_{n-2}$  with initial conditions  $a_0 = 1$  and  $a_1 = 6$ ? [8]



#### University Teaching Department

### B. Tech (Honours) (Data Science/ Artificial Intelligence)

Class Test - II, FEB, 2023

Subject: Database Management System B000375 (022)

Time Allowed 2 hours

Maximum Marks: 40

ROU NO-300012801042

Note

- (i) Each question contains three parts. Part (a) of each question is compulsory. Attempt any one part from (b), (c) of each question.
- (ii) The figure in the right-hand margin indicates marks
- (a) Define Stored Procedure, Dynamic and Static SQL.

[3]

(b) Employee Table:

[10]

EmpID	EmpFname	EmpLname	Department	Project	Address	DOB	Gender
1	Sanjay	Mehra	HR	PI	Hyderabad(HYD)	01/12/1976	М
2	Rohan	Diwan	Admin	P2	Delai(DEL)	01/1/1968	М
3	Sonia	Kulkarni	Account	Р3	Mumbai(BOM)	02/5/1980	F
4	Ankit	Kapoor	HR	Pl	Hyderabad(HYD)	02/5/1992	М
5	Ananya	Mishra	Admin	P2	Delhi(DEL)	03/7/1994	F

### Employee Position Table:

EmpID	EmpPosition	DOB	Salary
1	Manager	01/05/2022	500000
2	Executive	02/05/2022	75000
3	Manager	01/05/2022	90000
2	Lead	02/05/2022	85000
1	Executive	01/05/2022	300000

### Write a SQL for the following questions:

- (i) Find number of employees whose DOB is between 02/05/1970 to 31/12/1975 and are grouped according to gender.
- (ii) Fetch details of employees whose EmpLname ends with an alphabet 'A' and contains five alphabets.

(iv (v)	Write a query to retrieve the list of employees working in the same departmen	
(c)	(i) Why we use view in DBMS? Write about their creation, updation and delebrief details and examples.	tion with
	(ii) Write about Group by, having and order by clauses with an example.	
П.	<ul> <li>(a) Define RAID in DBMS.</li> <li>(b) Explain functional dependency, trivial functional dependency and decomposition in DBMS. Consider a relational schema R(A, B, C, D, which the following FDs holds – {A-&gt;B, BC-&gt;D, E-&gt;C, D-&gt;A} What candidate keys of R2</li> </ul>	[3] E, H) on
	candidate keys of R?  Define normalization with their various types. Insert the keys 79, 69, 9  14, 50 into the Hash Table of size 13. Resolve all collisions using Do- Hashing where first hash-function is h1(k) = k mod 13 and second has function is h2(k) = 1 + (k mod 11)	[10]
III. (a (b)	Consider the 2 transactions T1 and T2 and four schedules S1, S2, S3 a T1 and T2 are given below: T1: R1[X] W1[X] W1[Y] T2: R2[X] R2[Y] W2[Y] S1: R1[X] R2[X] R2[Y] W1[X] W1[Y] W2[Y] S2: R1[X] R2[X] R2[Y] W1[X] W2[Y] W1[Y] S3: R1[X] W1[X] R2[X] W1[Y] R2[Y] W2[Y] Which schedules is/are conflict excelerable.	[4] nd S4 of
	Write about various concurrency control protocols in brief details.	[10]

Fetch all employees who also hold the managerial position.

(iii)



## University Teaching Department

# B.Tech (Honours) (Data Science/ Artificial Intelligence)

Class Test - II, Fab, 2023

# Probability and Statistics (B000371(022))

Time Allowed: 2 hours

Maximum Marks 40

Minimum Pass Marks: 14

# Pall No-300010801042

Note:

- (i) Each question contains four parts. Part (a) of each question is compulsory. Attempt any two parts from (b), (c), and (d) of each question.
- (ii) The figure in the right-hand margin indicates marks.
- (a) Explain Joint, Marginal, and Conditional Probability L

14

- (b) Suppose A and B are two independent events for which P(A) = 0.20 and P(B)=0.60.
- Find P(A/B).
   Find P(B/A).
   Find P(A and B).
   Find P(A or B).

[8]

(c) This imaginary data represents the Attendance and CT-1 Marks for the Students of CSVTU, Bhilai for 9 students. Predict the marks for 10th student using regression method.

CT-1 Marks for PS
10
35
11
37
39
23
14
14
35
2

(d) Given Below are packages that was obtained by Students in LPA of three branches ALCSE & DS respectively from normal populations with equal variances. Test the hypothesis at 5% level (Ftab=3-88) that population mean is equal

Al	CSE	DS
8	7	12
10	5	9
7	10	13
14	9	12
44	9	14

[8]

(a) What is Hypothesis Testing? Explain in Brief. 11.

[4]

(b)Can it be concluded that average life span of an Indian is more than 70 years If a random sample of 100 Indians has an average life span of 71.8 years with standard deviation of 7.8 years.  $(z(\alpha)/z(tab)=1.64)$ [8]

(c)In a survey of 200 boys of which 75 were intelligent, 40 had educated father while 85 of the unintelligent boys had uneducated fathers. Do these figures Support the Hypothesis that educated fathers have intelligent boys? ( Square [8]

turnlated value key point - 894841

(d)A farmer applies three types of fertilizers on 4 separate plots. The figures on yield per acre are tabulated as following-

Test for two Null Hypothesis Test Cases-

- a) Plots do not differ Materially.
- b) Fertilizers do not differ Materially. (Column(tab)=4.76, Row(tab)=5.14)

Ferilizers	Λ	В	С	D
Mitrogen	6	4	8	6
Potash	7	6	6	9
Plosphate	٩	5	10	g



## University Teaching Department

# B.Tech (Honours) (Data Science/ Artificial Intelligence)

## Class Test - II, FEB, 2023

## Discrete Structure (B000374(022))

Time Allowed: 2 hours

Maximum Marks: 40

Minimum Pass Marks: 14

## ROLINO-300010821042


Note:

- (i) Each question contains four parts. Part (a) of each question is compulsory. Attempt any two parts from (b), (c), and (d) of each question.
- (ii) The figure in the right-hand margin indicates marks.
- (a) Explain complete graphs and Bipartite Graphs with examples? 1.

141

(b) Explain Kruskal's algorithm and find minimal spanning tree by using Kruskal's algorithm?

[8]



(c)Prove that:

181

- (i) If a connected planar graph G has n vertices, e edges and r region, then n e + r = 2. [4 marks]
- (ii) Show that the graph K5 is not planar graph.

[2 marks]


(iii) Show that the graph K1 3 is not planar graph.

[2 marks]

(d) Show that the following graphs are isomorphic:

181





(a)	<ul> <li>(i) Write Chinese Remainder theorem.</li> <li>(ii) Find the remainder when 2<sup>100</sup> divided by 7.</li> </ul>	[1]
	(iii) Find the remainder obtained by dividing 1! + 2! +	3! + ··· + 1000! by 20. [1]

- (iv) Prove that the number 1571427 is divisible by 11.
- (b) Explain Euler's  $\emptyset$  function, Tau function, Sigma function [8] with properties?
- (c) Prove that  $(P(\mathbb{N}),*), X * Y = X\Delta Y = (X Y) \cup (Y X)$  is a group under symmetric difference? [8]
- (d)
  - (i)Write an example of non-abelian group in which every proper subgroup is normal and explain it?
    (ii)Write an example of abelian group in which every proper subgroup is normal and explain it?



**University Teaching Department** 

B. Tech (Honours) (Data Science/ Artificial Intelligence)

Class Test - II, FEB, 2023

Subject: Analysis & Design of Algorithm

B000372 (022)

Time Allowed: 2 hours

Maximum Marks: 40

Minimum Pass Marks: 14

Note:

- (i) Each question contains four parts. Part (a) of each question is compulsory. Attempt any two parts from (b), (c), and (d) of each question.
- (ii) The figure in the right-hand margin indicates marks.
- (a) Define Characteristics, Components and Applications of Greedy Methods. [2]
  - (b) Define Fractional Knapsack Problem. Let us consider that the capacity of the knapsack W = 60 and the list of provided items are shown in the following table & find the best approach (From all 3 ways).

ltem	A	В	С	D
Profit	280	100	120	120
Weight	40	10	20	24
Ratio (piwi)	7	10	6	5


[6]

(c) Define Bellman Ford Algorithm & find the shortest distance from the single vertex (A) to all the other vertices of a weighted graph



14

(d) Define Kruskal Algorithm & find the minimum cost of a spanning tree



[6]

It (a) Define the approach of Dynamic Programming

[2]

- (b) Explain LCS & Find the longest common subsequence's to both string X 10010101 Y 010110110
- (c) Explain MCM 8 find minimum cost of given sequence (4, 10, 3, 12, 20, and 7)

[6]

(d) Evaluate All-pair shortest path Floyd's Warshall algorithm



[6]

II (a) Define String Matching

- [2]
- (b) Explain B Tree & Insert and then Delete (7) the items in given Tree

#### 5-Way Search Tree



[5]

- (c) Explain NP-Completeness
- (d) Difference between Approximation Algorithm and Randomized Algorithms
  (st.)



## B. Tech (Honours) (Data Science/Artificial Intelligence)

Class Test - II, January, 2023

(AICTE Scheme)

(Computer Science and Engineering Branch)

### Subject- Computer Organization and Architecture

(B000373(022))

Time Allowed hour 30 minutes

Maximum Marks: 40

Minimum Pass Marks: 14

ROLL NO - 300012821242

Note:

(i) Each question contains four parts. Part (1) of each question is compulsory. Attempt any two parts from (2), (3), and (4) of each question.

(ii) The figure in the right-hand margin indicates marks.

I. (1) Difference between DRAM and SRAM explain with block diagram.	[4]
(2) What do you mean by virtual memory explain with block diagram? Discuss how	[4+4]
paging and segmentation helps in implementing virtual memory.	
(3) Consider a 4-way set associative cache consisting of 128 lines with a line size	[6+2]
of 64 words. The CPU generates a 20-bit address of a word in main memory.	
(a) How many bits are there in the TAG, SET and WORD fields of the address	s
format?	
(b) What is meant by locality of reference in cache memory?	
(4) A digital computer has a memory unit of 64K × 16 and a cache memory of	f [6+2]
1K words. The cache uses direct mapping with a block size of four words.	
(a) How many bits are there in the TAG, LINE and WORD fields of the address	ss
format?	
(b)How many blocks can the cache accommodate?	
II. (1)Write short notes on:	[2+2]
(a) Four major difference between RISC and CISC.	
(a) List the types of data hazards and list the techniques used for overcoming hazard	i.
(2) What is pipelining explain with flowchart? Consider two pipelines A and B, who	
pipeline A is having 8 stages of uniform delay of 3ns. Pipeline B is having 5 stages	Control of the second second
with respective stage delays of 2ns, 3ns, 5ns, 6ns, and 1ns. How much time is say	
	vea
using the pipeline A instead of pipeline B when 100 tasks are pipelined.	T4 . 4
(3)Write short notes on:	[4+4
(a) Four major difference between closely coupled and loosely coup	pled
multiprocessor systems.	
(b) What is bus arbitration? Describe all the methods to implement the	bus
architecture.	
(4)Interrupt structure of 8086 explain with block diagram.	[8]
(4) mortupe structure of oood explain with block diagram.	1101