

Date Object Methods

Method	Description
<code>getDate()</code>	Returns the day of the month (from 1-31)
<code>getDay()</code>	Returns the day of the week (from 0-6)
<code>getFullYear()</code>	Returns the year
<code>getHours()</code>	Returns the hour (from 0-23)
<code>getMilliseconds()</code>	Returns the milliseconds (from 0-999)
<code>getMinutes()</code>	Returns the minutes (from 0-59)
<code>getMonth()</code>	Returns the month (from 0-11)
<code>getSeconds()</code>	Returns the seconds (from 0-59)
<code>getTime()</code>	Returns the number of milliseconds since midnight Jan 1 1970, and a specified date
<code>getTimezoneOffset()</code>	Returns the time difference between UTC time and local time, in minutes
<code>getUTCDate()</code>	Returns the day of the month, according to universal time (from 1-31)
<code>getUTCDay()</code>	Returns the day of the week, according to universal time (from 0-6)
<code>getUTCFullYear()</code>	Returns the year, according to universal time
<code>getUTCHours()</code>	Returns the hour, according to universal time (from 0-23)
<code>getUTCMilliseconds()</code>	Returns the milliseconds, according to universal time (from 0-999)
<code>getUTCMinutes()</code>	Returns the minutes, according to universal time (from 0-59)
<code>getUTCMonth()</code>	Returns the month, according to universal time (from 0-11)
<code>getUTCSeconds()</code>	Returns the seconds, according to universal time (from 0-59)
<code>getYear()</code>	Deprecated. Use the <code>getFullYear()</code> method instead
<code>now()</code>	Returns the number of milliseconds since midnight Jan 1, 1970
<code>parse()</code>	Parses a date string and returns the number of milliseconds since January 1, 1970
<code>setDate()</code>	Sets the day of the month of a date object
<code>setFullYear()</code>	Sets the year of a date object
<code>setHours()</code>	Sets the hour of a date object
<code>setMilliseconds()</code>	Sets the milliseconds of a date object
<code>setMinutes()</code>	Set the minutes of a date object
<code>setMonth()</code>	Sets the month of a date object
<code>setSeconds()</code>	Sets the seconds of a date object
<code>setTime()</code>	Sets a date to a specified number of milliseconds after/before January 1, 1970

<code>setUTCDate()</code>	Sets the day of the month of a date object, according to universal time
<code>setUTCFullYear()</code>	Sets the year of a date object, according to universal time
<code>setUTCHours()</code>	Sets the hour of a date object, according to universal time
<code>setUTCMilliseconds()</code>	Sets the milliseconds of a date object, according to universal time
<code>setUTCMinutes()</code>	Set the minutes of a date object, according to universal time
<code>setUTCMonth()</code>	Sets the month of a date object, according to universal time
<code>setUTCSeconds()</code>	Set the seconds of a date object, according to universal time
<code>setYear()</code>	Deprecated. Use the <code>setFullYear()</code> method instead
<code>toString()</code>	Converts the date portion of a Date object into a readable string
<code>toGMTString()</code>	Deprecated. Use the <code>toUTCString()</code> method instead
<code>toISOString()</code>	Returns the date as a string, using the ISO standard
<code>toJSON()</code>	Returns the date as a string, formatted as a JSON date
<code>toLocaleDateString()</code>	Returns the date portion of a Date object as a string, using locale conventions
<code>toLocaleTimeString()</code>	Returns the time portion of a Date object as a string, using locale conventions
<code>toLocaleString()</code>	Converts a Date object to a string, using locale conventions
<code>toString()</code>	Converts a Date object to a string
<code>toTimeString()</code>	Converts the time portion of a Date object to a string
<code>toUTCString()</code>	Converts a Date object to a string, according to universal time
<code>UTC()</code> <code>to UTC time</code>	Returns the number of milliseconds in a date since midnight of January 1, 1970, according
<code>valueOf()</code>	Returns the primitive value of a Date object